


DATE 02/13/2012

Columbia County Building Permit
This Permit Must Be Prominently Posted on Premises During Construction**PERMIT**
000029931

APPLICANT WENDY GRENNELL PHONE 288-2428
ADDRESS 3104 SW OLD WIRE RD FORT WHITE FL 32038
OWNER DEAS-BULLARD PROPERTIES PHONE 752-4339
ADDRESS 179 NE BERBY TERR LAKE CITY FL 32055
CONTRACTOR ROBERT SHEPPARD PHONE 623-2203
LOCATION OF PROPERTY 441 N, R BASCOM NORRIS, R NW DERBY TERR, 1ST HOME
ON LEFT
TYPE DEVELOPMENT MH, UTILITY ESTIMATED COST OF CONSTRUCTION 0.00
HEATED FLOOR AREA TOTAL AREA HEIGHT STORIES
FOUNDATION WALLS ROOF PITCH FLOOR
LAND USE & ZONING RSF/MH-2 MAX. HEIGHT 35
Minimum Set Back Requirments: STREET-FRONT 25.00 REAR 15.00 SIDE 10.00
NO. EX.D.U. 0 FLOOD ZONE X DEVELOPMENT PERMIT NO.



PARCEL ID 28-3S-17-05621-002 SUBDIVISION DERBY FOREST UNREC.
LOT 3 BLOCK PHASE UNIT TOTAL ACRES 2.56

IH1025386 
Culvert Permit No. Culvert Waiver Contractor's License Number Applicant/Owner/Contractor
EXISTING 12-0049-E BK TC N
Driveway Connection Septic Tank Number LU & Zoning checked by Approved for Issuance New Resident

COMMENTS: FLOOR ONE FOOT ABOVE THE ROADCheck # or Cash CASH**FOR BUILDING & ZONING DEPARTMENT ONLY**

(footer/Slab)

Temporary Power Foundation Monolithic
 date/app. by date/app. by date/app. by
Under slab rough-in plumbing Slab Sheathing/Nailing
 date/app. by date/app. by date/app. by
Framing Insulation
 date/app. by date/app. by
Rough-in plumbing above slab and below wood floor Electrical rough-in
 date/app. by date/app. by
Heat & Air Duct Peri. beam (Lintel) Pool
 date/app. by date/app. by date/app. by
Permanent power C.O. Final Culvert
 date/app. by date/app. by date/app. by
Pump pole Utility Pole M/H tie downs, blocking, electricity and plumbing
 date/app. by date/app. by date/app. by
Reconnection RV Re-roof
 date/app. by date/app. by date/app. by

BUILDING PERMIT FEE \$ 0.00 CERTIFICATION FEE \$ 0.00 SURCHARGE FEE \$ 0.00
MISC. FEES \$ 300.00 ZONING CERT. FEE \$ 50.00 FIRE FEE \$ 51.36 WASTE FEE \$ 134.00
FLOOD DEVELOPMENT FEE \$ FLOOD ZONE FEE \$ 25.00 CULVERT FEE \$ **TOTAL FEE** 560.36
INSPECTORS OFFICE  CLERKS OFFICE 

NOTICE: IN ADDITION TO THE REQUIREMENTS OF THIS PERMIT, THERE MAY BE ADDITIONAL RESTRICTIONS APPLICABLE TO THIS PROPERTY THAT MAY BE FOUND IN THE PUBLIC RECORDS OF THIS COUNTY. AND THERE MAY BE ADDITIONAL PERMITS REQUIRED FROM OTHER GOVERNMENTAL ENTITIES SUCH AS WATER MANAGEMENT DISTRICTS, STATE AGENCIES, OR FEDERAL AGENCIES.

"WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT."

EVERY PERMIT ISSUED SHALL BECOME INVALID UNLESS THE WORK AUTHORIZED BY SUCH PERMIT IS COMMENCED WITHIN 180 DAYS AFTER ITS ISSUANCE, OR IF THE WORK AUTHORIZED BY SUCH PERMIT IS SUSPENDED OR ABANDONED FOR A PERIOD OF 180 DAYS AFTER THE TIME THE WORK IS COMMENCED. A VALID PERMIT RECIEVES AN APPROVED INSPECTION EVERY 180 DAYS. WORK SHALL BE CONSIDERED NOT SUSPENDED, ABANDONED OR INVALID WHEN THE PERMIT HAS RECIEVED AN APPROVED INSPECTION WITHIN 180 DAYS OT THE PREVIOUS INSPECTION.

The Issuance of this Permit Does Not Waive Compliance by Permittee with Deed Restrictions.

Installation Decal #

PERMIT APPLICATION / MANUFACTURED HOME INSTALLATION APPLICATION

For Office Use Only (Revised 1-11) Zoning Official BLK 02 FEB 2012 Building Official 1.C. 2-1-12
AP# 1201 -42 Date Received 1-26-12 By UA Permit # 29931
Flood Zone X Development Permit N/A Zoning RSM/11-2 Land Use Plan Map Category Res. L. Dev.
Comments _____
FEMA Map# N/A Elevation N/A Finished Floor 1' above RL River N/A In Floodway N/A
☒ Site Plan with Setbacks Shown ☒ EH # 120049-E ☐ EH Release ☐ Well letter ☒ Existing well
☒ Recorded Deed or Affidavit from land owner ☒ Installer Authorization ☒ State Road Access ☒ 911 Sheet
☐ Parent Parcel # _____ ☐ STUP-MH _____ ☒ F W Comp. letter ☒ VF Form
IMPACT FEES: EMS _____ Fire _____ Corr _____ ☒ Out County ☒ In County Ad
Road/Code _____ School _____ = TOTAL _____ Impact Fees Suspended March 2009 Ad

- Property ID # 28-35-17-05621-002 Subdivision Derby Forest (unrec S/D) Lot 3
▪ New Mobile Home _____ Used Mobile Home ☒ MH Size 28x52 Year 1988
▪ Applicant Wendy Grennell Phone # 386-288-2428
▪ Address 3104 SW Old Wire Road Ft White FL 32038
▪ Name of Property Owner Deas-Bullard Properties Phone # 386-952-4339
▪ 911 Address 179 NE Derby Terrace Lake City FL 32055
▪ Circle the correct power company - FL Power & Light - Clay Electric
(Circle One) - Suwannee Valley Electric - Progress Energy
▪ Name of Owner of Mobile Home Deas-Bullard Phone # 386-752-4339
Address 672 E Duval St. Lake City FL 32055
▪ Relationship to Property Owner same
▪ Current Number of Dwellings on Property 0
▪ Lot Size _____ Total Acreage 2.56
▪ Do you : Have Existing Drive or Private Drive or need Culvert Permit or Culvert Waiver (Circle one)
(Currently using) (Blue Road Sign) (Putting in a Culvert) (Not existing but do not need a Culvert)
▪ Is this Mobile Home Replacing an Existing Mobile Home No
▪ Driving Directions to the Property 441 N. TR on Bascom Norm's (100A) to NW Derby Terr TR to property on (L)
▪ Name of Licensed Dealer/Installer Robert Sheppard Phone # 386-623-2203
▪ Installers Address 6355 SE CR 245 Lake City FL 32025
▪ License Number IA 1025386 Installation Decal # 8675

spoke to Wendy on 2-7-12
cash

PERMIT WORKSHEET


PERMIT NUMBER

Installer Robert Skippard License # JH1025386
Address of home being installed 195 NW Derby Terrace
Lake City FL 32055
Manufacturer Flatwood Merit Length x width 28 x 56

NOTE: If home is a single wide fill out one half of the blocking plan if home is a triple or quad wide sketch in remainder of home

I understand Lateral Arm Systems cannot be used on any home (new or used) where the sidewall ties exceed 5 ft 4 in.

Installer's initials RS



New Home ☐ Used Home ☒
Home installed to the Manufacturer's Installation Manual ☒
Home is installed in accordance with Rule 15-C ☐
Single wide ☐ Wind Zone II ☐ Wind Zone III ☐
Double wide ☒ Installation Decal # 8075
Triple/Quad ☐ Serial # 25688A/B

Roof System: ☒ Typical ☐ Hinged

PIER SPACING TABLE FOR USED HOMES

Load bearing capacity	Footer size (sq in)	16" x 16" (256)	18 1/2" x 18 1/2" (342)	20" x 20" (400)	22" x 22" (484)*	24" x 24" (576)*	26" x 26" (676)
1000 psf	3'	4'	4'	5'	6'	7'	8'
1500 psf	4' 6"	6'	6'	7'	8'	8'	8'
2000 psf	6'	8'	8'	8'	8'	8'	8'
2500 psf	7' 6"	8'	8'	8'	8'	8'	8'
3000 psf	8'	8'	8'	8'	8'	8'	8'
3500 psf	8'	8'	8'	8'	8'	8'	8'

* interpolated from Rule 15C-1 pier spacing table.

PIER PAD SIZES

I-beam pier pad size 17x25
Perimeter pier pad size 17x25
Other pier pad sizes (required by the mfg.) 17x25

POPULAR PAD SIZES

Pad Size	Sq In
16 x 16	256
16 x 18	288
18.5 x 18.5	342
16 x 22.5	360
17 x 22	374
13 1/4 x 26 1/4	348
20 x 20	400
17 3/16 x 25 3/16	441
17 1/2 x 25 1/2	446
24 x 24	576
26 x 26	676

Draw the approximate locations of marriage wall openings 4 foot or greater. Use this symbol to show the piers.

List all marriage wall openings greater than 4 foot and their pier pad sizes below.

Opening Pier pad size
ANCHORS 4 ft 5 ft
FRAME TIES within 2' of end of home spaced at 5' 4" oc
OTHER TIES
Number 22
Sidewall 68
Longitudinal 4
Marriage wall
Shearwall
TIEDOWN COMPONENTS
Longitudinal Stabilizing Device (LSD)
Manufacturer Q-Tie
Longitudinal Stabilizing Device w/ Lateral Arms
Manufacturer Q-Tie

POCKET PENETROMETER TEST

The pocket penetrometer tests are rounded down to 1500 psf or check here to declare 1000 lb. soil without testing.

X 1500 X 1700 X 1700

POCKET PENETROMETER TESTING METHOD

1. Test the perimeter of the home at 6 locations.
2. Take the reading at the depth of the footer.
3. Using 500 lb. increments, take the lowest reading and round down to that increment.

X 1800 X 1800 X 1800

TORQUE PROBE TEST

The results of the torque probe test is 285 inch pounds or check here if you are declaring 5' anchors without testing. A test showing 275 inch pounds or less will require 5 foot anchors.

Note: A state approved lateral arm system is being used and 4 ft. anchors are allowed at the sidewall locations. I understand 5 ft anchors are required at all centerline tie points where the torque test reading is 275 or less and where the mobile home manufacturer may require anchors with 4000 lb holding capacity.

RS Installer's initials

ALL TESTS MUST BE PERFORMED BY A LICENSED INSTALLER

Installer Name Robert Shypel
Date Tested 1-25-12

Electrical

Connect electrical conductors between multi-wide units, but not to the main power source. This includes the bonding wire between multi-wide units. Pg. 27

Plumbing

Connect all sewer drains to an existing sewer tap or septic tank. Pg. 28
Connect all potable water supply piping to an existing water meter, water tap, or other independent water supply systems. Pg. 28

Site Preparation

Debris and organic material removed ☒
Water drainage: Natural ☒ Swale ☐ Pad ☐ Other ☐

Fastening multi wide units

Floor: Type Fastener: lags Length: 5 Spacing: 16"
Walls: Type Fastener: lags Length: 4 Spacing: 16"
Roof: Type Fastener: lags Length: 6 Spacing: 16"
For used homes a min. 30 gauge, 8" wide, galvanized metal strip will be centered over the peak of the roof and fastened with galv. roofing nails at 2" on center on both sides of the centerline.

Gasket (weatherproofing requirement)

I understand a properly installed gasket is a requirement of all new and used homes and that condensation, mold, mildew and buckled marriage walls are a result of a poorly installed or no gasket being installed. I understand a strip of tape will not serve as a gasket.

Installer's initials RS

Type gasket foam

Installed:
Between Floors Yes ☒
Between Walls Yes ☒
Bottom of ridgebeam Yes ☒

Weatherproofing

The bottomboard will be repaired and/or taped. Yes ☒ Pg. 27
Siding on units is installed to manufacturer's specifications. Yes ☒
Fireplace chimney installed so as not to allow intrusion of rain water. Yes ☒


Miscellaneous

Skirting to be installed. Yes ☒ No ☐
Dryer vent installed outside of skirting. Yes ☒ N/A ☒
Range downflow vent installed outside of skirting. Yes ☒ N/A ☒
Drain lines supported at 4 foot intervals. Yes ☒
Electrical crossovers protected. Yes ☒
Other: ☐


Installer verifies all information given with this permit worksheet is accurate and true based on the manufacturer's installation instructions and or Rule 15C-1 & 2

Installer Signature Robert Shypel Date 1-25-12

SITE PLAN EXAMPLE / WORKSHEET



Use this example to draw your own site plan. Show all existing buildings and any other homes on this property and show the distances between them. Also show where the roads or roads are around the property. This site plan can also be used for the 911 Addressing department if you include the distance from the driveway to the nearest property line.



MOBILE HOME INSTALLATION SUBCONTRACTOR VERIFICATION FORM

APPLICATION NUMBER 1201-42 CONTRACTOR Robert Sheppard PHONE 623-2203

THIS FORM MUST BE SUBMITTED PRIOR TO THE ISSUANCE OF A PERMIT

In Columbia County one permit will cover all trades doing work at the permitted site. It is **REQUIRED** that we have records of the subcontractors who actually did the trade specific work under the permit. Per Florida Statute 440 and Ordinance 89-6, a contractor shall require all subcontractors to provide evidence of workers' compensation or exemption, general liability insurance and a valid Certificate of Competency license in Columbia County.

Any changes, the permitted contractor is responsible for the corrected form being submitted to this office prior to the start of that subcontractor beginning any work. Violations will result in stop work orders and/or fines.

ELECTRICAL	Print Name <u>Michael Conner</u>	Signature <u>Michael Conner</u>	Phone # <u>386-758-2233</u>
	License # <u>ER13013192</u>		
MECHANICAL/ A/C	Print Name <u>Robert Grant</u>	Signature <u>Rob Grant</u>	Phone # <u>800-859-3708</u>
	License # <u>CAC1814931</u>		
PLUMBING/ GAS	Print Name <u>Robert Sheppard</u>	Signature <u>Robert Sheppard</u>	Phone # <u>386-623-2203</u>
	License # <u>IH102536</u>		

Subcontractor License	License Number	Subcontractor Printed Name	Subcontractor Signature
MASON			
CONCRETE FINISHER			

F. S. 440.103 Building permits; identification of minimum premium policy.—Every employer shall, as a condition to applying for and receiving a building permit, show proof and certify to the permit issuer that it has secured compensation for its employees under this chapter as provided in ss. 440.10 and 440.38, and shall be presented each time the employer applies for a building permit.

Contractor Form: Subcontractor Form: 1/11

Consideration
26,962.57
Rec. 1850
Doc. 189.0

Prepared By and Return To:
Deas Bullard Properties, LLP
672 E. Duval St.
Lake City FL 32055

Inst: 201012020423 Date: 12/22/2010 Time: 4:42 PM
Doc Stamp-Deed: 189.00
DC, P DeWitt Cason, Columbia County Page 1 of 2 B: 1207 P: 91

QUIT CLAIM DEED

THIS QUIT CLAIM DEED executed this 17th day of December 2010 by PEGGY SUE BALDWIN, a single person, first party to DEAS BULLARD PROPERTIES, LLP, a Florida limited liability partnership, formerly known as Deas Bullard Properties, a Florida general partnership, second party. Whose post office address is 672 E. Duval St., Lake City, Florida 32055.

WITNESSETH:

That the said first party, for and in consideration of the sum of TEN AND NO /100 (\$10.00) DOLLARS, in hand paid by the said second party, the receipt whereof is hereby acknowledged, does hereby remise, release and quit-claim unto the said second party forever, all the right, title, interest, claim and demand which the said first party has in and to the following described lot, piece or parcel of land, situate, lying and being in the County of Columbia, State of Florida, to-wit: Property ID No. 28-3s-17-05621-002.

SEE SCHEDULE "A" ATTACHED HERETO AND MADE A PART HEREOF.
Including well, pump, tank and septic tank.

TO HAVE AND TO HOLD the same together with all and singular the appurtenances thereunto belonging or in anywise appertaining, and all the estate, right, title, interest, lien, equity and claim whatsoever of the said first party, wither in law or equity, to the only proper use, benefit and be hoof of the said second party forever.

IN WITNESS WHEREOF, the said first party has signed and sealed these presents the day and year first above written.

Signed, sealed and delivered in the presence of:

Witness: Holly C. Hanover
Printed Name: Holly C. Hanover

Peggy Sue Baldwin LS
Peggy Sue Baldwin

Witness: Ruby R. Middleton
Printed Name Ruby R. Middleton

STATE OF FLORIDA
COUNTY OF COLUMBIA

The foregoing instrument was acknowledged before me this 17 day of December 2010 by Peggy Sue Baldwin, who () is personally known to me or (v) has produced identification of FL DL B43567772 -

(SEAL)



Holly C. Hanover 9450
Holly C. Hanover
Notary Public, State of Florida
My Commission Expires:

Schedule A

DESCRIPTION: PARCEL 3

PART OF THE EAST 1/3 OF THE EAST HALF OF THE S.E. ¼ OF SECTION 28
TOWNSHIP 3 SOUTH, RANGE 17 EAST, COLUMBIA COUNTY, FLORIDA, AS
LIES SOUTH OF COUNTY ROAD 100-A MORE PARTICULARLY DESCRIBED AS
FOLLOWS:

COMMENCE AT THE S.E. CORNER OF SAID SECTION 28; THENCE
N.02°03'45"W. ALONG THE EAST LINE OF SAID SECTION 28 A DISTANCE OF
364.21 FEET TO THE POINT OF BEGINNING; THENCE CONTINUE
N.02°03'45"W., ALONG SAID EAST LINE, 252.00 FEET, THENCE S.87°51'22"W.,
441.91 FEET TO A POINT ON THE EAST RIGHT-OF-WAY LINE OF DERBY
STREET AS OCCUPIED; THENCE S.02°08'38"E. ALONG SAID RIGHT-OF-WAY
LINE, 252.00 FEET; THENCE N.87°51'22"E., 441.56 FEET TO THE POINT OF
BEGINNING.

COLUMBIA COUNTY, FLORIDA.

CONTAINING 2.56 ACRES, MORE OR LESS.

SUBJECT TO:

DESCRIPTION: FLORIDA POWER AND LIGHT EASEMENT

A 15.00 FOOT WIDE STRIP OF LAND LYING 7.50 FEET NORTHERLY AND
SOUTHERLY OF THE FOLLOWING DESCRIBED CENTERLINE:

COMMENCE AT THE S.E. CORNER OF SECTION 28, TOWNSHIP 3 SOUTH,
RANGE 17 EAST, COLUMBIA COUNTY, FLORIDA, AND THENCE N.02
°03'45"W., ALONG THE MONUMENTED EAST LINE OF SAID SECTION 28, A
DISTANCE OF 367.25 FEET TO THE POINT OF BEGINNING OF SAID
CENTERLINE; THENCE N.65°35'31"W., 275.00 FEET TO THE POINT OF
TERMINATION OF SAID CENTERLINE.

LAND	DESC	ZONE	ROAD	{UD1	{UD3	FRONT	DEPTH	FIELD CK:											
AE	CODE	TOPO	UTIL	{UD2	{UD4	BACK	DT	ADJUSTMENTS				UNITS	UT	PRICE	ADJ	UT	PR	LAND	VALUE
Y	000000	VAC	RES					1.00	1.00	1.00	1.00	2.560	AC	5609.660		5609.66		14,360	
Y	009945	WELL/SEPT						1.00	1.00	1.00	1.00	1.000	UT	2000.000		2000.00		2,000	

COLUMBIA COUNTY 9-1-1 ADDRESSING

P. O. Box 1787, Lake City, FL 32056-1787
PHONE: (386) 758-1125 * FAX: (386) 758-1365 * Email: ron_croft@columbiacountyfla.com

Addressing Maintenance

To maintain the Countywide Addressing Policy you must make application for a 9-1-1 Address at the time you apply for a building permit. The established standards for assigning and posting numbers to all principal buildings, dwellings, businesses and industries are contained in Columbia County Ordinance 2001-9. The addressing system is to enable Emergency Service Agencies to locate you in an emergency, and to assist the United States Postal Service and the public in the timely and efficient provision of services to residents and businesses of Columbia County.

DATE REQUESTED: 1/27/2012 DATE ISSUED: 1/31/2012

ENHANCED 9-1-1 ADDRESS:

179 NE DERBY TER
LAKE CITY FL 32055

PROPERTY APPRAISER PARCEL NUMBER:

28-3S-17-05621-002

Remarks:

RE-ADDRESS OF LOCATION FOR NEW STRUCTURE AND
CORRECTION TO ACCESS POINT. OLD ADDRESS WAS 195 NE DERBY
TER.

Address Issued By: SIGNED: / RONAL N. CROFT
Columbia County 9-1-1 Addressing / GIS Department

**NOTICE: THIS ADDRESS WAS ISSUED BASED ON LOCATION
INFORMATION RECEIVED FROM THE REQUESTER. SHOULD,
AT A LATER DATE, THE LOCATION INFORMATION BE FOUND
TO BE IN ERROR, THIS ADDRESS IS SUBJECT TO CHANGE.**



COLUMBIA COUNTY 911 ADDRESSING / GIS DEPARTMENT

P. O. Box 1787, Lake City, FL 32056-1787

Telephone: (386) 758-1125 * Fax: (386) 758-1365 * Email: ron_croft@columbiacountyfla.com



ADDRESS CHANGE (31 January 2012) DUE TO CHANGE OF ACCESS TO NEW STRUCTURE

The Columbia County Board of County Commissioners has passed Ordinance 2001-9, which provides for a uniform numbering system. A copy of this ordinance is available in the Clerk of Court records, located in the courthouse. This new numbering system will increase the efficiency of POLICE, FIRE AND EMERGENCY MEDICAL vehicles responding to calls within Columbia County by immediately identifying the location of the caller.

Old Address

**195 NE DERBY TER
LAKE CITY, FL 32055
(PARCEL#: 28-3S-17-05621-002)**

NEW Address

**179 NE DERBY TER
LAKE CITY, FL 32055**

All residences, businesses, industries, schools, churches, organizations and public buildings are covered by this system. You are required to affix your new address numbers permanently on your house or the principal building where they can be seen easily. Also, if your house or the principal building at this address is not clearly visible from the public or private roadway, you are required to erect a post at your driveway entrance. Place your new number on it facing the road so emergency response personnel coming in either direction can easily see the numbers. To help emergency responding personnel, it will be the responsibility of each property owner, trustee, leasee, agent and occupant of each residence, apartment building, business or industry to purchase, post and maintain address numbers. The address number for residences, townhouses and in town businesses shall be made up of numbers, *which are not less than three (3) inches in height and one and one half (1 ½) inches in width*. All industrial and commercial structures located in low density development areas (areas in which small residential style address numbers are not visible from the road) shall display address numbers not less than ten (10) inches in height. All Apartment buildings and high rises shall display address numbers above or to the side of the primary entrance to the building and shall be displayed not less than six (6) inches in height. Apartment numbers for individual units within the complex shall be displayed on, above or to the side of the doorway of each unit.

All numbers shall contrast in color with the background on which affixed, and shall be visible day or night from the street. When possible, the number shall be displayed beside or over the main entrances of the structure. Any old address numbers shall be removed from the structure, mail box or access point.

It is your responsibility to advise all persons and businesses, with which you correspond, of your change of address (*unless you receive your mail in a Post Office Box*). Your mail will be delivered to your old address for a period of one (1) year.

We are counting on the cooperation of all citizens to help make the Enhanced 9-1-1 Emergency Telephone System a success. If you have any questions please call (386) 752-8787 between 8:00 AM and 5:00 PM Monday through Friday.

Any questions concerning this address change should be directed to the Columbia County 911 Addressing / GIS Department at the address, telephone number or email address listed above.

CODE ENFORCEMENT
PRELIMINARY MOBILE HOME INSPECTION REPORT

DATE RECEIVED 1-27-12 BY LA 1201-42 IS THE M/H ON THE PROPERTY WHERE THE PERMIT WILL BE ISSUED? No - will by Tues 1/31
OWNERS NAME Deas-Bullard Prop. PHONE 386-752-4339 CELL _____
ADDRESS 195 NW Derby Terr Lake City FL
MOBILE HOME PARK NA SUBDIVISION Derby Forest Lot 3 (unrec)
DRIVING DIRECTIONS TO MOBILE HOME 441 N. TR on Bascom Norris (loop)
to NW Derby Terr turn (R) to Lot 3 on (L)

MOBILE HOME INSTALLER Robert Sheppard PHONE _____ CELL 386-623-2203

MOBILE HOME INFORMATION

MAKE Merit YEAR 1988 SIZE 28 x 52 COLOR yellow
SERIAL No. TW356MC25688A/B
WIND ZONE II Must be wind zone II or higher NO WIND ZONE I ALLOWED

INSPECTION STANDARDS

INTERIOR:

(P or F) - P= PASS F= FAILED

P SMOKE DETECTOR () OPERATIONAL () MISSING
P FLOORS (✓) SOLID () WEAK () HOLES DAMAGED LOCATION _____
P DOORS () OPERABLE () DAMAGED
F WALLS () SOLID () STRUCTURALLY UNSOUND
P WINDOWS () OPERABLE () INOPERABLE
P PLUMBING FIXTURES () OPERABLE () INOPERABLE () MISSING
P CEILING () SOLID () HOLES () LEAKS APPARENT
F ELECTRICAL (FIXTURES/OUTLETS) () OPERABLE (✓) EXPOSED WIRING () OUTLET COVERS MISSING () LIGHT
FIXTURES MISSING

EXTERIOR:

P WALLS / SIDING () LOOSE SIDING () STRUCTURALLY UNSOUND () NOT WEATHERTIGHT () NEEDS CLEANING
P WINDOWS () CRACKED / BROKEN GLASS () SCREENS MISSING () WEATHERTIGHT
P ROOF () APPEARS SOLID () DAMAGED

STATUS

APPROVED ✓ WITH CONDITIONS: Fix holes in walls, loose wire in kitchen

NOT APPROVED _____ NEED RE-INSPECTION FOR FOLLOWING CONDITIONS _____

SIGNATURE Jay Cramer ID NUMBER 304 DATE 2-1-12


App # 1201-42

STATE OF FLORIDA
DEPARTMENT OF HEALTH
APPLICATION FOR CONSTRUCTION PERMIT

Permit Application Number 12-0049E

----- PART II - SITEPLAN -----

Scale: Each block represents 10 feet and 1 inch = ¹⁰⁰/₄₀ feet.



Notes:

Site Plan submitted by: Wendy Gussell Agent
Plan Approved ☒ Not Approved ☐ Date 2-10-12
By Salvatore Ford Env Health Director, Columbia County Health Department

ALL CHANGES MUST BE APPROVED BY THE COUNTY HEALTH DEPARTMENT