

## STATE OF FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION ONSITE SEWAGE TREATMENT AND DISPOSAL SYSTEM (OSTDS)

PERMIT NO. DATE PAID:
FEE PAID:
RECEIPT #:

APPLICATION FOR CONSTRUCTION PERMIT APPLICATION FOR: [ Y ] New System [ ] Existing System ] Repair [ ] Holding Tank [ ] Innovative [ ] Abandonment [ ] Temporary TELEPHONE: 352-221-4473 MAILING ADDRESS: 1490 NE 1300 St. Trenton, FL. 32693 TO BE COMPLETED BY APPLICANT OR APPLICANT'S AUTHORIZED AGENT. SYSTEMS MUST BE CONSTRUCTED BY A PERSON LICENSED PURSUANT TO 489.105(3)(m) OR 489.552, FLORIDA STATUTES. IT IS THE APPLICANT'S RESPONSIBILITY TO PROVIDE DOCUMENTATION OF THE DATE THE LOT WAS CREATED OR PLATTED (MM/DD/YY) IF REQUESTING CONSIDERATION OF STATUTORY GRANDFATHER PROVISIONS. PROPERTY INFORMATION OSTDS REMEDIATION PLAN? [ Y / (1)] LOT: \_\_\_BLOCK: \_\_\_SUBDIVISION: \_\_\_\_PLATTED: \_\_\_ PROPERTY SIZE: 10:06 ACRES WATER SUPPLY: [ ] PRIVATE PUBLIC [ ] <= 2000GPD [ ] > 2000GPD IS SEWER AVAILABLE AS PER 381.0065, FS? [ Y / Ø ] DISTANCE TO SEWER: FT PROPERTY ADDRESS: 1634 NW Chipple Creck St. DIRECTIONS TO PROPERTY: Take 441 N. TL BUILDING INFORMATION [ K ] RESIDENTIAL [ ] COMMERCIAL Unit Type of No. of Building Commercial/Institutional System Design Establishment No Bedrooms Area Sqft Table I, Chapter 62-6, FAC 2 3 4 [ ] Floor/Equipment Drains [ ] Other (Specify) JIGNATURE: DATE: 8-30-22 DEP 4015, 06-21-2022 (Obsoletes previous editions which may not be used)

## STATE OF FLORIDA

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

APPLICATION FOR CONSTRUCTION PERMIT Permit Application Number Northway -PART II - SITEPLAN --210 Scale: Each block represents 10 feet and 1 inch = 40 feet. 87 210 40 e 2 WELL ORP Notes: Site Plan submitted b Contractor Plan Approved Net Approved Date County Health Department

ALL CHANGES MUST BE APPROVED BY THE COUNTY HEALTH DEPARTMENT

DEP 4015, 06-21-2022 (Obsoletes previous editions which may not be used) incorporated: 62-6-004, F.A.C.



STATE OF FLORIDA
DEPARTMENT OF HEALTH
ONSITE SEWAGE TREATMENT AND DISPOSAL
SYSTEM

PERMIT #: 12-SC-2567394

APPLICATION #: AP1880365

DATE PAID: 9 13122

FEE PAID: \_\_\_\_\_

DOCUMENT #: PR1827643

PERMIT APPLICATION. SUCH MODIFICATIONS MAY RESULT IN THIS PERMIT BEING MADE NULL AND VOI ISSUANCE OF THIS PERMIT DOES NOT EXEMPT THE APPLICANT FROM COMPLIANCE WITH OTHER FEDERA STATE, OR LOCAL PERMITTING REQUIRED FOR DEVELOPMENT OF THIS PROPERTY.  SYSTEM DESIGN AND SPECIFICATIONS  T [ 1,050 ] GALLONS / GPD
LOT: BLOCK: SUBDIVISION:  [SECTION, TOWNSHIP, RANGE, PARCEL NUMBER]  [OR TAX ID NUMBER]  SYSTEM MUST BE CONSTRUCTED IN ACCORDANCE WITH SPECIFICATIONS AND STANDARDS OF SECTIONS AND STANDARDS OF SCRITT STANDARDS OF SECTION OF PROPOSED SYSTEM DOES NOT GUARANT SATISFACTORY PERFORMANCE FOR ANY SPECIFIC PERIOD OF TIME. ANY CHANGE IN MATERIAL FACT WHICH SERVED AS A BASIS FOR ISSUANCE OF THIS PERMIT, REQUIRE THE APPLICANT TO MODIFY TERMIT APPLICATION. SUCH MODIFICATIONS MAY RESULT IN THIS PERMIT BEING MADE NULL AND VOI SUCH MODIFICATIONS MAY RESULT IN THIS PERMIT BEING MADE NULL AND VOI SYSTEM DESIGN AND SPECIFICATIONS  SYSTEM DESIGN AND SPECIFICATIONS  T [ 1,050 ] GALLONS / GPD SEDICTANK CAPACITY  N [ ] GALLONS / GPD N/A CAPACITY  N [ ] GALLONS / GPD SEDICTANK CAPACITY [MAXIMUM CAPACITY SINGLE TANK:1250 GALLONS]  K [ ] GALLONS OSING TANK CAPACITY [MAXIMUM CAPACITY SINGLE TANK:1250 GALLONS]  R [ ] SQUARE FEET Drainfield SYSTEM  R [ ] SQUARE FEET N/A SYSTEM  A TYPE SYSTEM: [ ] STANDARD [ ] FILLED [X] MOUND [ ]  I CONSTIGURATION: [X] TRENCH [ ] BED [ ]  NO SYSTEM  F LOCATION OF BENCHMARK: Nail in scrub oak S. of site.  I ELEVATION OF PROPOSED SYSTEM SITE [ 14.00] [INCHES] FT ] [ABOVE BELOW] BENCHMARK/REFERENCE POINT LED CONTON OF DRAINFIELD TO BE [ 1.00] [INCHES] FT ] [ABOVE BELOW] BENCHMARK/REFERENCE POINT LED CONTON OF DRAINFIELD TO BE SECAVATION REQUIRED: [ 0.00] INCHES  T HOW SHE THE STANDARD INCHES EXCAVATION REQUIRED: [ 0.00] INCHES  T HOW SHE THE APPLICATION OF SITE PRIOR TO CONSTRUCTION OF the mound (Include L&W of shoulder/slopes).
SECTION, TOWNSHIP, RANGE, PARCEL NUMBER]   SYSTEM MUST BE CONSTRUCTED IN ACCORDANCE WITH SPECIFICATIONS AND STANDARDS OF SECTION OF SYSTEM DOES NOT GUARANT SATISFACTORY PERFORMANCE FOR ANY SPECIFIC PERIOD OF TIME. ANY CHANGE IN MATERIAL FACT WHICH SERVED AS A BASIS FOR ISSUANCE OF THIS PERMIT, REQUIRE THE APPLICANT TO MODIFY TERMIT DOES NOT EXEMPT THE APPLICANT FROM COMPLIANCE WITH OTHER FEDERAL STATE, OR LOCAL PERMITTING REQUIRED FOR DEVELOPMENT OF THIS PROPERTY.  SYSTEM DESIGN AND SPECIFICATIONS  T [ 1,050 ] GALLONS / GFD
SYSTEM MUST BE CONSTRUCTED IN ACCORDANCE WITH SPECIFICATIONS AND STANDARDS OF SECTIONS 1.0065, F.S., AND CHAPTER 64E-6, F.A.C. DEPARTMENT APPROVAL OF SYSTEM DOES NOT GUARANT SATISFACTORY PERFORMANCE FOR ANY SPECIFIC PERIOD OF TIME. ANY CHANCE IN MATERIAL FACT WHICH SERVED AS A BASIS FOR ISSUANCE OF THIS PERMIT, REQUIRE THE APPLICANT TO MODIFY T
381.0065, F.S., AND CHAPTER 64E-6, F.A.C. DEPARTMENT APPROVAL OF SYSTEM DOES NOT GUARANT SATISFACTORY PERFORMANCE FOR ANY SPECIFIC PERIOD OF TIME. ANY CHANGE IN MATERIAL FACT WHICH SERVED AS A BASIS FOR ISSUANCE OF THIS PERMIT, REQUIRE THE APPLICANT TO MODIFY TO PERMIT APPLICATION. SUCH MODIFICATIONS MAY RESULT IN THIS PERMIT BEING MADE NULL AND VOID ISSUANCE OF THIS PERMIT DOES NOT EXEMPT THE APPLICANT FROM COMPLIANCE WITH OTHER FEDERA STATE, OR LOCAL PERMITTING REQUIRED FOR DEVELOPMENT OF THIS PROPERTY.  SYSTEM DESIGN AND SPECIFICATIONS  T [ 1,050 ] GALLONS / GPD SEDIC TANK  SYSTEM DESIGN AND SPECIFICATIONS  T [ 1,050 ] GALLONS / GPD N/A CAPACITY  N [ ] GALLONS GREASE INTERCEPTOR CAPACITY [ MAXIMUM CAPACITY SINGLE TANK:1250 GALLONS]  K [ ] GALLONS OSSING TANK CAPACITY [ ] GALLONS @ [ ] DOSES PER 24 HRS #Pumps [ DEPARTMENT OF THIS PROPERTY.  D [ 500 ] SQUARE FEET Drainfield SYSTEM  R [ ] SQUARE FEET N/A SYSTEM  R [ ] SQUARE FEET N/A SYSTEM  A TYPE SYSTEM: [ ] STANDARD [ ] FILLED [ X] MOUND [ ] CONFIGURATION: [ X] TRENCH [ ] BED [ ]  N F LOCATION OF BENCHMARK: Nail in scrub oak S. of site.  I ELEVATION OF PROPOSED SYSTEM SITE [ 14.00 ] INCHES FT ] [ ABOVE BELOW] BENCHMARK/REFERENCE POINT  E BOTTOM OF DRAINFIELD TO BE [ 0.00 ] INCHES  The system is sized for 4 bedrooms with a maximum occupancy of 8 persons (2 per bedroom), for a total estimated flow of 400 gpd.  T **Remove all Organic surface material from DF site prior to construction of the mound (Include L&W of shoulder/slopes).
T [ 1,050 ] GALLONS / GPD
A [ ] GALLONS / GPD N/A CAPACITY N [ ] GALLONS GREASE INTERCEPTOR CAPACITY [MAXIMUM CAPACITY SINGLE TANK:1250 GALLONS] K [ ] GALLONS DOSING TANK CAPACITY [ ] GALLONS @ [ ] DOSES PER 24 HRS #Pumps [ D [ 500 ] SQUARE FEET Drainfield SYSTEM R [ ] SQUARE FEET N/A SYSTEM A TYPE SYSTEM: [ ] STANDARD [ ] FILLED [X] MOUND [ ] I CONFIGURATION: [X] TRENCH [ ] BED [ ] N F LOCATION OF BENCHMARK: Nail in scrub oak S. of site. I ELEVATION OF PROPOSED SYSTEM SITE [ 14.00 ] [INCHES  FT ] [ABOVE  BELOW] BENCHMARK/REFERENCE POINT E BOTTOM OF DRAINFIELD TO BE [ 0.00 ] [INCHES  FT ] [ABOVE  BELOW] BENCHMARK/REFERENCE POINT L D FILL REQUIRED: [ 32.00] INCHES EXCAVATION REQUIRED: [ 0.00 ] INCHES The system is sized for 4 bedrooms with a maximum occupancy of 8 persons (2 per bedroom), for a total estimated flow of 400 gpd. **Remove all Organic surface material from DF site prior to construction of the mound (Include L&W of shoulder/slopes) .
R [ ] SQUARE FEET N/A SYSTEM A TYPE SYSTEM: [ ] STANDARD [ ] FILLED [x] MOUND [ ] I CONFIGURATION: [x] TRENCH [ ] BED [ ]  N F LOCATION OF BENCHMARK: Nail in scrub oak S. of site.  I ELEVATION OF PROPOSED SYSTEM SITE [ 14.00 ] [ INCHES / FT ] [ ABOVE / BELOW] BENCHMARK/REFERENCE POINT E BOTTOM OF DRAINFIELD TO BE [ 0.00 ] [ INCHES / FT ] [ ABOVE / BELOW] BENCHMARK/REFERENCE POINT L D FILL REQUIRED: [ 32.00] INCHES EXCAVATION REQUIRED: [ 0.00 ] INCHES The system is sized for 4 bedrooms with a maximum occupancy of 8 persons (2 per bedroom), for a total estimated flow of 400 gpd.  **Remove all Organic surface material from DF site prior to construction of the mound (Include L&W of shoulder/slopes) .
I ELEVATION OF PROPOSED SYSTEM SITE [ 14.00 ] [ INCHES   FT ] [ ABOVE   BELOW] BENCHMARK/REFERENCE POINT  E BOTTOM OF DRAINFIELD TO BE [ 0.00 ] [ INCHES   FT ] [ ABOVE   BELOW] BENCHMARK/REFERENCE POINT  L  D FILL REQUIRED: [ 32.00] INCHES   EXCAVATION REQUIRED: [ 0.00 ] INCHES  The system is sized for 4 bedrooms with a maximum occupancy of 8 persons (2 per bedroom), for a total estimated flow of 400 gpd.  **Remove all Organic surface material from DF site prior to construction of the mound (Include L&W of shoulder/slopes) .
E BOTTOM OF DRAINFIELD TO BE [ 0.00 ] [INCHES   FT ] [ABOVE   BELOW] BENCHMARK/REFERENCE POINT  L D FILL REQUIRED: [ 32.00] INCHES EXCAVATION REQUIRED: [ 0.00 ] INCHES  The system is sized for 4 bedrooms with a maximum occupancy of 8 persons (2 per bedroom), for a total estimated flow of 400 gpd.  **Remove all Organic surface material from DF site prior to construction of the mound (Include L&W of shoulder/slopes).
The system is sized for 4 bedrooms with a maximum occupancy of 8 persons (2 per bedroom), for a total estimated flow of 400 gpd.  **Remove all Organic surface material from DF site prior to construction of the mound (Include L&W of shoulder/slopes).
The system is sized for 4 bedrooms with a maximum occupancy of 8 persons (2 per bedroom), for a total estimated flow of 400 gpd.  **Remove all Organic surface material from DF site prior to construction of the mound (Include L&W of shoulder/slopes).
E
R
SPECIFICATIONS BY: (Joshua) Kameron Keen TITLE: CEHP
APPROVED BY:
DATE ISSUED: 09/14/2022 EXPIRATION DATE: 03/14/2024
DH 4016 08/09 (Obsoletes all previous editions which may not be used)  Incorporated: 64E-6.003, FAC  V 1.1.4  AP1880365  SE1726264

St