
EXPIRES: October 23, 2010
FloridaNotaryService com

For Office Use Only Application # 07/0 -/9 Date Rece	ived /0/9/07 By Permit # 26328
Application Approved by - Zoning Official Date/5	Date 10-15-01
Flood Zone Development Permit _ <i>WA</i> Zoning	$\frac{A-3}{A}$ Land Use Plan Map Category $\frac{A-3}{A}$
Comments to be on some power as existing sta	adduelling Accession use
Plans show NO Kitchen	
Marie Torras	052 512 9785
	Phone 352 562 9790
Address 1013 SW Scrubtaun Rd, FT Wh	HE FL 37058
Owners Name Same	Phone
911 Address Same	
Contractors Name <u>NA</u>	Phone
Address	
Fee Simple Owner Name & Address	
Bonding Co. Name & Address	
Architect/Engineer Name & Address N/A	
Mortgage Lenders Name & Address N/A	
Circle the correct power company - FL Power & Light - Ctay E	2. – Suwannee Valley Elec. – Progressive Energy
Property ID Number 09941 - 004 8 - 75-17 Es	
Subdivision Name	Lot Block Unit Phase
Driving Directions 441 5 to Barnes Rd on RT.	
Scribtan Rd. Follow 14 mi to 1 st de	and the second s
Continue Straight towards gray bldg w	
Type of Construction Goet have office Nu	
Total Acreage 5 Lot Size 324×642 Do you need a - Culver	t Permit or Culvert Waiver or Have an Existing Drive
Actual Distance of Structure from Property Lines - Front 283	
Total Building Height Number of Stories He	
Total Boliding Height Homber of dioles He	707AL 690
Application is hereby made to obtain a permit to do work and inst	
installation has commenced prior to the issuance of a permit and all laws regulating construction in this jurisdiction.	that all work be performed to meet the standards of
OWNERS AFFIDAVIT: I hereby certify that all the foregoing inform	
compliance with all applicable laws and regulating construction a	
<u>WARNING TO OWNER:</u> YOUR FAILURE TO RECORD A NOTICE O TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTE	
LENDER OR ANTORNEY BEFORE RECORDING YOUR NOTICE OF	COMMENCEMENT.
A/(1.2/1)	$A/(A, (\cdot))$
Owner Brilder or Agent (Including Contractor)	Contractor Signature
	Contractors License Number
STATE OF FLORIDA COUNTY OF COLUMBIA	Competency Card NumberNOTARY STAMP/SEAL
Sworn to (or affirmed) and subscribed before me	Description of the second seco
this 9^{+} day of 00^{+} 2007.	resultuchenge
Personally known or Produced Identification_X	Notary Signature
	Lisa Huchingson
DL T532-550-70-	MY COMMISSION # DD607758





STATE OF FLORIDA DEPARTMENT OF HEALTH ONSITE SEWAGE TREATMENT AND DISPOSAL SYSTEM

PERMIT #: 12-SC-426280

APPLICATION #: AP390865

DATE PAID: 09/27/2007

FEE PAID: \$310.00

RECEIPT #: 12-PID-343997

DOCUMENT #: PR298678

CONSTRUCTION PERMIT FOR: OSTDS New
APPLICANT: MICHAEL TOUNDAS
PROPERTY ADDRESS: 1013 SW SCRUBTOWN Rd FORT WHITE, FL 32038
LOT: BLOCK: SUBDIVISION: PROPERTY ID #: 08-7S-17E-09941-000 [SECTION, TOWNSHIP, RANGE, PARCEL NUMBER] [OR TAX ID NUMBER]
SYSTEM MUST BE CONSTRUCTED IN ACCORDANCE WITH SPECIFICATIONS AND STANDARDS OF SECTION 381.0065, F.S., AND CHAPTER 64E-6, F.A.C. DEPARTMENT APPROVAL OF SYSTEM DOES NOT GUARANTEE SATISFACTORY PERFORMANCE FOR ANY SPECIFIC PERIOD OF TIME. ANY CHANGE IN MATERIAL FACTS, WHICH SERVED AS A BASIS FOR ISSUANCE OF THIS PERMIT, REQUIRE THE APPLICANT TO MODIFY THE PERMIT APPLICATION. SUCH MODIFICATIONS MAY RESULT IN THIS PERMIT BEING MADE NULL AND VOID. ISSUANCE OF THIS PERMIT DOES NOT EXEMPT THE APPLICANT FROM COMPLIANCE WITH OTHER FEDERAL, STATE, OR LOCAL PERMITTING REQUIRED FOR DEVELOPMENT OF THIS PROPERTY.
SYSTEM DESIGN AND SPECIFICATIONS
T [900] GALLONS / GPD Septic CAPACITY A [] GALLONS / GPD N/A CAPACITY N [] GALLONS GREASE INTERCEPTOR CAPACITY [MAXIMUM CAPACITY SINGLE TANK:1250 GALLONS] K [] GALLONS DOSING TANK CAPACITY [] GALLONS @ [] DOSES PER 24 HRS #Pumps []
D [223] SQUARE FEET
N F LOCATION OF BENCHMARK: NAIL IN TREE SOUTH OF SITE
I ELEVATION OF PROPOSED SYSTEM SITE [24.00] [INCHES FT] [ABOVE BELOW] BENCHMARK/REFERENCE POINT E BOTTOM OF DRAINFIELD TO BE [31.00] [INCHES FT] [ABOVE BELOW] BENCHMARK/REFERENCE POINT
L
D FILL REQUIRED: [11.00] INCHES EXCAVATION REQUIRED: [0.00] INCHES
The licensed contractor installing the system is responsible for installing the minimum category of tank in accordance with s. 64E-6.013(3)(f), FAC.
E
R MAN
SPECIFICATIONS BY: Paul O Muller / TITLE: ES I
APPROVED BY: The plant of Columbia CHD
DATE ISSUED: 10/01/2007 EXPIRATION DATE: 04/01/2009

@ CA							_		_	S																				-																																Co		nt	y
10/0													L	e	g	a	1		D	e	S	C:	r	ij	٥١	t:	1	0	n	. 1	Ma	a:	11	n t	-€	1	16	l	10	3€	3												5()(0 (0				ıd		00			
Year	1	ľ	P	rc	P	e	r	t	y	•																									5	36	2]	L																					G			00	0		
2007	F	3	0 8	3 -	. 7	S	_	1	7	_	0	9	9	4	1	_	0	0	4														•																				55	59	96	0		B	16	lg		00	1		
E 81 10000	1000	(4 - 7)	1) 1	. 3	(0.)	S	C	R	U	Έ	T	O'	W	N		R	D	05()	S	W		'n	ď	ľ	1	W.	H	ľ	T1	E					į	1																1	11	L9	5		X	fε	a		00	2		
HX			T	J	JN	D	A	S		M	Ι	C	Η	A	E	L	í	J		&	1	S'	r1	3]	PΙ	H	A	N	I	E																						1	07	7 1	L5	5		T	'O'	'Al	L			В	*
1	c	0:	M	4	A	T		N	E		C	0:	R		0	F		s	E	C	,]	RI	ת	V.	-	S					2!	5	I	רַיּ	C	7	.c)	2	3	I	R.	/\	N	Ι	ıΙ	N	E	E	3A	R	NI	23	7	R	D,	,			2				
3		טו																																																							2			4	4				
5	T	! T'	NT	2	O	Ter.		M	F	1	1	'4	1 1	0	1	,	NT.	Ter'	7	1	4	+	4	ÞΤ	ń	ď	١,	ď	*		1	2	2'0	1	1	10	1	1	7	ď	1	4	ď	1	54	r)	Ü	2	3	T	4		1	R.		1 1		1			6				
7	1	12	Q'	1/4	13		E.	T		T	'n	,	ď	5	Б					•	ì	i	Ī	,	Ü	1	1	j	,		1	וח	DΈ	,	1	1	1	ĺ	ř	1) E		3	١			0	-		1	1			ř.	0	1		4		Ì	В				
9	12.) 	. ر	85	1	83. 8	<u>.</u>	Ť.	98	ាំ	Š	8 6	៏	Č		Ů	1500	1000	1		7	8	£	90	٠		not.	13	3,8	9	0	ا	,	ا	u -	1	1	l.	95				ر و ال		20	4	0	E 1	ó	9	7	1		ř.	100	0	3	,		1					
		20 3		10	61	0. (00 1		(73)			,			6.	68 ((E) (F	6000F	.,	36	т		60	0.0		01	100				10			33			×	r	61	0.5	(1)	31	38	3	×	*	90	100	0.00	000	9. 1				0202	ess e	1039	25							
11		n n		10	YC.		e 1							6			0550	- 17	74				70	10		٠,	79		- 7		10				Tr.	a a	T.	r	TC:	1000		33	77	4	T	r				37	,		7	r	1	nun	70	::x		1:					
13																																																									23			14					
15																																																									30			10	5				
17	2		1	1	E				- 1	1		1		()	1				1	*	•	1	£				1	1	1		1			-1	C)	1	1	1		60	1		7			X.		6000	1000	(1)	1 .	, ,	1	Y	6000	1100	19	9		11	В				
19	4	1 1		1	k.	1							1	1 1	0		- 1	1		1	1	1		į.	1	1		1			*			9		1	1		1	ŧ		1	k	1		*	1		1	1			1	L		1	1	37		20					
21				1				,					1	()				1	9	1				6		•		9			1		•	1	*	٠			$ \hat{t} $				9	X			•			1	1			1	1	6 1		1		22					
	,	, ,	ï						-				i	8 1			- 1		i,			,	į.	i	F	i	3	ï	,		ï			ä		1	,	ï	\tilde{e}				1	1		ï	ï	. ,		4	0	1	i	į.	133			3							
23									-														60																100				-			,	į.		-				ï				1	i i		24					
25																																																												26					
27	9	2. 3		9.5	62	,	0000	50.00	- 0				10. 1	85 F	A)C III	ooled	.,	- 1		1		1.	*,"		101	.,		3.5			100		(3)					100	67	6.0			18			1	87		9017		4		10	80		ACC.	28			28	3				
	1	1 1)(1)	C		000	- 1		0	()	()	E A		0.04	00100	20)	ŧ	400	6	(0)	0		1.6	1		10	()	50).	1	Œ	E	1	r:	'n	1r	ıt	E):	3	1	1	5	/2	0	0	5	V	ľΑ	N	D'A	Ĭ,							
F1=T	as	k																												T																																			

NOTORIZED DISCLOSURE STATEMENT

FOR OWNER/BUILDER WHEN ACTING AS THER OWN CONTRACTOR AND CLAIMING EXEMPTION OF CONTRACTOR LICENSING REQUIREMENTS IN ACCORDANCE WITH FLORIDA STATUTES, ss. 489.103(7).

State law requires construction to be done by licensed contractors. You have applied for a permit under at exemption to that law. The exemption allows you, as the owner of your property, to act as your own contractor with certain restrictions even though you do not have a license. You must provide direct, onsite supervision of the construction yourself. You may build or improve a one-family or two-family residence or a farm outbuilding. You may also build or improve a commercial building, provided your costs do not exceed \$75,000. The building or residence must be for your own use or occupancy. It may not be built or substantially improved for sale or lease. If you sell or lease a building you have built or substantially improved yourself within 1 year after the construction is complete, the law will presume that you built or substantially improved it for sale or lease, which is a violation of this exemption. You may not hire an unlicensed person to act as your contractor or to supervise people working on your building. It is your responsibility to make sure that people employed by you have licenses required by state law and by county or municipal licensing ordinances. You may not delegate the responsibility for supervising work to a licensed contractor who is not licensed to perform the work being done. Any person working on your building who is not licensed must work under your direct supervision and must be employed by you, which means that you must deduct F.I.C.A. and withholding tax and provide workers' compensation for that employee, all as prescribed by law. Your construction must comply with all applicable laws, ordinances, building codes, and zoning regulations.

TYPE OF CONSTRUCTION

() Single Family Dwelling

() Farm Outbuilding	() Two-Family	Residence
New Construction	() Other NEW CONSTRUCTION OR IMPROVEMENT () Addition, Alteration, Modification or other I	
exemption from contractor lice provided for in Florida Statute Columbia County Building Per	have been advised of the above disclorsing as an owner/builder. I agree to comply with all requ	Sure statement for
Owner Builder Signature	Date CALS	
The above signer is personally produced identification	GALE TEDDER MY COMMISSION # DD 333. EXPIRES: June 28, 2008 Bonded Thru Notary Public Underwrite	586 ers
Notary Signature	U[800 Date 10/9/07 (Stamp	/ Seal)
	FOR BUILDING USE ONLY sted owner/builder has been notified of the disclosure stat	ement in Florida
Date	Building Official/Representative	







Product Approval

USER: Public User

Windows

Product Approval Menu > Product or Application Search > Application List > Application Detail

Comments

FL# FL4671-R1 Application Type Revision Code Version 2004 **Application Status** Approved

Archived

Product Manufacturer M W Manufacturers Inc. Address/Phone/Email 433 North Main Street

Rocky Mount, VA 24151-0559 (800) 999-8400 ext 6597 wbreighner@mwwindows.com

Authorized Signature Wayne Breighner

wbreighner@mwwindows.com

Technical Representative Address/Phone/Email

Quality Assurance Representative Address/Phone/Email

Category Windows Subcategory Single Hung

Compliance Method Certification Mark or Listing

Certification Agency National Accreditation & Management Institute,

Referenced Standard and Year (of

Standard)

Standard Year 2002 **ASTM E1886 ASTM E1996** 2002

Equivalence of Product Standards


Certified By

Sections from the Code 1609.1.4

1609.1.4

Product Approval Method Method 1 Option A

Community Affairs



FOCA HOME FABOUT DEA BEA PROG

ALL



BCIS Home | Log In | Hot Topics | Submit Surcharge | Stats & Facts | Publications | FBC Staff | B



Window

<u>Product Approval Menu > Product or Application Search > Application List</u>

医双小工 学等	ecodist Col	1	Charles and	SEC. 13.
▶ COMN	HANTY	D) 10	BIALL	
Wallerstone Links	and the later of	NAME OF	بتعضيض	1,11

HOUSING & COMMUNITY DEVELOPMENT

* BUILDING CODES

- FLORIDA COMMUNITIES TRUST
- FLORIDA
- FEMERGENCY MANAGEMENT
- OFFICE OF THE
- * 孙巴战岛
- FREQUENTLY ASKED QUESTIONS
- ABOUT OUR SECRETARY
- . E-MAIL THE BECRETARY
- * INSPECTOR GENERAL
- WEB ASSISTANCE
- . CONTACT US
- . OUR LOGO
- SERVICES

Search	Criteria
--------	----------

Code Version 2004 FL#

Application Type ALL Product Manufacturer JORDAN WIND

Category ALL Subcategory ALL
Application Status ALL Compliance Method ALL


Search Results - Applications

FL#	Type	Manufacturer	Validat
FL1378-R1	Revision	JORDAN WINDOWS and DOORS	
<u>History</u>		Category: Windows	
		Subcategory: Single Hung	
FL1384-R1	Revision	JORDAN WINDOWS and DOORS	
History		Category: Windows	
		Subcategory: Horizontal Slider	
FL1385-R1	Revision	JORDAN WINDOWS and DOORS	
History		Category: Windows	
		Subcategory: Fixed	
FL1386-R1	Revision	JORDAN WINDOWS and DOORS	
History		Category: Exterior Doors	
		Subcategory: Sliding Exterior Door Assemblies	
FL2685-R1	Revision	JORDAN WINDOWS and DOORS	Steven
History		Category: Windows	
		Subcategory: Mullions	(717) 7
FL2946-R1	Revision	JORDAN WINDOWS and DOORS	
<u>History</u>		Category: Windows	
		Subcategory: Awning	
FL2949-R1	Revision	JORDAN WINDOWS and DOORS	
History		Category: Windows	
		Subcategory: Casement	

DCA Administration

Department of Community Affairs
Florida Building Code Online
Codes and Standards
2555 Shumard Oak Boulevard

nmunity Affairs



OCA HOME ABOUT DEA DEA PROB



BCIS Home | Log In | Hot Topics | Submit Surcharge | Stats & Facts | Publications | FBC Staff | B





<u>Product Approval Menu</u> > <u>Product or Application Search</u> > **Application List**

► COMMUNITY PLANNING
> HOUSING & COMMUNITY DEVELOPMENT
• SUILDING CODES
> FLORIDA COMMUNICHES TRUST
• FRONT PORCH FLORIDA
DEMERGENCY MANAGEMENT
● OFFICE OF THE SECRETARY
* NEWS
* FREQUENTLY ABKED QUESTIONS
* ABOUT CUM SECRETARY
NE-BOAR THE SECRETARY
- KEPECTOR GENERAL
- WEB ALSISTANCE
-completus
• OUR LOGO
PROGRAMMENT AND ADDRESS OF THE PARTY OF

Search Criteria			
Code Version	2004	FL#	ALL
Application Type	ALL	Product Manufacturer	Masonit
Category	ALL	Subcategory	ALL
Application Status	ALL	Compliance Method	ALL

Search R	esults - A	pplications	
FL#	Туре	<u>Manufacturer</u>	Validated By
FL4242- R1 History	Revision	Masonite International Category: Exterior Doors Subcategory: Swinging Exterior Door Assemblies	
FL4334- R1 History	Revision	Masonite International Category: Exterior Doors Subcategory: Swinging Exterior Door Assemblies	
FL4668- R1 History	Revision	Masonite International Category: Exterior Doors Subcategory: Swinging Exterior Door Assemblies	
FL4904	New	Masonite International Category: Exterior Doors Subcategory: Swinging Exterior Door Assemblies	
FL4940	New	Masonite International Category: Exterior Doors Subcategory: Swinging Exterior Door Assemblies	
FL5114	New	Masonite International Category: Exterior Doors Subcategory: Swinging Exterior Door Assemblies	
FL5465	New	Masonite International Category: Exterior Doors Subcategory: Swinging Exterior Door	

		Assemblies	
FL5507	New	Masonite International Category: Exterior Doors Subcategory: Swinging Exterior Door Assemblies	
FL5508	New	Masonite International Category: Exterior Doors Subcategory: Swinging Exterior Door Assemblies	
FL6015	New	Masonite International Category: Exterior Doors Subcategory: Swinging Exterior Door Assemblies	
FL6506- R1 History	Revision	Masonite International Category: Exterior Doors Subcategory: Swinging Exterior Door Assemblies	
FL6509	New	Masonite International Category: Exterior Doors Subcategory: Swinging Exterior Door Assemblies	
FL7050	New	Masonite International Category: Exterior Doors Subcategory: Swinging Exterior Door Assemblies	
FL7091	New	Masonite International Category: Exterior Doors Subcategory: Swinging Exterior Door Assemblies	

DCA Administration

Department of Community Affairs Florida Building Code Online Codes and Standards

2555 Shumard Oak Boulevard
Tallahassee, Florida 32399-2100
(850) 487-1824, Suncom 277-1824, Fax (850) 414-8436
© 2000-2005 The State of Florida. All rights reserved. Copyright and Discl

Product Approval Accepts:



















Rooting





Product Approval Menu > Product or Application Search > Application List > Application Detail

FL#

Application Type Code Version **Application Status**

Comments

Archived

FL7518

New 2004

Approved

Product Manufacturer Address/Phone/Email Wheeling Corrugating Company

1134 Market Street

Wheeling, WV 26003

Authorized Signature

James L. Buckner, P.E. @ C-Buck, Inc.

jimmy@cbuckinc.net

Technical Representative Address/Phone/Email

David W. Boltz 1134 Market Street Wheeling, WV 26003

boltzdw@wpsc.com

Quality Assurance Representative

Address/Phone/Email

Category Subcategory

Roofing Metal Roofing

Compliance Method

Evaluation Report from a Florida Registered Architect or a

Licensed Florida Professional Engineer Evaluation Report - Hardcopy Received

Florida Engineer or Architect Name who developed the Evaluation Report

Florida License

Quality Assurance Entity

Validated By

James L. Buckner@C-Buck Engineering

PE-31242

Underwriters Laboratories Inc. Warren W. Schaefer, P.E.

Certificate of Independence

FL7518 R0 COI CertOfIndep.pdf

Referenced Standard and Year (of


Standard)

Standard UL580

<u>Year</u> 1994


Equivalence of Product Standards


Certified By







REAR ELEV








ELEC/MECHANICAL/PLUMBING



61-01/0





STATE OF FLORIDA DEPARTMENT T OF HEALTH

APPLICATION FOR ONSITE SEWAGE DIS POSAL SYSTEM CONSTRUCTION PERMIT

Permit Application Number 076767

PART II - SITE PLAN-Scale: Each block represents 5 feet and 1 inch = 50 feet. Site Plan submitted by: MICHAEC TOUNDAS Signature L Plan Approved Columnia CHD Date 11011011

ALL CHANGES MUST BE APPROVED BY THE COUNTY HEALTH DEPARTMENT