

Outside measurement of foundation
Equals Basic Building Dimension
plus Seven (7) inches

40'7"

Basic Building
Dimension
to outside of Base Rail

40'

BUILDING SLAB

See Corner
Detail Sheet 3

Building
Base Rail

3-1/2" wide x 1-1/2" high Notch
in Concrete outside
of basic building
dimensions

Basic Building
Dimension
to outside of Base Rail

24'

24'7"

Outside measurement of foundation
Equals Basic Building Dimension
plus Seven (7) inches


IMPORTANT - NOTES

Record Measurements
in these spaces provided

All basic building dimensions
are to the outside of the
frame Base Rail and DO NOT
INCLUDE the 3-1/2" x 1-1/2"
notch in the concrete footing


See Sheet 3 of 3
for Detail of Building
corner configuration

TYPICAL WALL SECTION



TYPICAL BUILDING

FOUNDATION MEASUREMENTS




IMPORTANT - NOTES


Record Measurements
in these spaces provided

All basic building diagonal dimensions
are to the outside corner of the
frame Base Rail and DO NOT
INCLUDE the 3-1/2" x 1-1/2"
notch in the concrete footing


See Sheet 3 of 3
for Detail of Building
corner configuration





3-1/2" wide x 1-1/2" high Notch
in Concrete outside
of basic building
dimensions



TYPICAL WALL SECTION



TYPICAL BUILDING FOUNDATION MEASUREMENTS DIAGONALS



Basic Building Size
is measured to the
outside of the
Base Rail

Siding rests on
concrete notch

FOUNDATION
GROUND

BASE RAIL

BASE RAIL

3-1/2" wide x 1-1/2" high
Notch in Concrete outside
of basic building
dimensions

TYPICAL BUILDING

CORNER DETAIL