





Girder Truss Column DET.

SCALE: 1/2" = 1'-0"

C




TYP. PERMANENT TRUSS BRACING DIA.
NT6
NOTE: ALL WOOD TO BE NUMBER 2 GRADE SOUTHERN YELLOW PINE

Truss Bracing Details

SCALE: AS NOTED

D




Shear Wall Details

SCALE: NONE

E

ROOF SHEATHING FASTENINGS			
NAILING ZONE	SHEATHING TYPE	PASTER	SPACING
1			
2	7/8" x 0.018" C19	3.10/3.37 RING SHANK NAILS	8" x 0.018" EDGE 8" x 0.018" FIELD
3	1" x 0.020" C19	3.10/3.37 RING SHANK NAILS	8" x 0.018" EDGE 8" x 0.018" FIELD




Roof Nail Pattern DET.

Roof Sheathing Nailing Zones
(HIP ROOF)

Roof Sheathing Nailing Zones
(GABLE ROOF)

SCALE: NONE

B




END WALL BRACING FOR
CEILING DIAPHRAGM


NT6
(ALTERNATIVE TO BALLOON FRAMING)

NOTE: ALL WOOD TO BE NUMBER 2 GRADE SOUTHERN YELLOW PINE


A



NON-BEARING WALL HEADER



BEARING WALL HEADER



Garage End Wall DETAILS