PERMIT APPLICATION / MANUFACTURED HOME INSTALLATION APPLICATION

For Office Use Only (Revised 7-1-15) Zoning Official Building Official
AP# 1908 - 47 Date Received 8/13/19 By MG Permit # 38480
Flood Zone Development Permit Zoning Land Use Plan Map Category RLD
Comments Replacing W/H in existing W/H Paule, floor me
fast above the road
FEMA Map# Elevation Finished Floor River In Floodway
□ Recorded Deed or Property Appraiser PO Site Plan EH# 19-0615 □ Well letter OR
□ Existing well □ Land Owner Affidavit ☑ Installer Authorization □ FW Comp. letter ☑ App Fee Paid
□ DOT Approval □ Parent Parcel # □ STUP-MH □ STUP-MH
□ Ellisville Water Sys 🗷 Assessment Paid on Property 🗆 Out County 🗆 In County 🗷 Sub VF Form
Property ID #34-3S-16-02509-001 SubdivisionWest Lake City Hills Lot# 18-20
New Mobile Home X Used Mobile Home MH Size 16 x 76 Year 2020
 Applicant Dale Burd Phone # 386-365-7674
 Address20619 CR 137, Lake City, FL, 32024
CCF Properties LLC
911 Address 182 Helen Dr, Lake City, FL,
Circle the correct power company - (Circle One) - (C
(Circle One) - <u>Suwannee Valley Electric</u> - <u>Duke Energy</u>
Name of Owner of Mobile Home Same Phone # Same
Address 11169 Cedar Creek Farms Road, Glen St, Mary, FL, 32040
Relationship to Property Owner Same
Current Number of Dwellings on Property 14
■ Lot Size312 x 385 Total Acreage3
Do you : Have Existing Drive or Private Drive or need Culvert Permit or Culvert Waiver (Circle one)
(Currently using) (Blue Road Sign) (Putting in a Culvert) (Not existing but do not need a Culvert)
Is this Mobile Home Replacing an Existing Mobile Home Yes
 Driving Directions to the Property US 90 West, TR Lake City Ave, TR NW Apple Lane, TL
Helen Dr, Last lot on left
Name of Licensed Dealer/Installer Brent Strickland Phone # 386-365-7043
Installers Address 1294 Hamp Farmer Road, LC, FL, 32055
■ License Number <u>IH-1104218</u> Installation Decal # <u>(02760</u>

Legend

Parcels

2018Aerials

2010

Addresses

SRWMD Wetlands

2018 Flood Zones

0.2 POT ANNUAL CHANCE

O A

O AE

AH

LidarElevations



Printed: Thu Aug 15 2019 15:27:04 GMT-0400 (Eastern Daylight Time)



Parcel Information

Parcel No: 34-3S-16-02509-001
Owner: CCF PROPERTIES LLC
Subdivision: WEST LAKE CITY HILLS

Lot:

Acres: 2.670703 Deed Acres: 3 Ac

District: District 3 Bucky Nash Future Land Uses: Residential - Low

Flood Zones:

Official Zoning Atlas: RSF/MH-2



Parcel: 34-3S-16-02509-001

Owner & Pr	vner & Property Info Result: 2 of 2					
Owner	CCF PROPERTI 11169 CEDAR C GLEN SAINT MA	REEK FARMS				
Site	134 HELEN DR,	134 HELEN DR,				
Description*	LOTS 18, 19, 20-A LAKE CITY HILLS 692-825, 716 -815 -2113, WD 1018-2 1058-1921, WD 10 1363- 396,	S/D. 627-331, , 759-1189, 823 305, WD 1041-	658-700, -2334, 1005 781, WD			
Area	3 AC	S/T/R	34-35-16			
Use Code**	MH PARK (002802)	Tax District	2			

^{*}The <u>Description</u> above is not to be used as the Legal Description for this parcel in any legal transaction.

Property & Assessment Values

2018 Cert	tified Values	2019 Working Values		
Mkt Land (3)	\$38,104	Mkt Land (3)	\$39,354	
Ag Land (0)	\$0	Ag Land (0)	\$0	
Building (9)	\$47,151	Building (8)	\$48,564	
XFOB (2)	\$56,400	XFOB (2)	\$56,100	
Just	\$141,655	Just	\$144,018	
Class	\$0	Class	\$0	
Appraised	\$141,655	Appraised	\$144,018	
SOH Cap [?]	\$0	SOH Cap [?]	\$0	
Assessed	\$141,655	Assessed	\$144,018	
Exempt	\$0	Exempt	\$0	
	county:\$141,655		county:\$144,018	
Total	city:\$141,655	Total	city:\$144,018	
Taxable	other:\$141,655	Taxable	other:\$144,018	
	school:\$141,655		school:\$144,018	


parcel in any legal transaction.
**The <u>Use Code</u> is a FL Dept. of Revenue (DOR) code and is not maintained by the Property Appraiser's office. Please contact your city or county Planning & Zoning office for specific zoning information.


MOBILE HOME INSTALLATION SUBCONTRACTOR VERIFICATION FORM

APPLICATION NU	MBER		CONTRACTOR	Brent Strickland	PHONE 386-365-7043
		THIS FORM BALLS	T DE CUDANTED DO	OR TO THE ICCURANCE OF	A DEDAKET
		THIS FURIN MUS	I BE SUBMITTED PRIC	OR TO THE ISSUANCE OF	
					CCF Properties LLC
in a Allimbia i A	SUNTY ANA N	armit will cover all	tradec doing wor	k at the nermitted cit	e. It is <u>KEQUIKED</u> that we have
			_		ermit. Per Florida Statute 440 and
					workers' compensation or
				f Competency license	
	-		•		submitted to this office prior to the
start of that se	ubcontracto	or beginning any w	ork. Violations w	ill result in stop work	orders and/or fines.
					1 1
ELECTRICAL	Print Name	Steve Stewart		Signature 🔊 💪	w Denas
	License #:	Owner		Phone #: 90	4-334-9115
		•	Qualifier Form Attac	thed	
				1	
MECHANICAL/	Print Name	e Steve Stewart		Signature	we Some
A/C	License #:	Owner		Phone #:904	4-334-9115
		(Qualifier Form Attac	hed	
Qualifier Form	ns cannot l	be submitted for	any Specialty Lice	ense.	
Specialty L	icense	License Number	Sub-Contracti	ors Printed Name	Sub-Contractors Signature
MASON		Erecitise Munisci			July Contractors Digitature
CONCRETE FIN	IISHER				
E C 440 102 5	Quilding po-	mite, idantificatio	n of minimum	maine naliae Com	employer shall, as a condition to
			•		employer shall, as a condition to such that it has secured
		= :	•	•	0.38, and shall be presented each
	its ciripi	oyees ander this t	mapica as provided	2 111 33. 77 0.10 and 44	o.oo, and shan be presented eath

Revised 10/30/2015

time the employer applies for a building permit.





						marriage wall plers within 2' of end of home per Rule 15C				Show locations of Longitudinal and Lateral Systems (use dark lines to show these locations)	Typical pier spacing	I understand Lateral Arm Systems cannot be used on any home (new or used) where the sidewall ties exceed 5 ft 4 in.	NOTE: If home is a single wide fill out one half of the blocking plan if home is a triple or quad wide sketch in remainder of home	Manufacturer (LAYTON Length x width 76X/6	CAKECITY TZ	Address of home /82/1/5/b / OR being installed	Installer Brent Strickland License # IH 1104218
Manufacturer Manufacturer Longitudinal Stabilizing Device (LSD) Manufacturer Marriage wall Shearwall	TIEDOWN COMPONENTS OTHER TIES	within 2' of end of home spaced at 5', 4" oc	FRAME TIES	Opening Pier pad size	List all marriage wall openings greater than 4 foot 26 x 26 576 and their pier pad sizes below.	3/16 1/2	16 x 22.5 17 x 22	PIER PAD SIZES PO	8' From Rule 15C-1 pier s	ට ගේ ගේ රා	bearing size 16" x 16" 18 1/2" x 18 20" x 20" 22" x 22" 24" X 24" 26" capacity (sq in) (256) 1/2" (342) (400) (484)* (576)* (676)		Triple/Quad Serial # SCB 0 33335 A1	ecal#	Single wide Wind Zone II Wind Zone III	Home installed to the Manufacturer's Installation Manual Home is installed in accordance with Rule 15-C	

	Connect electrical conductors between multi-wide units, but not to the main power
Other:	Electrical
side of skirting	Date Tested 8-12-19
Miscellaneous Skirting to be installed. Yes No	Installer Name COUT STOLL OF COUNTY OF THE PERFORMED BY A LICENSED INSTALLER
The bottomboard will be repaired and/or taped. Yes Pg. Siding on units is installed to manufacturer's specifications. Yes Fireplace chimney installed so as not to allow intrusion of rain water.	reading is 275 or less and where the mobile home manufacturer may requires anchors with 4000 lb holding capacity. Installer's initials
Weatherproofing	anchors are required at all centerline the points where the torque test
Type gasket Pg Between Floors Yes Between Walls Yes Bottom of ridgebearn Yes	The results of the torque probe test isinch pounds or check here if you are declaring 5' anchors without testing A test showing 275 inch pounds or less will require 5 foot anchors.
Installer's initials	TORQUE PROBE TEST
homes and that condensation, mold, meldew and buckled marriage walls are a result of a poorly installed or no gasket being installed. I understand a strip of tape will not serve as a gasket.	×1600 × 1600 × 1500
Gasket (weatherproofing requirement)	 Using 500 lb, increments, take the lowest reading and round down to that increment.
Walls: Type Fastener: Length: Spacing: Roof: Type Fastener: Length: Spacing: Roof: Type Fastener: Length: Spacing: For used homes a thin. 30 gauge, 8" wide, galvanized metal strip will be centered over the peak of the roof and fastened with galv. roofing nails at 2" on center on both sides of the centerline.	POCKET PENETROMETER TESTING METHOD 1. Test the perimeter of the home at 6 locations. 2. Take the reading at the depth of the footer.
Fastening	×1200 ×1200 ×1000
Debris and organic material removed Water drainage: Natural Swale Pad Cother	er tests are rounded down to 1500 on the string.
Site Preparation	POCKET PENETROMETER TEST

Connect all potable water supply piping to an existing water meter, water tap, or other	Connect all sewer drains to an existing sewer tap or septic tank. Pg. 257		source. This includes the bonding wire between mult-wide units. Pg. 28
installer signature block & Alland and	manufacturer's installation instructions and or Rule 15C-1 & 2	Installer verifies all information given with this permit worksheet	

Installer Signature BADH TWOKELOUNG

_ Date 8-12-19

independent water supply systems. Pg.

15'-4" 20 Ib ROOF LOAD SIDEWALL OPENING PIER LOAD 16' BOX WIDTH "FOR 30 Ib & 40 Ib ROOF LOAD REFER TO TABLES 7 & 7a IN THE INSTALLATION MANUAL 1 TYPICAL FRAME SUPPORT PIERS 1244 1413 62'-0" SIDEWALL OPENING (FT)
REQUIRED PER LOND (LBS) 1581 1750 a 2088 2425 10 FRONT DOOR PIERS 33'-4" 20'-5 1/2" <u>0</u> 13'-5 1/2"
REAR DOOR PIERS 14'1 710'-2" 20 3/

# PEA PORCHRECESSED ENTRY	MA * PIER PERMETER	PIER LEGEND	
	į.	س حو	

- DI = DWA PLUMBING DROP W =WATER INLET E = ELECTRUCAL DROP G =GASINLET
 - SERVICE DROP LEGEND NOTES:

 1. REFER TO TABLES 6 AND 6a IN THE INSTALLATION MANUAL
 FOR LOAD ON FRAME PIER POOTINGS FOR HOMES THAT
 DO NOT REQUIRE PERMETER BLOCKING. REFER TO
 TABLES 7 AND 7a IN THE INSTALLATION MANUAL FOR LOAD
 ON FRAME PIER FOOTINGS FOR HOMES THAT REQUIRE
 PERMETER BLOCKING, REFER TO TABLES 10 AND 10a TO
 DETERMINE FOOTING SIZE FOR ALL PIERS.

 2. REFER TO TABLE 9 FOR PIER CONFIGURATION AND
 MAXIMUM ALLOWABLE HEIGHTS, CROSS REFERENCE THE
 PIER HEIGHT WITH THE MAXIMUM ALLOWABLE FLOOR
 HEIGHT LISTED IN THE FRAME TIEDOWN CHARTS (TABLE
 18, 18, AND 20).
 - THE MAXIMUM SPACING FOR FRAME SUPPORT PIERS FOR 8" REAMS IS 8 FEET, 10" & 12" REFAMS IS 10 FEET. SERVICE BROP LOCATIONS IDENTIFIED ARE
- FLOCR WIDTH SHOWN IS FOR STANDARD PRODUCT ONLY. CONTACT THE MFG FACILITY FOR SPECIFICATIONS OF OPTIONS ORDERED.

Product Designer: HuitingJ

|) に' x 7に' TR! 1+ Date:2.19.19 Scale: N.T.S. Model #: TRUI 6763A

TRU-5007-76-3

1,165 SO.FT. (STD PLAN "CONDITIONED" N/A SO.FT. (W/OPT. PORCH/RECESS "CONDITIONED"

STATE OF FLORIDA DEPARTMENT OF HEALTH

APPLICATION FOR ONSITE SEWAGE DISPOSAL SYSTEM CONSTRUCTION PERMIT

Permit Application Number 19-06-15

	Pe	ermit Application Num	ber 19-0615
CCF	PART II - SITEPLA	N	
Scale: 1 inch = 40 feet.	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
		A	
	Plansa Ampeh	86	
N			
Notes:			
	2/		
Site Plan submitted by:	Calida Calida	٢	CONTRACTOR
Plan Approved	Not Approved	_	Date 8/15/19
Ву	<u> </u>	Caprosti à	County Health Department
ALL CHANGES M	UST BE APPROVED BY THE CO	OUNTY HEALTH DEF	PARTMENT

DH 4015, 08/09 (Obsoletes previous editions which may not be used) incorporated: 64E-6.001, FAC (Stock Number: 5744-002-4015-6)

PERMIT NO. 14.1850/ PEE PAID: 14.1850/ RECEIPT #: 14.1850/

STATE OF FLORIDA ONSITE SEWAGE TREATMENT AND DISPOSAL SYSTEM



APPLICATION FOR CONSTRUCTION PERMIT

SIGNATURE: 8/12/2019
[] Floor/Equipment Drains [] Other (Specify)
7
3
Floor plans and existing permits attached
I SF Residential 3 1165 SW for SW Mobile home park replacement
Unit Type of No. of Building Commercial/Institutional System Design No Establishment Bedrooms Area Sqft Table 1, Chapter 64E-6, FAC
BUILDING INFORMATION [\(\) RESIDENTIAL [] COMMERCIAL
PROPERTY INFORMATION LOT: 18-20B BLOCK: A SUBDIVISION: West Lake City Hills S/D PROPERTY SIZE: 3 ACRES WATER SUPPLY: [] PRIVATE PUBLIC [V] <= 2000GPD [] > 2000GPD PROPERTY SIZE: 3 ACRES WATER SUPPLY: [] PRIVATE PUBLIC [V] <= 2000GPD [] > 2000GPD PROPERTY SIZE: 3 ACRES WATER SUPPLY: [] PRIVATE PUBLIC [V] <= 2000GPD [] > 2000GPD PROPERTY SIZE: 3 ACRES WATER SUPPLY: [] PRIVATE PUBLIC [V] <= 2000GPD [] > 2000GPD PROPERTY SIZE: 3 ACRES WATER SUPPLY: [] PRIVATE PUBLIC [V] <= 2000GPD [] > 2000GPD PROPERTY SIZE: 3 ACRES WATER SUPPLY: [] PRIVATE PUBLIC [V] <= 2000GPD [] > 2000GPD PROPERTY SIZE: 3 ACRES WATER SUPPLY: [] PRIVATE PUBLIC [V] <= 2000GPD [] > 2000GPD PROPERTY SIZE: 3 ACRES WATER SUPPLY: [] PRIVATE PUBLIC [V] <= 2000GPD [] > 2000GPD PROPERTY SIZE: 3 ACRES WATER SUPPLY: [] PRIVATE PUBLIC [V] <= 2000GPD PROPERTY SIZE: 3 ACRES WATER SUPPLY: [] PRIVATE PUBLIC [V] <= 2000GPD PROPERTY SIZE: 3 ACRES WATER SUPPLY: [] PRIVATE PUBLIC [V] <= 2000GPD PROPERTY SIZE: 3 ACRES WATER SUPPLY: [] PRIVATE PUBLIC [V] <= 2000GPD PROPERTY SIZE: 3 ACRES WATER SUPPLY: [] PRIVATE PUBLIC [V] <= 2000GPD PROPERTY SIZE: 3 ACRES WATER SUPPLY: [] PRIVATE PUBLIC [V] <= 2000GPD PROPERTY SIZE: 3 ACRES WATER SUPPLY: [] PRIVATE PUBLIC [V] <= 2000GPD PROPERTY SIZE: 3 ACRES WATER SUPPLY: [] PRIVATE PUBLIC [V] <= 2000GPD PROPERTY SIZE: 3 ACRES WATER SUPPLY: [] PRIVATE PUBLIC [V] <= 2000GPD PROPERTY SIZE: 3 ACRES WATER SUPPLY: [] PRIVATE PUBLIC [V] <= 2000GPD PROPERTY SIZE: 3 ACRES WATER SUPPLY: [] PRIVATE PUBLIC [V] <= 2000GPD PROPERTY SIZE: 3 ACRES WATER SUPPLY: [] PRIVATE PUBLIC [V] <= 2000GPD PROPERTY SIZE: 3 ACRES WATER SUPPLY: [] PRIVATE PUBLIC [V] <= 2000GPD PROPERTY SIZE: 3 ACRES WATER SUPPLY: [] PRIVATE PUBLIC [V] <= 2000GPD PROPERTY SIZE: 3 ACRES WATER SUPPLY: [] PRIVATE PUBLIC [V] <= 2000GPD PROPERTY SIZE: 3 ACRES WATER SUPPLY: [] PRIVATE PUBLIC [V] <= 2000GPD PROPERTY SIZE: 3 ACRES WATER SUPPLY: [V] PRIVATE
TO BE COMPLETED BY APPLICANT OR APPLICANT'S AUTHORIZED AGENT. SYSTEMS MUST BE CONSTRUCTED BY A PERSON LICENSED PURSUANT TO 489.105(3)(m) OR 489.552, FLORIDA STATUTES. IT IS THE APPLICANT'S RESPONSIBILITY TO PROVIDE DOCUMENTATION OF THE DATE THE LOT WAS CREATED OR PLATTED (MM/DD/YY) IF REQUESTING CONSIDERATION OF STATUTORY GRANDFATHER PROVISIONS.
MAILING ADDRESS: 20619 County Road 137, Lake City, FL, 32024
AGENT: Dale Burd / Dale Burd LLC TELEPHONE: 386-365-7674
APPLICANT: CCF Properties LLC
Application FOR: [] New System [\sqrting System [] Holding Tank [] Innovative [] Repair [] Abandonment [] Temporary []