



**Vent Detail**  
SCALE: NONE




**Joint Detail**  
SCALE: NONE



**Ridge Detail**  
SCALE: NONE



**Multiple Gang Lam. Detail**  
NOT TO SCALE




**Plywood Fitch Beam Detail**  
NOT TO SCALE

**Beam Details**

SCALE: NONE

G

ROOF SHEATHING FASTENINGS		
NAILING ZONE	SHEATHING TYPE	FASTENER
1	1/4" OSB	8d COPPER OR 8d GALVANIZED BOX NAILS
2	OR 5/8" CDX	6 x 6 OSB EDGE OR 6 x 6 OSB END
3		4 x 6 OSB GABLE END OR 6 x 6 OSB END



**Roof Sheathing Nailing Zones**  
(HIP ROOF)


**Roof Sheathing Nailing Zones**  
(GABLE ROOF)

**Roof Nail Pattern Det.**


SCALE: NONE

B


HEADER SPANS FOR EXTERIOR BEARING WALLS	BUILDING WIDTH (FT)		
	20'	28'	36'
HEADERS SUPPORTING:	2x2x4	3x-6"	3x-2"
JACKS	2x2x6	6x-5"	4x-8"
ROOF CEILING	2x2x8	6x-10"	5x-11"
JACKS	2x2x8	6x-5"	2
JACKS	2x2x12	9x-9"	2
JACKS	3x-2x12	12x-2"	2
JACKS	4x-2x12	11x-6"	2
JACKS	4x-2x12	14x-11"	2




**Wall Corner**



**Wall Intersection**



**Typical Window Header**




**Bearing Wall Header**

**Wall Framing/Header Details**

SCALE: NONE


F



**Girder Truss Column Det.**

SCALE: 1/2" = 1'-0"

C




**Typ. Permanent Truss Bracing Dia.**  
NOTE: ALL WOOD TO BE NUMBER 2 GRADE SOUTHERN YELLOW PINE

**Truss Bracing Details**

SCALE: AS NOTED

D



**SHEATHING NOTES:**

- ALL SHEATHINGS SHALL BE TYPE 3 SHEATHINGS AS PERMITTED BY STD. 87D 87E 87F 87G 87H 87J 87K 87L 87M 87N 87O 87P 87Q 87R 87S 87T 87U 87V 87W 87X 87Y 87Z
- THE WALL SHALL BE ENTIRELY SHEATHED AND BELOW OPENINGS
- ALL SHEATHING SHALL BE ATTACHED TO FRAMING MEMBERS WITH 16D NAILS. SHEATHING SHALL BE STAGGERED OVER COMMON RUNNING MEMBERS OR ALONG BLOCKING
- NAIL SPACING SHALL BE 4" OC EDGES AND 8" OC IN THE FIELD.
- TYPE 3 SHEATHINGS ARE OBSOLETE FROM THE OPENING 5/6 TIES THE WALL HEIGHT. THE MINIMUM DISTANCE BETWEEN OPENINGS SHALL BE THE WALL HEIGHT/3 OR 8'-0" WHATEVER IS GREATER.

OPENING WIDTH	SILL PLATE	16D TOP WALLS EACH END
UP TO 6'-0"	(1) 2x4 OR (1) 2x6	1
6' 0" TO 9'-0"	(1) 2x4 OR (1) 2x6	2
9' 0" TO 12'-0"	(1) 2x4 OR (1) 2x6	3

**Shear Wall Details**

SCALE: NONE

E