

ONE FOOT RISE REPORT

Prepared for:

BROCK SPRADLEY

946 SW MONTANA STREET
FORT WHITE, FL

Lot 33, Unit 10, Three Rivers Estates
Section 26, Township 6 South, Range 15 East

Columbia County, Florida

May 21, 2024

Prepared by:

Carol Chadwick, P.E.
307.680.1772
ccpewyo@gmail.com



Digitally signed
by Carol Chadwick
DN: c=US,
o=Florida,
dnQualifier=A014
10D0000018D463
B4E7500032FEE,
cn=Carol
Chadwick
Date: 2024.05.21
12:22:58 -04'00'

CC Job FL24261

This item has been digitally signed and sealed by Carol Chadwick, P.E. on the date adjacent to the seal. Printed copies of this document are not considered signed and sealed and the signature must be verified on any electronic copies.

TABLE OF CONTENTS

Project Description	2
Analysis	2
Conclusion	2
One Foot Rise Certification	3
Location Map	4
SRWMD Flood Report	5

PROJECT DESCRIPTION

Brock Spradley would like to permit improvements to Lot 33, Unit 10, Three Rivers Estates located in Section 26, Township 6 South, Range 15 East, Columbia County, Florida. The property address is 946 SW Montana Street, Fort White, FL. The parcel number for the property is 00-00-00-00775-001. The permit will be for the construction of a new 28' by 54' mobile home. The proposed structure is not located within 75 feet of the Santa Fe River.

ANALYSIS

The attached SRWMD Flood Report shows the base flood elevation is 33.3. The area of the Zone AE floodplain 100' upstream and 100' downstream is 1,094,811 s.f. or 25.1 acres. The area of the proposed structures is 1512 s.f. The proposed structure is 0.138 percent of the flood plain which will not cause a rise in the base flood elevation.

CONCLUSION

Calculations show no increase in the base flood elevation.

ONE FOOT RISE CERTIFICATION

CAROL CHADWICK, P.E.

Civil Engineer

1208 S.W. Fairfax Glen

Lake City, FL 32025

307.680.1772

ccpewyo@gmail.com

May 21, 2024

ONE FOOT RISE CERTIFICATION

Owner: Brock Spradley

Property Address: 946 SW Montana Street
Fort White, FL

Property Description: Lot 33, Unit 10, Three Rivers Estates
Section 26, Township 6 South, Range 15 East
Columbia County, Florida

Structure in Floodway: 28' x 54' mobile home

Elevation of 100-year flood: 33.3 feet (SRWMD Flood Report)

Community Panel: 12023C 0458C (effective date 02/04/2009)

I hereby certify that the construction of the proposed residence will not obstruct flow or cause more than a 1.00 foot rise in the 100-year flood elevation of the Santa Fe River.



Digitally signed by

Carol Chadwick

DN: c=US,

o=Florida,

dnQualifier=A0141

0D0000018D463B4

E7500032FEE,

cn=Carol Chadwick

Date: 2024.05.21

12:23:18 -04'00'




Carol Chadwick, P.E.

This item has been digitally signed and sealed by Carol Chadwick, P.E. on the date adjacent to the seal. Printed copies of this document are not considered signed and sealed and the signature must be verified on any electronic copies.

CC Job FL2426 I

LOCATION MAP

LOT33, UNIT 10, THREE RIVERS ESTATES
SECTION 26, TOWNSHIP 6 SOUTH, RANGE 15 EAST
COLUMBIA COUNTY, FL



This item has been digitally signed and sealed by Carol Chadwick, P.E. on the date adjacent to the seal. Printed copies of this document are not considered signed and sealed and the signature must be verified on any electronic copies.

A circular professional engineer seal for Carol J. Chadwick, State of Florida, License No. 82560. The seal features the text "CAROL J. CHADWICK" around the top inner edge, "LICENSE No. 82560" on the left, "STATE OF FLORIDA" on the right, and "PROFESSIONAL ENGINEER" around the bottom inner edge. A small star is positioned at the bottom center of the seal.

[illegible]


PREPARED FOR
BROCK SPRADLEY
386.984.7017

LOCATION MAP
946 SW MONTANA STREET
FORT WHITE, FL

PROJECT NO.	FL24261
DATE	MAY 21, 2024
REVISION DATE	
SHEET	SHEETS
	OF

SRWMD FLOOD REPORT

EFFECTIVE FLOOD INFORMATION REPORT



Location Information

County: **COLUMBIA**
 Parcel: **00000000774000**
 Flood Zone: **AE**
 Flood Risk: **HIGH**

1% Annual Chance Base Flood Elev* **33.3 (feet)**
 10% Annual Chance Flood Elev* **27.5 (feet)**
 50% Annual Chance Flood Elev* **21.9 (feet)**

* Flood Elevations shown on this report are in NAVD 88 and are derived from FEMA flood mapping products, rounded to the nearest tenth of a foot. For more information, please see the note below

Legend with Flood Zone Designations

	1% Flood -Floodway (High Risk)		Area Not Included		CrossSections		Wetlands
	1% Flood - Zone AE (High Risk)		SFHA Decrease		County Boundaries		
	1% Flood - Zone A (HighRisk)		SFHA Increase		FIRM Panel Index		
	1% Flood - Zone VE (HighRisk)		Depressions		Parcels		
	0.2% Flood-Shaded Zone X (Moderate Risk)		BaseFlood Elevations (BFE)		River Marks		

Supplemental Information

Watershed	Santa Fe	Map Effective Date	2/4/2009	Special Flood Hazard Area	Yes
FIRM Panel(s)	12023C0458C				

Anywhere it can rain, it can flood
 Know your risk.



www.srwmfloodreport.com

The information herein represents the best available data as of the effective map date shown. The Federal Emergency Management Agency (FEMA) Flood Map Service Center (<https://msc.fema.gov>) maintains the database of Flood Insurance Studies and Digital Flood Insurance Rate Maps, as well as additional information such as how the Base Flood Elevations (BFEs) and/or floodways have been determined and previously issued Letters of Map Change. Requests to revise flood information may be provided to the District during the community review period on preliminary maps, or through the appropriate process with FEMA [Change Your Flood Zone Designation | FEMA.gov](https://www.floodsmart.com). Information about flood insurance may be obtained at (<https://www.floodsmart.com>)

Base Flood Elevation (BFE)

The elevation shown on the Flood Insurance Rate Map for Zones AE, AH, A1-A30, AR, AO, V1-V30, and VE that indicates the water surface elevation resulting from a flood that has a one percent chance of equaling or exceeding that level in any given year.

A

Areas with a 1% annual chance of flooding and a 26% chance of flooding over the life of a 30-year mortgage. Because detailed analyses are not performed for such areas; no depths or base flood elevations are shown within these zones.

AE, A1-A30

Areas with a 1% annual chance of flooding and a 26% chance of flooding over the life of a 30-year mortgage. In most instances, base flood elevations derived from detailed analyses are shown at selected intervals within these zones.

AH

Areas with a 1% annual chance of flooding and a 26% chance of flooding over the life of a 30-year mortgage. Usually areas of ponding with flood depths of 1 to 3 feet. Base Flood Elevations are determined.

AO

Areas with a 1% annual chance of flooding and a 26% chance of flooding over the life of a 30-year mortgage. Usually areas of sheet flow on sloping terrain with flood depths of 1 to 3 feet. Base Flood Elevations are determined.

Supplemental Information:

10%-chance flood elevations (10-year flood-risk elevations) and 50%-chance flood elevations (2-year flood-risk elevations), are calculated during detailed flooding studies but are not shown on FEMA Digital Flood Insurance Rate Maps (FIRMs). They have been provided as supplemental information in the Flood Information section of this report.

AE FW (FLOODWAYS)

The channel of a river or other watercourse and the adjacent land areas that must be reserved in order to discharge the base flood (1% annual chance flood event). The floodway must be kept open so that flood water can proceed downstream and not be obstructed or diverted onto other properties.

Please note, if you develop within the regulatory floodway, you will need to contact your Local Government and the Suwannee River Water Management District prior to commencing with the activity. Please contact the District at 800.226.1066.

VE

Areas with a 1% annual chance of flooding over the life of a 30-year mortgage with additional hazards due to storm-induced velocity wave action. Base Flood Elevations (BFEs) derived from detailed analyses.

X 0.2 PCT (X Shaded, 0.2 PCT ANNUAL CHANCE FLOOD HAZARD)

Same as Zone X; however, detailed studies have been performed, and the area has been determined to be within the 0.2 percent annual chance floodplain (also known as the 500-year flood zone). Insurance purchase is not required in this zone but is available at a reduced rate and is recommended.

X

All areas outside the 1-percent annual chance floodplain are Zone X. This includes areas of 1% annual chance sheet flow flooding where average depths are less than 1 foot, areas of 1% annual chance stream flooding where the contributing drainage area is less than 1 square mile, or areas protected from the 1% annual chance flood by levees. No Base Flood Elevations or depths are shown within this zone. Insurance purchase is not required in these zones.

LINKS

FEMA:

<http://www.fema.gov>

SRWMD:

<http://www.srwmd.state.fl.us>

CONTACT

SRWMD
9225 County Road 49
Live Oak, FL 32060

(386) 362-1001

Toll Free:
(800) 226-1066