

DATE 09/01/2004

Columbia County Building Permit

PERMIT

This Permit Expires One Year From the Date of Issue

000022275

APPLICANT CHARESE NORTON PHONE 386.752.3331
ADDRESS 3367 US HIGHWAY 441 LAKE CITY FL 32025
OWNER HERBERT & SHARON PEPPER PHONE 386.752.3331
ADDRESS 2459 SW ICHETUCKNEE AVENUE LAKE CITY FL 32024
CONTRACTOR JAMES H. NORTON PHONE 752.3331
LOCATION OF PROPERTY 47-S TO C-240,R, L ON OLD ICHETUCKNEE AVE., 1.3 MILS
ON LEFT.

TYPE DEVELOPMENT SFD & UTILITY ESTIMATED COST OF CONSTRUCTION 106200.00
HEATED FLOOR AREA 2124.00 TOTAL AREA 3130.00 HEIGHT 24.00 STORIES 1
FOUNDATION CONC WALLS FRAMD ROOF PITCH 7'12 FLOOR CONC
LAND USE & ZONING A-3 MAX. HEIGHT 35
Minimum Set Back Requirments: STREET-FRONT 30.00 REAR 25.00 SIDE 25.00
NO. EX.D.U. 0 FLOOD ZONE X DEVELOPMENT PERMIT NO.

PARCEL ID 19-5S-16-03653-006 SUBDIVISION
LOT BLOCK PHASE UNIT TOTAL ACRES 5.00

RB0031780
Culvert Permit No. Culvert Waiver Contractor's License Number Applicant/Owner/Contractor
EXISTING 04-0813-N BLK RTJ N
Driveway Connection Septic Tank Number LU & Zoning checked by Approved for Issuance New Resident

COMMENTS: 1 FOOT ABOVE ROAD

NOC ON FILE

Check # or Cash 18978

FOR BUILDING & ZONING DEPARTMENT ONLY

(footer/Slab)

Temporary Power date/app. by Foundation date/app. by Monolithic date/app. by
Under slab rough-in plumbing date/app. by Slab date/app. by Sheathing/Nailing date/app. by
Framing date/app. by Rough-in plumbing above slab and below wood floor date/app. by
Electrical rough-in date/app. by Heat & Air Duct date/app. by Peri. beam (Lintel) date/app. by
Permanent power date/app. by C.O. Final date/app. by Culvert date/app. by
M/H tie downs, blocking, electricity and plumbing date/app. by Pool date/app. by
Reconnection date/app. by Pump pole date/app. by Utility Pole date/app. by
M/H Pole date/app. by Travel Trailer date/app. by Re-roof date/app. by

BUILDING PERMIT FEE \$ 535.00 CERTIFICATION FEE \$ 15.65 SURCHARGE FEE \$ 15.65
MISC. FEES \$.00 ZONING CERT. FEE \$ 50.00 FIRE FEE \$ WASTE FEE \$
FLOOD ZONE DEVELOPMENT FEE \$ CULVERT FEE \$ TOTAL FEE 616.30

INSPECTORS OFFICE CLERKS OFFICE

NOTICE: IN ADDITION TO THE REQUIREMENTS OF THIS PERMIT, THERE MAY BE ADDITIONAL RESTRICTIONS APPLICABLE TO THIS PROPERTY THAT MAY BE FOUND IN THE PUBLIC RECORDS OF THIS COUNTY. AND THERE MAY BE ADDITIONAL PERMITS REQUIRED FROM OTHER GOVERNMENTAL ENTITIES SUCH AS WATER MANAGEMENT DISTRICTS, STATE AGENCIES, OR FEDERAL AGENCIES.

"WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT."

This Permit Must Be Prominently Posted on Premises During Construction

PLEASE NOTIFY THE COLUMBIA COUNTY BUILDING DEPARTMENT AT LEAST 24 HOURS IN ADVANCE OF EACH INSPECTION, IN ORDER THAT IT MAY BE MADE WITHOUT DELAY OR INCONVENIENCE, PHONE 758-1008. THIS PERMIT IS NOT VALID UNLESS THE WORK AUTHORIZED BY IT IS COMMENCED WITHIN 6 MONTHS AFTER ISSUANCE.

The Issuance of this Permit Does Not Waive Compliance by Permittee with Deed Restrictions.

Columbia County Building Permit Application

For Office Use Only Application # 0408-44 Date Received 8/12 By G Permit # 22275
Application Approved by - Zoning Official B2K Date 01.09.04 Plans Examiner _____ Date _____
Flood Zone X Development Permit N/A Zoning A-3 Land Use Plan Map Category A3
Comments _____

Applicants Name Charese Norton/Norton Home Improvement Co Phone 386-752-3331
Address 3367 S US Hwy 441, Suite 101, Lake City, FL 32025
Owners Name Herbert & Sharon Pepper Phone 386-752-8779
911 Address 2459 SW Ichetucknee Avenue, Lake City, FL 32024
Contractors Name James H. Norton Phone 386-752-3331
Address 3367 S US Hwy 441, Suite 101, Lake City, FL 32025
Fee Simple Owner Name & Address NA
Bonding Co. Name & Address NA
Architect/Engineer Name & Address Marty Humphries, 7932 240th st, OBrien, FL 32071
Mortgage Lenders Name & Address Columbia County Bank, 514 SW SR47, Lake City, FL 32025

Property ID Number 19-5S-16-03653-006 Estimated Cost of Construction \$135000.00
Subdivision Name NA Lot -- Block -- Unit -- Phase --
Driving Directions SR 47 South. TR on CR 240. TL on Old Ichetucknee Ave, 1.3 Miles
on Left

Type of Construction SFD Number of Existing Dwellings on Property 0
Total Acreage 5 Lot Size -- Do you need a - Culvert Permit or Culvert Waiver or Have an Existing Drive
Actual Distance of Structure from Property Lines - Front 300' Side 156' Side 178' Rear 174'
Total Building Height 24' Number of Stories 1 Heated Floor Area 2124 Roof Pitch 7/12 & 6/12

Application is hereby made to obtain a permit to do work and installations as indicated. I certify that no work or installation has commenced prior to the issuance of a permit and that all work be performed to meet the standards of all laws regulating construction in this jurisdiction.

OWNERS AFFIDAVIT: I hereby certify that all the foregoing information is accurate and all work will be done in compliance with all applicable laws and regulating construction and zoning.

WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOU PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT.

James H. Norton
Owner Builder or Agent (Including Contractor)

STATE OF FLORIDA
COUNTY OF COLUMBIA



Patricia T. Peeler
My Commission DD129968
Expires September 05, 2006

Sworn to (or affirmed) and subscribed before me
this 12 day of Aug 2004.
Personally known ✓ or Produced Identification _____

James H. Norton
Contractor Signature

Contractors License Number RB0031780
Competency Card Number 5209

NOTARY STAMP/SEAL



Patricia T. Peeler
My Commission DD129968
Expires September 05, 2006

Patricia T. Peeler
Notary Signature

N ←

174'

Property ID
19-5S-16-03653-006
Comm. @NW
corner of SW 1/4 of
NW 1/4, run E
38.22' to E R/W of
Ichetucknee Ave

156'


178'

300'

||
Ichetucknee Avenue



0408-44



COLUMBIA COUNTY 9-1-1 ADDRESSING

263 NW Lake City Ave. * P. O. Box 2949 * Lake City, FL 32056-2949
PHONE: (386) 752-8787 * FAX: (386) 758-1365 * Email: ron_croft@columbiacountyfla.com

Addressing Maintenance

To maintain the Countywide addressing Policy you must make application for a 9-1-1 Address at the time you apply for a building permit. The established standards for assigning and posting numbers to all principal buildings, dwellings, businesses and industries are contained in Columbia County Ordinance 2001-9. The addressing system is to enable Emergency Service Agencies to locate you in an emergency, and to assist the United States Postal Service and the public in the timely and efficient provision of services to residents and businesses of Columbia County.

DATE ISSUED: August 11, 2004

ENHANCED 9-1-1 ADDRESS:

2459 SW ICHETUCKNEE AVE (LAKE CITY, FL 32024)

Addressed Location 911 Phone Number: NOT AVAIL.

OCCUPANT NAME: NOT AVAIL.

OCCUPANT CURRENT MAILING ADDRESS: _____

PROPERTY APPRAISER MAP SHEET NUMBER: 27

PROPERTY APPRAISER PARCEL NUMBER: 19-5S-16-03653-006

Other Contact Phone Number (If any): _____

Building Permit Number (If known): _____

Remarks: _____

Address Issued By: _____



Columbia County 9-1-1 Addressing Department

COLUMBIA COUNTY
9-1-1 ADDRESSING
APPROVED

Application for Onsite Sewage Disposal System
Construction Permit. Part II Site Plan
Permit Application Number: 04-0813N

ALL CHANGES MUST BE APPROVED BY THE COUNTY HEALTH UNIT

PEPPER/CR 04-2216



TBM in 3" post

Vacant

1 inch = 50 feet

Site Plan Submitted By Paul L. Lapp Date 7/22/04
Plan Approved Paul L. Lapp Not Approved _____ Date 7/22/04
By Paul L. Lapp M. D. L. CPHU
Notes: 8-9-04

FORM 600B-01

FLORIDA ENERGY EFFICIENCY CODE FOR BUILDING CONSTRUCTION
Residential Component Prescriptive Method B

NORTH 1 2 3

Compliance with Method B Chapter 6 of the Florida Energy Efficiency Code may be demonstrated by the use of Form 600B for single and multifamily residences of 3 stories or less in height, and additions to existing residential buildings. To comply, a building must meet or exceed all of the energy efficiency prescriptives in any one of the prescriptive component packages and comply with the prescriptive measures listed in Table 6B-1 of this form. An alternative method is provided for additions of 800 square feet or less by use of Form 600C. If a building does not comply with this method, it may still comply under other sections in Chapter 6 of the Code.

PROJECT NAME AND ADDRESS:	Herbert & Sharon Pepper 2459 SW Kentucky Ave Lake City, FL 32024	BUILDER:	Norton Home Imp Co., Inc.
OWNER:	Herbert & Sharon Pepper	PERMITTING OFFICE:	22275
		PERMIT NO.:	
		CLIMATE ZONE:	1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input checked="" type="checkbox"/> 4
		JURISDICTION NO.:	221000

GENERAL DIRECTIONS

1. New construction including additions which incorporates any of the following features cannot comply using this method: steel stud walls, single assembly roof/ceiling construction, or skylights or other non-vertical roof glass.
2. Choose one of the component packages "A" through "E" from Table 6B-1 by which you intend to comply with the Code. Circle the column of the package you have chosen.
3. Fill in all the applicable spaces of the "To Be Installed" column on Table 6B-1 with the information requested. All "To Be Installed" values must be equal to or more efficient than the required levels.
4. Complete page 1 based on the "To Be Installed" column information.
5. Read "Minimum Requirements for All Packages", Table 6B-2 and check each box to indicate your intent to comply with all applicable items.
6. Read, sign and date the "Prepared By" certification statement at the bottom of page 1. The owner or owner's agent must also sign and date the form.

1. Compliance package chosen (A-F)
2. New construction or addition
3. Single family detached or Multifamily attached
4. If Multifamily—No. of units covered by this submission
5. Is this a worst case? (yes / no)
6. Conditioned floor area (sq. ft.)
7. Predominant eave overhang (ft.)
8. Glass type and area :
 - a. Clear glass
 - b. Tint, film or solar screen
9. Percentage of glass to floor area
10. Floor type, area or perimeter, and insulation:
 - a. Slab on grade (R-value)
 - b. Wood, raised (R-value)
 - c. Wood, common (R-value)
 - d. Concrete, raised (R-value)
 - e. Concrete, common (R-value)
11. Wall type, area and insulation:
 - a. Exterior: 1. Masonry (Insulation R-value)
2. Wood frame (Insulation R-value)
 - b. Adjacent: 1. Masonry (Insulation R-value)
2. Wood frame (Insulation R-value)
12. Ceiling type, area and insulation:
 - a. Under attic (Insulation R-value)
 - b. Single assembly (Insulation R-value)
13. Air Distribution System: Duct insulation, location
Test report (attach if required)
14. Cooling system
(Types: central, room unit, package terminal A.C., gas, none)
15. Heating system;
(Types: heat pump, elec. strip, nat. gas, L.P. gas, gas h.p., room or PTAC, none)
16. Hot water system:
(Types: elec., nat. gas, L.P. gas, solar, heat rec., ded. heat pump, other, none)

Please Print

CK

1.	A	
2.	NEW	
3.	SP	
4.		
5.		
6.	2124	
7.	2'	
Single Pane		Double Pane
8a.	sq. ft.	258 sq. ft.
8b.	sq. ft.	sq. ft.
9.	9 %	
10a.	R= 0	lin. ft.
10b.	R= -	sq. ft.
10c.	R= -	sq. ft.
10d.	R= -	sq. ft.
10e.	R= -	sq. ft.
11a-1	R=	sq. ft.
11a-2	R= 11	338 sq. ft.
11b-1	R=	sq. ft.
11b-2	R=	sq. ft.
12a.	R= 30	2124 sq. ft.
12b.	R=	sq. ft.
13.	R= 6	
14a.	Type: central	
14b.	SEER/EER: 11.5	
14c.	Capacity:	
15a.	Type: Elect.	
15b.	HSPF/COP/AFUE:	
15c.	Capacity: 7.7	
16a.	Type:	
16b.	EF: 90	

I hereby certify that the plans and specifications covered by the calculation are in compliance with the Florida Energy Code.

PREPARED BY: Charles Norton DATE: 8-31-04

OWNER AGENT: _____ DATE: _____

Review of plans and specifications covered by this calculation indicates compliance with the Florida Energy Code. Before construction is completed, this building will be inspected for compliance in accordance with Section 553.908, F.S.

BUILDING OFFICIAL: _____ DATE: _____

TABLE 6B-1

MINIMUM REQUIREMENTS

Climate Zones 1 2 3

COMPONENTS		PACKAGES FOR NEW CONSTRUCTION				
		A	B	C	D	E
GLASS	Max. % of glass to Floor Area	15%	15%	20%	20%	25%
	Type	Double Clear (DC)	Double Clear (DC)	Double Clear (DC)	Double Clear (DC)	Double Tint (DT)
	Overhang	1'4"	2'	2'	2'	2'
WALLS	Masonry	EXTERIOR AND ADJACENT MASONRY WALLS R-5 COMMON MASONRY WALLS R-3 EACH SIDE.				
	Wood Frame	EXTERIOR, ADJACENT, AND COMMON WOOD FRAME WALLS R-11				
CEILING		R-30	R-30	R-30	R-30	R-30
		(NO SINGLE ASSEMBLY CEILINGS ALLOWED)				
FLOORS	Slab-On-Grade	R-0				
	Raised Wood	R-19 (ONLY STEM WALL CONSTRUCTION ALLOWED EXCEPT PACKAGE C)				
	Raised Concrete	R-7				
DUCTS		R-6	R-6	R-6, TESTED	R-6	R-6, TESTED
SPACE COOLING (SEER)		12.0	10.5	12.0	11.0	12.0
HEAT	Elect. (HSPF)	7.9	7.1	7.4	7.4	7.4
	Gas/Oil (AFUE)	MINIMUM OF .73 (Direct heating) or .78 (Central)				
HOT WATER SYSTEM	Electric Resistance**	EF .88	NOT ALLOWED (SEE BELOW)	EF .91	NOT ALLOWED (SEE BELOW)	EF .91
	Gas & Oil **	MINIMUM EF OF .54				
	Other	Any of the following are allowed: dedicated heat pump, heat recovery unit or solar system.				

* Single package units minimum SEER=9.7, HSPF = 5.6.

** Minimum efficiencies for gas and electric hot water systems apply to 40 gallon water heaters. Refer to Table 6-12 for minimum Code efficiencies for oil water heaters and other sizes.

DESCRIPTION OF BUILDING COMPONENTS LISTED

Percent of Glass to Floor Area: This percentage is calculated by dividing the total of all glass areas by the total conditioned floor area.

Overhang: The overhang is the distance the roof or soffit projects out horizontally from the face of the glass. All glass areas shall be under an overhang of at least the prescribed length with the following exceptions:

1) glass on the gabled ends of a house and 2) the glass in the lower stories of a multi-story house.

Wall, Ceiling and Floor Insulation Values: The R-values indicated represent the minimum acceptable insulation level added to the structural components of the wall, ceiling or floor. The R-value of the structural building materials shall not be included in this calculation. "Common" components are those separating conditioned tenancies in a multifamily building. "Adjacent" components separate conditioned space from unconditioned but enclosed space.

"Exterior" components separate conditioned space from unconditioned and unenclosed space.

Floor: Slab-on-grade floors without edge insulation are acceptable. Raised wood floors shall have continuous stem walls with insulation placed on the stem wall or under the floor except Package C.

Ducts: "TESTED" shall mean the ducts have less than 5% leakage based on a certified test report by a State-approved tester.

Space Cooling System: Cooling systems shall have a Seasonal Energy Efficiency Ratio (SEER) for central units or Energy Efficiency Ratio (EER) for room units or PTAC's equal to or greater than the prescribed value.

Electric Space Heating Option: Heat pump systems shall be rated with a Heating Seasonal Performance Factor (HSPF) equal to or greater than the prescribed HSPF. Heat pump systems may contain electric strip backups meeting the criteria of section 608.1.ABC.3.2.1.2. No electric resistance space heat is allowed for these packages.

Electric Resistance Hot Water Option: For packages designated "Not Allowed", an electric resistance hot water system may be installed only in conjunction with one of the "Other Hot Water System Options". See below.

Other Hot Water System Options: Any dedicated heat pump, heat recovery unit, or solar hot water system may be installed. Solar systems must have an EF of 1.5 or higher. Electric resistance systems having an EF of .88 or greater, or natural gas systems with EF .54 or greater may be used in conjunction with these systems.

TO BE INSTALLED	
DC: <input checked="" type="checkbox"/>	DT: <input type="checkbox"/>
9 %	
2 FEET	
E(T): R =	
A(D): R =	
C(M): R =	
E(T): R = 11	
A(D): R =	
C(M): R =	
UNDER ATTIC: R = 30	
COMMON: R =	
R = 0	
R =	
R =	
R = 6 COND. <input type="checkbox"/>	
SEER = 11.5	
COP = 7.7	
AFUE =	
EF = 9.0	
EF =	
DHP: <input type="checkbox"/>	EF =
HRU: <input type="checkbox"/>	EF =
SOLAR: <input type="checkbox"/>	EF =

TABLE 6B-2 MINIMUM REQUIREMENTS FOR ALL PACKAGES

COMPONENTS	SECTION	REQUIREMENTS	CHECK
Exterior Joints & Cracks	606.1	To be caulked, gasketed, weather-stripped or otherwise sealed.	✓
Exterior Windows & Doors	606.1	Max .3 cfm/sq.ft. window area; .5 cfm/sq.ft. door area.	✓
Sole & Top Plates	606.1	Sole plates and penetrations through top plates of exterior walls must be sealed.	✓
Recessed Lighting	606.1	Type IC rated with no penetrations (two alternatives allowed).	✓
Multi-story Houses	606.1	Air barrier on perimeter of floor cavity between floors.	✓
Exhaust Fans	606.1	Exhaust fans vented to unconditioned space shall have dampers, except for combustion devices with integral exhaust ductwork.	✓
Water Heaters	612.1	Comply with efficiency requirements in Table 6-12. Switch or clearly marked circuit breaker (electric) or cutoff (gas) must be provided. External or built-in heat trap required for vertical pipe risers.	✓
Swimming Pools & Spas	612.1	Spas & heated pools must have covers (except solar heated). Non-commercial pools must have a pump timer. Gas spas & pool heaters must have minimum thermal efficiency of 78%.	✓
Hot Water Pipes	612.1	Insulation is required for hot water circulating systems (including heat recovery units).	✓
Shower Heads	612.1	Water flow must be restricted to no more than 2.5 gallons per minute at 80 PSIG.	✓
HVAC Duct Construction, Insulation & Installation	610.1	All ducts, fittings, mechanical equipment and plenum chambers shall be mechanically attached, sealed, insulated and installed in accordance with the criteria of Section 610.1. Ducts in attics must be insulated to a minimum of R-6.	✓
HVAC Controls	607.1	Separate readily accessible manual or automatic thermostat for each system.	✓

THIS INSTRUMENT WAS PREPARED BY:

TERRY McDAVID 03-834
 POST OFFICE BOX 1328
 LAKE CITY, FL 32056-1328

Inst: 2004020155 Date: 08/31/2004 Time: 16:31
 DC, P. DeWitt Cason, Columbia County B: 1024 P: 2834

TAX FOLIO NO.: R03653-008 # 22275

PERMIT NO. _____

NOTICE OF COMMENCEMENT

STATE OF FLORIDA
 COUNTY OF COLUMBIA

The undersigned hereby gives notice that improvement will be made to certain real property, and in accordance with Chapter 713, Florida Statutes, the following information is provided in this Notice of Commencement.

1. Description of property:
 SEE EXHIBIT "A" ATTACHED HERETO AND MADE A PART HEREOF.
2. General description of improvement: Construction of Dwelling
3. Owner information:
 - a. Name and address: HERBERT N. PEPPER and SHARON M. PEPPER
 238 SW Little Road, Lake City, FL 32025
 - b. Interest in property: Fee Simple
 - c. Name and address of fee simple title holder (if other than Owner): None
4. Contractor: NORTON HOME IMPROVEMENT COMPANY, INC.
 3367 S US Highway 441, Suite 101, Lake City, FL 32025
5. Surety n/a
 - a. Name and address:
 - b. Amount of bond:
6. Lender: COLUMBIA COUNTY BANK
 514 SW State Road 47, Lake City, FL 32025
7. Persons within the State of Florida designated by Owner upon whom notices or other documents may be served as provided by Section 713.13(1)(a)7., Florida Statutes: None
8. In addition to himself, Owner designates Nedra Horton of Columbia County Bank, 514 SW State Road 47, Lake City, FL 32025 to receive a copy of the Lienor's Notice as provided in Section 713.13(1)(b), Florida Statutes.
9. Expiration date of notice of commencement (the expiration date is 1 year from the date of recording unless a different date is specified): August 23, 2005.

Herbert N. Pepper
 HERBERT N. PEPPER

Sharon M. Pepper
 SHARON M. PEPPER

The foregoing instrument was acknowledged before me this 23rd day of August, 2004, by HERBERT N. PEPPER and SHARON M. PEPPER, Husband and Wife, who are personally known to me and who did not take an oath.

[Signature]
 Notary Public
 My commission expires: _____

STATE OF FLORIDA, COUNTY OF COLUMBIA
 I HEREBY CERTIFY that the above and foregoing
 is a true copy of the original filed in this office.
 P. DeWITT CASON, CLERK OF COURTS


By [Signature]Date Aug 31, 2004

EXHIBIT "A"**TOWNSHIP 5 SOUTH - RANGE 16 EAST**

SECTION 19: Commence at the Northwest corner of the SW 1/4 of NW 1/4, Section 19, Township 5 South, Range 16 East, Columbia County, Florida and run thence S 89°49'26" E, along the North line of said SW 1/4 of NW 1/4, 38.22 feet to the East right of way of SW Ichetucknee Avenue; thence S 00°10'53" W, along said East right of way, 324.68 feet to the Point of Beginning; thence continue S 00°10'53" W, along said East right of way, 412.99 feet; thence S 89°23'27" E, 525.78 feet to an existing fence; thence N 00°16'27" E, along said fence, 412.96 feet to a fence intersection; thence N 89°23'27" W, along an existing fence, 529.06 feet to the Point of Beginning.

Inst:2004020155 Date:08/31/2004 Time:16:31

DC,P.Dewitt Cason,Columbia County-B:1024 P:2835

Certificate of Compliance for Termite Protection
(As required by Florida Building Code (FBC) 1816.1.7)



LIVE OAK PEST CONTROL, INC.

17856 U.S. 129
McALPIN, FLORIDA 32062
(386) 362-3887
1-800-771-3887
Fax: (386) 364-3529

Herbert Pepper 2459 SW Itchetucknee Ave Sw Lake City, Fl
Address of Treatment or Lot/Block of Treatment

soil barrier spray
Method of Termite Prevention Treatment - soil barrier, wood treatment, bait system, other
(describe)

The building has received a complete treatment for the prevention of subterranean termites.
The treatment is in accordance with rules and laws established by the Florida Department of
Agriculture and Consumer Services.

M. J. [Signature]
Authorized Signature

22275

CHERRYBROOK CALVARY

OCCUPANCY

COLUMBIA COUNTY, FLORIDA

Department of Building and Zoning Inspection

This Certificate of Occupancy is issued to the below named permit holder for the building and premises at the below named location, and certifies that the work has been completed in accordance with the Columbia County Building Code.

Parcel Number 19-5S-16-03653-006

Building permit No. 000022275

Use Classification SFD & UTILITY

Fire: 39.69

Permit Holder JAMES H. NORTON

Waste: 85.75

Owner of Building HERBERT & SHARON PEPPER

Total: 125.44

Location: 2459 SW ICHETUCKNEE AVENUE, LAKE CITY

Date: 02/03/2005

Building Inspector

POST IN A CONSPICUOUS PLACE
(Business Places Only)

