



Order Summary

dba: RENEWAL BY ANDERSEN OF FLORIDA
Legal Name: JLM Windows, LLC | License # CGC1527613
997 West Kennedy Blvd. Suite A1 | Orlando, FL 32810
Phone: 904-267-1270 | Fax: 407-386-8262 | concierge@rbafila.com
Measure Tech: Nathan Henry,

Andrea Cashe-Gardner
128 SW Depot Way
Fort White, FL 32038
H: (352)318-3713

FLOORPLAN - 1ST FLOOR



- UNIT NOTES
- 101 Hardy/cedar exterior
Alarm present
Drywall return
 - 104 Hardy/cedar exterior
Alarm present
Drywall return
 - 105 Hardy/cedar exterior
Alarm present
Drywall return
 - 111 Hardy/cedar exterior
Alarm present
Drywall return

JOB PHOTOS



Order Summary

dba: RENEWAL BY ANDERSEN OF FLORIDA

Legal Name: JLM Windows, LLC | License # CGC1527613
997 West Kennedy Blvd. Suite A1 | Orlando, FL 32810
Phone: 904-267-1270 | Fax: 407-386-8262 | concierge@rbafia.com
Measure Tech: Nathan Henry,

Andrea Cashe-Gardner

128 SW Depot Way
Fort White, FL 32038
H: (352)318-3713

ID#	ROOM	SIZE		DETAILS
JOB				
101	Dining	71" 71-1/8"	83" 83-1/8"	Window: Acclaim™ Picture, Base Frame, Exterior Terratone, Interior Terratone Performance Calculator: PG Rating: 50 DP Rating: + 50 / - 50 Glass: All Sash: High Performance Sun Glass, No Pattern, Tempered Glass Grille Style: No Grille Misc: None Construction: None Material: 2.25" x 5/8" L-Trim, (12 ft), Terratone (3), Caulk - Terratone Exterior (1), Caulk - White Exterior (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1)
102	Garage	35" 35-1/8"	59" 58-5/8"	Window: Acclaim™ Double-Hung (DG), 1:1, Flat Sill, Base Frame, Modern Checkrail, Exterior Terratone, Interior Terratone Performance Calculator: PG Rating: 40 DP Rating: + 40 / - 40 Glass: All Sash: High Performance Sun Glass, No Pattern Hardware: Stone Screen: Fiberglass, Full Screen Grille Style: No Grille Misc: None Construction: None Material: 2.25" x 5/8" L-Trim, (12 ft), Terratone (2), Caulk - Terratone Exterior (1), Caulk - White Exterior (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1)
103	Primary Bathroom	47" 47-3/8"	50" 49-7/8"	Window: Acclaim™ Picture, Base Frame, Exterior Terratone, Interior Terratone Performance Calculator: PG Rating: 50 DP Rating: + 50 / - 50 Glass: All Sash: High Performance Sun Glass, Obscure, Tempered Glass Grille Style: No Grille Misc: None Construction: None Material: 2.25" x 5/8" L-Trim, (12 ft), Terratone (2), Caulk - Terratone Exterior (1), Caulk - White Exterior (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1)



Order Summary

dba: RENEWAL BY ANDERSEN OF FLORIDA

Legal Name: JLM Windows, LLC | License # CGC1527613
997 West Kennedy Blvd. Suite A1 | Orlando, FL 32810
Phone: 904-267-1270 | Fax: 407-386-8262 | concierge@rbafla.com
Measure Tech: Nathan Henry,

Andrea Cashe-Gardner

128 SW Depot Way
Fort White, FL 32038
H: (352)318-3713

ID#	ROOM	SIZE		DETAILS
104	Primary Bedroom	24" 23-1/8"	59" 59"	Window: Acclaim™ Double-Hung (DG), 1:1, Flat Sill, Base Frame, Modern Checkrail, Exterior Terratone, Interior Terratone Performance Calculator: PG Rating: 40 DP Rating: + 40 / - 40 Glass: All Sash: High Performance Sun Glass, No Pattern Hardware: Stone Screen: Fiberglass, Full Screen Grille Style: No Grille Misc: None Construction: None Material: 2.25" x 5/8" L-Trim, (12 ft), Terratone (2), Caulk - Terratone Exterior (1), Caulk - White Exterior (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1)
105	Primary Bedroom	24" 23-1/8"	59" 59"	Window: Acclaim™ Double-Hung (DG), 1:1, Flat Sill, Base Frame, Modern Checkrail, Exterior Terratone, Interior Terratone Performance Calculator: PG Rating: 40 DP Rating: + 40 / - 40 Glass: All Sash: High Performance Sun Glass, No Pattern Hardware: Stone Screen: Fiberglass, Full Screen Grille Style: No Grille Misc: None Construction: None Material: 2.25" x 5/8" L-Trim, (12 ft), Terratone (2), Caulk - Terratone Exterior (1), Caulk - White Exterior (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1)
106a	Primary Bedroom	35" 35"	59" 58-5/8"	Window: Acclaim™ Double-Hung (DG), 1:1, Meets Egress, Flat Sill, Base Frame, Modern Checkrail, Exterior Terratone, Interior Terratone Performance Calculator: PG Rating: 40 DP Rating: + 40 / - 40 Glass: All Sash: High Performance Sun Glass, No Pattern Hardware: Stone, Standard Color Extra Lock Screen: Fiberglass, Full Screen Grille Style: No Grille Misc: None Construction: Mull (per mull) (1) Material: 2.25" x 5/8" L-Trim, (12 ft), Terratone (2), Caulk - Terratone Exterior (1), Caulk - White Exterior (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane



Order Summary

dba: RENEWAL BY ANDERSEN OF FLORIDA

Legal Name: JLM Windows, LLC | License # CGC1527613
997 West Kennedy Blvd. Suite A1 | Orlando, FL 32810
Phone: 904-267-1270 | Fax: 407-386-8262 | concierge@rbafla.com
Measure Tech: Nathan Henry,

Andrea Cashe-Gardner

128 SW Depot Way
Fort White, FL 32038
H: (352)318-3713

ID#	ROOM	SIZE		DETAILS
(1), Mull Kit, Terratone (1)				
107	Living	59" 59-1/8"	83" 82-5/8"	Window: Acclaim™ Picture, Base Frame, Exterior Terratone, Interior Terratone Performance Calculator: PG Rating: 50 DP Rating: + 50 / - 50 Glass: All Sash: High Performance Sun Glass, No Pattern Grille Style: No Grille Misc: None Construction: None Material: 2.25" x 5/8" L-Trim, (12 ft), Terratone (2), Caulk - Terratone Exterior (1), Caulk - White Exterior (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1)
108	Living	59" 59-1/8"	83" 82-5/8"	Window: Acclaim™ Picture, Base Frame, Exterior Terratone, Interior Terratone Performance Calculator: PG Rating: 50 DP Rating: + 50 / - 50 Glass: All Sash: High Performance Sun Glass, No Pattern Grille Style: No Grille Misc: None Construction: None Material: 2.25" x 5/8" L-Trim, (12 ft), Terratone (2), Caulk - Terratone Exterior (1), Caulk - White Exterior (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1)
109	Bedroom	41 " 41-1/8"	59 " 58-5/8"	Window: Acclaim™ Double-Hung (DG), 1:1, Flat Sill, Base Frame, Modern Checkrail, Exterior Terratone, Interior Terratone Performance Calculator: PG Rating: 40 DP Rating: + 40 / - 40 Glass: All Sash: High Performance Sun Glass, No Pattern Hardware: Stone, Standard Color Extra Lock Screen: Fiberglass, Full Screen Grille Style: No Grille Misc: None Construction: None Material: 2.25" x 5/8" L-Trim, (12 ft), Terratone (2), Caulk - Terratone Exterior (1), Caulk - White Exterior (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1)



Order Summary

dba: RENEWAL BY ANDERSEN OF FLORIDA

Legal Name: JLM Windows, LLC | License # CGC1527613
997 West Kennedy Blvd. Suite A1 | Orlando, FL 32810
Phone: 904-267-1270 | Fax: 407-386-8262 | concierge@rbafla.com
Measure Tech: Nathan Henry,

Andrea Cashe-Gardner

128 SW Depot Way
Fort White, FL 32038
H: (352)318-3713

ID#	ROOM	SIZE		DETAILS
110	Bedroom	35" 34-5/8"	59" 58-5/8"	Window: Acclaim™ Double-Hung (DG), 1:1, Meets Egress, Flat Sill, Base Frame, Modern Checkrail, Exterior Terratone, Interior Terratone Performance Calculator: PG Rating: 40 DP Rating: + 40 / - 40 Glass: All Sash: High Performance Sun Glass, No Pattern Hardware: Stone Screen: Fiberglass, Full Screen Grille Style: No Grille Misc: None Construction: None Material: 2.25" x 5/8" L-Trim, (12 ft), Terratone (2), Caulk - Terratone Exterior (1), Caulk - White Exterior (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1)
111	Bedroom2	35" 34-5/8"	59" 58-5/8"	Window: Acclaim™ Double-Hung (DG), 1:1, Meets Egress, Flat Sill, Base Frame, Modern Checkrail, Exterior Terratone, Interior Terratone Performance Calculator: PG Rating: 40 DP Rating: + 40 / - 40 Glass: All Sash: High Performance Sun Glass, No Pattern Hardware: Stone Screen: Fiberglass, Full Screen Grille Style: No Grille Misc: None Construction: None Material: 2.25" x 5/8" L-Trim, (12 ft), Terratone (2), Caulk - Terratone Exterior (1), Caulk - White Exterior (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1)
112	Bedroom2	41" 41-1/8"	59" 58-5/8"	Window: Acclaim™ Double-Hung (DG), 1:1, Flat Sill, Base Frame, Modern Checkrail, Exterior Terratone, Interior Terratone Performance Calculator: PG Rating: 40 DP Rating: + 40 / - 40 Glass: All Sash: High Performance Sun Glass, No Pattern Hardware: Stone, Standard Color Extra Lock Screen: Fiberglass, Full Screen Grille Style: No Grille Misc: None Construction: None Material: 2.25" x 5/8" L-Trim, (12 ft), Terratone (2), Caulk - Terratone Exterior (1), Caulk - White Exterior (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion



Order Summary

dba: RENEWAL BY ANDERSEN OF FLORIDA

Legal Name: JLM Windows, LLC | License # CGC1527613
997 West Kennedy Blvd. Suite A1 | Orlando, FL 32810
Phone: 904-267-1270 | Fax: 407-386-8262 | concierge@rbafla.com
Measure Tech: Nathan Henry,

Andrea Cashe-Gardner

128 SW Depot Way
Fort White, FL 32038
H: (352)318-3713

ID#	ROOM	SIZE		DETAILS
				Polyurethane (1)
106b	Primary Bedroom	35" 35"	59" 58-5/8"	Window: Acclaim™ Double-Hung (DG), 1:1, Meets Egress, Flat Sill, Base Frame, Modern Checkrail, Exterior Terratone, Interior Terratone Performance Calculator: PG Rating: 40 DP Rating: + 40 / - 40 Glass: All Sash: High Performance Sun Glass, No Pattern Hardware: Stone, Standard Color Extra Lock Screen: Fiberglass, Full Screen Grille Style: No Grille Misc: None Construction: None Material: 2.25" x 5/8" L-Trim, (12 ft), Terratone (2), Caulk - Terratone Exterior (1), Caulk - White Exterior (1), #10 X 3.5" Deck Screws (Wood Frame) (0.25), 1/16 Flat Shims (1), 1/32 Flat Shims (1), Flashing Tape (0.5), Foam: Low Expansion Polyurethane (1)

PRODUCTS: 13 WINDOWS: 13 PATIO DOORS: 0 ENTRY DOORS: 0 SPECIALTY: 0 MISC: 0

Updated 4/22/24

JOB NOTES

Hardy/cedar exterior
Alarm present, cut and tuck wires
Drywall return
Wood sill
Blinds and curtains R/R
Any rotted sill or exterior trim replace like for like
Assist with blinds and curtains, plastic will not go back up, old and likely some will break.
Drop cloths, plastic, caution of pictures on wall
Estimated Duration: 2 days