

This Permit Expires One Year From the Date of Issue

APPLICANTGARY HARTPHONE454-4673

ADDRESSP.O. BOX 1675HIGH SPRINGSFL32655

OWNERGARY & DEANNA HARTPHONE454-4673

ADDRESS340SW LOGSTON COURTFT. WHITEFL32038

CONTRACTORTERRY THRIFTPHONE623-0115

LOCATION OF PROPERTY47S, TL ON SEDGEFIELD LANE,TR ON LOGSTON COURT, TO THE END
OF THE CUL-DE-SAC ON THE RIGHT

TYPE DEVELOPMENTMH,UTILITYESTIMATED COST OF CONSTRUCTION0.00

HEATED FLOOR AREATOTAL AREAHEIGHTSTORIES

FOUNDATIONWALLSROOF PITCHFLOOR

LAND USE & ZONINGA-3MAX. HEIGHT

Minimum Set Back Requirments:STREET-FRONT30.00REAR25.00SIDE25.00

NO. EX.D.U.0FLOOD ZONEXDEVELOPMENT PERMIT NO.

PARCEL ID03-6S-16-03767-104SUBDIVISIONSEDFEFIELD

LOT5BLOCKPHASEUNIT0TOTAL ACRES

IH0000036

Culvert Permit No.Culvert WaiverContractor's License NumberApplicant/Owner/Contractor

EXISTING06-0328-EBKBKJHY

Driveway ConnectionSeptic Tank NumberLU & Zoning checked byApproved for IssuanceNew Resident

COMMENTS: ONE FOOT ABOVE THE ROAD, SHALL GAIN ACCESS TO PROPERTY FROM SW LOGSTON COURT

Check # or Cash099

FOR BUILDING & ZONING DEPARTMENT ONLY

(footer/Slab)

Temporary PowerFoundationMonolithic

Under slab rough-in plumbingSlabSheathing/Nailing

FramingRough-in plumbing above slab and below wood floor

Electrical rough-inHeat & Air DuctPeri. beam (Lintel)

Permanent powerC.O. FinalCulvert

M/H tie downs, blocking, electricity and plumbingPool

ReconnectionPump poleUtility Pole

M/H PoleTravel TrailerRe-roof

BUILDING PERMIT FEE \$0.00CERTIFICATION FEE \$0.00SURCHARGE FEE \$0.00

MISC. FEES \$200.00ZONING CERT. FEE \$50.00FIRE FEE \$35.52WASTE FEE \$73.50

FLOOD DEVELOPMENT FEE \$FLOOD ZONE FEE \$25.00CULVERT FEE \$TOTAL FEE384.02

INSPECTORS OFFICE

CLERKS OFFICE

NOTICE: IN ADDITION TO THE REQUIREMENTS OF THIS PERMIT, THERE MAY BE ADDITIONAL RESTRICTIONS APPLICABLE TO THIS PROPERTY THAT MAY BE FOUND IN THE PUBLIC RECORDS OF THIS COUNTY. AND THERE MAY BE ADDITIONAL PERMITS REQUIRED FROM OTHER GOVERNMENTAL ENTITIES SUCH AS WATER MANAGEMENT DISTRICTS, STATE AGENCIES, OR FEDERAL AGENCIES.

"WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT."

This Permit Must Be Prominently Posted on Premises During Construction

PLEASE NOTIFY THE COLUMBIA COUNTY BUILDING DEPARTMENT AT LEAST 24 HOURS IN ADVANCE OF EACH INSPECTION, IN ORDER THAT IT MAY BE MADE WITHOUT DELAY OR INCONVIENCE, PHONE 758-1008. THIS PERMIT IS NOT VALID UNLESS THE WORK AUTHORIZED BY IT IS COMMENCED WITHIN 6 MONTHS AFTER ISSUANCE.

The Issuance of this Permit Does Not Waive Compliance by Permittee with Deed Restrictions.

PERMIT APPLICATION / MANUFACTURED HOME INSTALLATION APPLICATION

For Office Use Only

Zoning Official BK 10/24/06

Building Official OK JH 4-4-06

AP# 0604-04

Date Received 4/3/06

By G

Permit # 24368

Flood Zone X

Development Permit N/A

Zoning A-3

Land Use Plan Map Category A-3

Comments MAY NEED DOT DRIVEWAY 911 ADDRESS

SHALL gain access to property from SW Locust Ct.

FEMA Map #

Elevation

Finished Floor

River

In Floodway

☒ Site Plan with Setbacks shown

☒ Environmental Health Signed Site Plan

☐ Env. Health Release

☒ Well letter provided

☒ Existing Well

Revised 9-23-04

- Property ID Parcel # 03-65-16-03767-104 Must have a copy of the property deed
- New Mobile Home Meet Used Mobile Home _____ Year 06
- Subdivision Information LOT 5 Sedgefield SD/PHASE 1 DAB 945-1151
Parcel # 03-65-16-03767-105
- Applicant HART Phone # 386-454-4673 - Home
352-317-1783 - Cell
- Address PO Box 1675 High Springs FL 32655

Name of Property Owner GARY A. HART & DANNAE E. HART Phone# 386-454-4673

911 Address 340 SW LOCUST CT. FT WHITE, FL 32038

Circle the correct power company - FL Power & Light

Clay Electric

(Circle One)

Suwannee Valley Electric

Progressive Energy

Name of Owner of Mobile Home GARY A. HART & DANNAE E. HART Phone # 386-454-4673

Address PO Box 1675 High Springs, FL 32655

Relationship to Property Owner ONE AND THE SAME

Current Number of Dwellings on Property 0 (None)

Lot Size 5.0054 AC

Total Acreage 5.0054 AC

Do you : Have an Existing Drive or need a Culvert Permit or a Culvert Waiver Permit

Driving Directions FROM LAKE CITY AND 47+ ITS - GO SOUTH ON SR 47

ABOUT 10 MILES TURN LEFT ON SEDGEFIELD LN TO 1ST RD and RT. (Locust Ct)
DOWN TO CULDSAC ENTRANCE ON RT.

Is this Mobile Home Replacing an Existing Mobile Home N/A


Name of Licensed Dealer/Installer TERRY L. THAYER Phone # 386-623-0115

Installers Address 448 NW Dye Hunter Dr Lake City FL 32055

License Number JH-0000032

Installation Decal # 243057

JW Called MS. HART on 4.10.06



Columbia County Property Appraiser

J. Doyle Crews, CFA - Lake City, Florida - 386-758-1083

PARCEL: 03-6S-16-03767-104 HX - IMPROVED A (005000)

LOTS 4 & 5 SEDGEFIELD S/D PHASE 1. ORB 948-1151.

Name: HARRISON JASPER JAY	LandVal	\$12,170.00
Site: LOGSTON	BldgVal	\$5,136.00
Mail: 340 SW LOGSTON CT	ApprVal	\$18,880.00
FT WHITE, FL 32038	JustVal	\$107,306.00
Sales Info 3/1/2002 \$59,000.00 V / Q	Assd	\$11,144.00
	Exmpt	\$11,144.00
	Taxable	\$0.00

0 0.1 0.2 0.3 mi



This information, GIS Map Updated: 2/7/2006, was derived from data which was compiled by the Columbia County Property Appraiser Office solely for the governmental purpose of property assessment. This information should not be relied upon by anyone as a determination of the ownership of property or market value. No warranties, expressed or implied, are provided for the accuracy of the data herein, it's use, or it's interpretation. Although it is periodically updated, this information may not reflect the data currently on file in the Property Appraiser's office. The assessed values are NOT certified values and therefore are subject to change before being finalized for ad valorem assessment purposes.

PERMIT NUMBER

POCKET PENETROMETER TEST

The pocket penetrometer tests are rounded down to 2000 psi or check here to declare 1000 lb. soil without testing.

285 x 2000 = 280 x 2000 = 280

POCKET PENETROMETER TESTING METHOD

1. Test the perimeter of the home at 8 locations.
2. Take the reading at the depth of the footer.
3. Using 500 lb. increments, take the lowest reading and round down to that increment.

280 x 2000 = 280 x 2000 = 280

TORQUE PROBE TEST

The results of the torque probe test is 280 inch pounds or check here if you are declaring 5' anchors without testing. A test showing 275 inch pounds or less will require 4 foot anchors.

Note: A state approved lateral arm system is being used and 4 ft anchors are allowed at the sidewall locations. I understand 5 ft anchors are required at all ceiling locations. I understand 5 ft reading is 275 or less and where the mobile home manufacturer may require anchors with 4000 lb holding capacity.

Installer's initials

ALL TESTS MUST BE PERFORMED BY A LICENSED INSTALLER

Installer Name

Date Tested

Electrical

Connect electrical conductors between multi-wide units, but not to the main power source. This includes the bonding wire between multi-wide units. Pg.

Plumbing

Connect all sewer drains to an existing sewer tap or septic tank. Pg.

Connect all potable water supply piping to an existing water meter, water tap, or other independent water supply systems. Pg.

Site Preparation

Debris and organic material removed ☒ Swale ☐ Pad ☐ Other ☐

Fastening multi-wide units

Floor: Type Fastener: 3/8" x 3" STAPLES Length: 3/8" Spacing: 24"
Walls: Type Fastener: 3/8" x 3" STAPLES Length: 3/8" Spacing: 32"
Roof: Type Fastener: 3/8" x 3" STAPLES Length: 3/8" Spacing: 32"
For used homes a min. 30 gauge, 8" wide, galvanized metal strip will be centered over the peak of the roof and fastened with galv. roofing nails at 2" on center on both sides of the centerline.

Gasket (weatherproofing required)

I understand a properly installed gasket is a requirement of all new and used homes and that condensation, mold, mildew and buckled maninge walls are a result of a poorly installed or no gasket being installed. I understand a strip of tape will not serve as a gasket.

Installer's initials

Type gasket: 3/8" x 3" STAPLES Installed: Between Floors Yes Between Walls Yes Bottom of ridgebeam Yes

Weatherproofing

The bottomboard will be repaired and/or taped. Yes Yes
Siding on units is installed to manufacturer's specifications. Yes Yes
Fireplace chimney installed so as not to allow intrusion of rain water. Yes Yes

Miscellaneous

Skirting to be installed. Yes Yes No No
Dryer vent installed outside of skirting. Yes Yes No No
Range downflow vent installed outside of skirting. Yes Yes No No
Drain lines supported at 4 foot intervals. Yes Yes No No
Electrical crossovers protected. Yes Yes No No
Other: N/A

Installer verifies all information given with this permit worksheet is accurate and true based on the manufacturer's installation instructions and of code 15C-1 & 1


Installer Signature

Date 3/22/08

P54-2000 on 15"x22" Pads at 6'oc.
 torque-280 with 3/50 4ft anchors @ 5'4"oc
 Perimeter Block on 16"x16" Pads @ 8'oc

HART (28'x56' Box

FOREST 2849 / FOREST 3238



4-BEAM BLOCKING
 SEE SOIL BEARING CAPACITY CHARTS FOR SPACING

COLUMN BLOCKING
 SEE SOIL BEARING CAPACITY CHARTS FOR PAD SIZE

SHEARWALL BLOCKING

SHEARWALL FRAME TIE

CENTER LINE TIES

VERTICAL TIE
 MAX SPACING 5'-0" CENTER TO CENTER

LONGITUDINAL TIES

BLOCKING LEGEND:
 FLORIDA

1) ALL EXTERIOR DOOR/BAY WINDOWS RECESSED
 SIDEWALLS AND EXTERIOR WALL OPENINGS 48"
 OR GREATER WILL REQUIRE BLOCKING ON EACH SIDE

2) 32" WIDE HOMES REQUIRED TO BE BLOCKED
 AT 8'-0" ON CENTER BETWEEN COLUMNS.

HOMES OF MERT, ETC.
 P.O. BOX 2007
 MARY 100 EAST
 LAKE CITY, FLORIDA 32808

DATE: 8-23-00
DRAWN BY: STAFF
REVISION: 11/0
DATE: 8/01

PROJECT: 2
LOCATION: FOREST MANOR 2849-1837
DATE: 6/01
DESIGNER: FLORIDA
ENGINEER: BLOCKING

PERMIT NUMBER

Installer Terrell J. Thiff License # IL-0000036

Address of home 34056 Logston Ct. Ft. White, FL 33605



Manufacturer Miser Length x width 56' x 28'

NOTE: If home is a single wide fill out one half of the blocking plan. If home is a triple or quad wide sketch in remainder of home.

I understand Lateral Arm Systems cannot be used on any home (new or used) where the sidewall has exceed 5 ft 4 in.

Installer's initials TT

Typical pier spacing



New Home ☒ Used Home ☐

Home installed to the Manufacturer's Installation Manual ☒

Home is installed in accordance with Rule 15C ☒

Single wide ☐ Wind Zone II ☒ Wind Zone III ☐

Double wide ☒ Installation Decal # 243051

Triple/Quad ☐ Serial # FLMH12PL637-29434 A-B

PIER SPACING TABLE FOR USED HOMES

Load bearing capacity (sq ft)	16' x 16' (256)	18' 1/2" x 18' 1/2" (342)	20' x 20' (400)	22' x 22' (484)	24' x 24' (576)	26' x 26' (676)
1000 psf	3'	4'	5'	6'	7'	8'
1500 psf	4' 6"	6'	7'	8'	9'	10'
2000 psf	6'	8'	9'	10'	11'	12'
2500 psf	7' 6"	9'	10'	11'	12'	13'
3000 psf	8'	10'	11'	12'	13'	14'
3500 psf	8'	10'	11'	12'	13'	14'

Interpolated from Rule 15C-1 pier spacing table.

PIER PAD SIZES

I-beam pier pad size 12" x 22"

Perimeter pier pad size 16" x 18"

Other pier pad sizes (required by the mfg.) _____

POPULAR PAD SIZES

Pad Size	Sq ft
18 x 18	324
18 x 16	288
18.5 x 18.5	342
18 x 22.5	405
17 x 22	374
13 1/4 x 28 1/4	374
20 x 20	400
17 3/8 x 25 3/8	441
17 1/2 x 25 1/2	446
24 x 24	576
26 x 26	676

Draw the approximate locations of marriage wall openings 4' foot or greater. Use this symbol to show the piers.

List all marriage wall openings greater than 4' foot and their pier pad sizes below.

Opening 12' Pier pad size 12" x 22"

ANCHORS

4 ft 5 ft

FRAME TIES

within 2' of end of home spaced at 5' 4" oc

TIEDOWN COMPONENTS

Longitudinal Stabilizing Device (LSD) _____

Manufacturer _____

Longitudinal Stabilizing Device w/ Lateral Arms _____

Manufacturer Overseas Tech

Side wall _____

Longitudinal Marriage wall _____

Shear wall _____

PERMIT NUMBER

page 1 of 2

Installer Terrey J. Thakfi License # IL-0000036


Address of home 3405 W. Logston Ct. Ft. White, FL 32035
being installed

Manufacturer Megat Length x width 56' x 28'

NOTE: If home is a single wide fill out one half of the blocking plan
if home is a triple or quad wide sketch in remainder of home

I understand Lateral Arm Systems cannot be used on any home (new or used)
where the sidewall ties exceed 5 ft 4 in.

Installer's initials IT



New Home ☒ Used Home ☐
Homes installed to the Manufacturer's Installation Manual
Homes installed in accordance with Rule 15-C
Single wide ☐ Wind Zone II ☒ Wind Zone III ☐
Double wide ☒ Installation Decal # 243057
Triple/Quad ☐ Serial # 243057

PIER SPACING TABLE FOR USED HOMES

Load bearing capacity (sq ft)	16' x 16' (256)	18' 1/2' x 18' 1/2' (342)	20' x 20' (400)	22' x 22' (484)	24' x 24' (576)	26' x 26' (676)
1000 psf	3'	4'	5'	6'	7'	8'
1500 psf	4'	5'	6'	7'	8'	9'
2000 psf	5'	6'	7'	8'	9'	10'
2500 psf	6'	7'	8'	9'	10'	11'
3000 psf	7'	8'	9'	10'	11'	12'
3500 psf	8'	9'	10'	11'	12'	13'

Interpolated from Rule 15-C-1 pier spacing table.

PIER PAD SIZES

I-beam pier pad size

Perimeter pier pad size

Other pier pad sizes (required by the mfg.)

Draw the approximate locations of marriage wall openings 4 foot or greater. Use this symbol to show the piers.

List all marriage wall openings greater than 4 foot and their pier pad sizes below:

Opening 12' Pier pad size 17' x 22'

17' x 22'

ANCHORS

4 ft 5 ft

FRAME TIES

within 2' of end of home spaced at 5' 4" oc

TIEDOWN COMPONENTS

Longitudinal Stabilizing Device (LSD)

Manufacturer

Longitudinal Stabilizing Device by Lateral Arms Manufacturer Oliver Tech

OTHER TIES

Skewer

Longitudinal Marriage wall

Streamwall


Number 23

11

2



APPROXIMATE SCALE IN FEET




NATIONAL FLOOD INSURANCE PROGRAM

FIRM
FLOOD INSURANCE RATE MAP

COLUMBIA
COUNTY,
FLORIDA
(UNINCORPORATED AREAS)

PANEL 225 OF 290

PANEL LOCATION



COMMUNITY-PANEL NUMBER
120070 0225 B

EFFECTIVE DATE:
JANUARY 6, 1988




Federal Emergency Management Agency


This is an official copy of a portion of the above referenced flood map. It was extracted using F-MIT Version 1.0. This map does not reflect changes or amendments which may have been made subsequent to the date on the title block. Further information about National Flood Insurance Program flood hazard maps is available at www.fema.gov/nifms

1. A PLAT, PLAN, OR DRAWING SHOWING THE PROPERTY LINES OF THE PARCEL.
2. LOCATION OF PLANNED RESIDENT OR BUSINESS STRUCTURE ON THE PROPERTY WITH DISTANCES FROM AT LEAST TWO OF THE PROPERTY LINES TO THE STRUCTURE (SEE SAMPLE BELOW).
3. LOCATION OF THE ACCESS POINT (DRIVEWAY, ETC.) ON THE ROADWAY FROM WHICH LOCATION IS TO BE ADDRESSED WITH A DISTANCE FROM A PARALLEL PROPERTY LINE AND OR PROPERTY CORNER (SEE SAMPLE BELOW).
4. TRAVEL OF THE DRIVEWAY FROM THE ACCESS POINT TO THE STRUCTURE (SEE SAMPLE BELOW).

SAMPLE:



SITE PLAN BOX:



This Document Prepared By and Return to:
Darryl J. Tompkins, Esquire
Darryl J. Tompkins, P.A.
14420 NW 151st Blvd.
P.O. Box 519
Alachua, FL 32616

Inst:2006007761 Date:03/29/2006 Time:13:20
Doc Stamp-Deed : 581.00
DC, P. Dewitt Cason, Columbia County B:1078 P:2583

Parcel ID Number: R03767-104

Warranty Deed

This Indenture, Made this 28th day of March, 2005 A.D., Between
Jasper J. Harrison, a single man

of the County of Columbia, State of Florida, grantor, and
Gary A. Hart and Deanna E. Hart, husband and wife


whose address is: Post Office Box 1675, HIGH SPRINGS, FL 32655

of the County of ALACHUA, State of Florida, grantees.

Witnesseth that the GRANTOR, for and in consideration of the sum of

-----TEN DOLLARS (\$10)----- DOLLARS,
and other good and valuable consideration to GRANTOR in hand paid by GRANTEE, the receipt whereof is hereby acknowledged, has
granted, bargained and sold to the said GRANTEE and GRANTEE'S heirs, successors and assigns forever, the following described land, situate,
lying and being in the County of Columbia State of Florida to wit:
Lot 5 of SEDGEFIELD PHASE ONE, a subdivision, according to the Plat
thereof as recorded in Plat Book 7, Page(s) 87, of the Public Records
of Columbia County, Florida.
SUBJECT TO THE FOLLOWING:

- A. Zoning restrictions, prohibitions and other requirements imposed by governmental authority;
- B. Restrictions and matters appearing on the plat and/or common to the subdivision;
- C. Taxes for the year 2006 and subsequent years.



STATE OF FLORIDA, COUNTY OF COLUMBIA
I HEREBY CERTIFY, that the above and foregoing
is a true copy of the original filed in this office.
P. DEWITT CASON, CLERK OF COURTS

By Donnie How Deputy Clerk

Date 4/03/06

and the grantor does hereby fully warrant the title to said land, and will defend the same against lawful claims of all persons whomsoever.

In Witness Whereof, the grantor has hereunto set his hand and seal the day and year first above written.

Signed, sealed and delivered in our presence:

Printed Name: DARRYL J. TOMPKINS
Witness


Printed Name: Sandra E. Howe
Witness

Jasper J. Harrison (Seal)
P.O. Address: 340 SW Logston Court, Fort White, FL 32038

STATE OF Florida
COUNTY OF Columbia

The foregoing instrument was acknowledged before me this 28th day of March, 2005 by
Jasper J. Harrison, a single man

he is personally known to me or he has produced his Florida driver's license as identification



Printed Name: Sandra E. Howe
Notary Public
My Commission Expires: 11/15/2009

AFFIDAVIT

I certify that the following described mobile home being placed on the referenced parcel is not a Wind Zone 1 mobile home.

Customer's Name: KEARY A HART or DEANNA E. HART

Property ID: Sec: _____ Twp: _____ Rge: _____ Tax Parcel No: 03-65-16-03767-105

Lot: 5 Block: _____ Subdivision: Phase 1, Sedgefield

Mobile Home Year/Make: 06 Merit Size: 28'x56' Box


Signature of Mobile Home Installer

Sworn to and subscribed before me this 24 day of March, 2006

by _____



Notary's name printed/typed



Notary Public, State of Florida

Commission No. _____

Personally Known: X

Produced ID (type) _____

LIMITED POWER OF ATTORNEY

I, TERRY L. THRIFT, license # IH-0000036 hereby
authorize GARY A. HART OR DEANNA E. HART to be my representative and act on my behalf
in all aspects of applying for a mobile home permit to be placed on the following
described property located in Suwannee County, Florida.

Property owner: GARY A. HART OR DEANNA E. HART

Sec 03 Twp. 16 S Rge 16 E

Tax Parcel No. 03-6S-16-03767-105


Terry L. Thrift
Mobile Home Installer

3/22/06
(Date)

Sworn to and subscribed before me this 24 day of March 2006

Nicole Coleman
Notary Public

My Commission expires: 06-07-08
Commission No. _____
Personally known: X
Produced ID (Type) _____



MOBILE HOME INSTALLER AFFIDAVIT

As per Florida Statutes Section 320.8249 Mobile Home Installers License:

Any person who engages in mobile home installation shall obtain a mobile home installer's license from the Bureau of Mobile Home and Recreational Vehicle Construction of the Department of Highway Safety and Motor Vehicles pursuant to this section. Said license shall be renewed annually, and each licensee shall pay a fee of \$150.


I, TERRY L. THRIFT, license number IH 0000032
Please Print
do hereby state that the installation of the manufactured home for GARY A. HANTON
Applicant
DEANNA E. HANT at 340 SW LOGSTON CT. FT. WHITE, FL 32038
911 Address
will be done under my supervision.

Terry L. Thrift
Signature

Sworn to and subscribed before me this 24 day of MARCH,
2006.

Notary Public: Nicole Coleman
Signature

My Commission Expires: 06-07-08
Date



ROBERT & DONNA FORD
NORTH FLORIDA SEPTIC TANK & PUMPING
 Rt. 8, Box 20-5 Guerdon Rd.
 LAKE CITY, FL 32055
 Tel: (386) 755-6372 • Fax (386) 961-8770

JOIR WORK ORDER

No. 003910

83-		DATE OF ORDER 5.8.03	
ORDER NO. 003910-11	PHONE 724-27124	MECHANIC	HELPER
BILL TO: Pat Johnson, Deeper Harrison		STARTING DATE 5/28/03	
ADDRESS: 340 SW Logan Ct.		ORDER TAKEN BY (RF)	
CITY: Ft. White, FL 32038		<input checked="" type="checkbox"/> DAY WORK	
JOB NAME: Field Sub Lot 4 & 5		<input type="checkbox"/> CONTRACT	
		<input type="checkbox"/> EXTRA	
JOB PHONE			

DESCRIPTION OF WORK

900 gal. tank
 333 sq. ft. of drainfield 1100
 5' 3" 4" Sewer with
 Cleanout 150.00

pd ck # 389

WARRANTY FOR WATER AND LINES ETC.	TOTAL MATERIALS 1650.00
WORK ORDERED BY Patrice Johnson	TOTAL AMOUNT 1800.00

I hereby acknowledge the satisfactory completion of the above described work.

JWO/560-3
 PRINTED IN U.S.A.

HALL'S PUMP & WELL SERVICE, INC.

1724 North First Street
LAKE CITY, FLORIDA 32055
(904) 755-4978
(904) 752-1854

SOLD BY		DATE	
		5-22-82	
NAME			
MR. JAY HARRISON			
ADDRESS		PHONE	
340 SW LOGSTON CT.			
CITY			
FT. WHITE, FLA. 32038			
QTY.	DESCRIPTION	PRICE	AMOUNT
1	1 Well with		
2	15 hp submersible		
3	Pump and 26 ft		
4	chalmers diaphragm		
5	type water pump		
6	also 100 ft		2450.00
7	extra drilling @ 8.00		800.00
8			
9	Permit		40.00
10			5700.00
11			
12			
13			
14			
15			
16			
RECEIVED BY		TOTAL	
		7700	

7138.

Stamp: To Florida
Buy 2.5 cash or note 2000

THANK YOU

@ CAM110M01 S CamaUSA Appraisal System
4/04/2006 8:57 Property Maintenance
Year T Property ** Deleted ** Sel
2006 R 03-6S-16-03767-105 ...
Owner SEDGEFIELD LAND COMPANY Conf
Addr 5345 ORTEGA BLVD
STE 7

Columbia County
20000 Land 001
AG 000
Bldg 000
Xfea 000
20000 TOTAL B
5.000 Total Acres
Renewal Notice

City, St JACKSONVILLE FL Zip 32210
Country (PUD1)

Retain Cap? N
(PUD2) (PUD3)

Appr By JEFF Date 10/02/2002 AppCode UseCd 000000 VACANT
TxDist Nbhd MktA ExCode Exemption/% TxCode Units Tp
003 3616.00 02
DIST 3

House# Street SEDGEFIELD S/D MD Dir #
City
Subd N/A Condo .00 N/A
Sect 3 Twn 6S Rnge 16 Subd Blk Lot
Legals LOT 5 SEDGFIELD S/D PHASE 1.

Map# Mnt 10/21/2002 KYLIE
F1=Task F2=ExTx F3=Exit F4=Prompt F11=Docs F10=GoTo PgUp/PgDn F24=More

IF ANY QUESTIONS, CALL CHUCK MOORE
AT 758-1040.

Chuck Moore

@ CAM110M01 S CamaUSA Appraisal System
4/04/2006 8:57 Property Maintenance
Year T Property Sel
2006 R 03-6S-16-03767-104 ... *
Owner HARRISON JASPER JAY Conf
Addr 340 SW LOGSTON CT

Columbia County
12170 Land 002 *
1574 AG 001
5136 Bldg 001 *
Xfea 000
18880 TOTAL B*

10.260 Total Acres

City, St FT WHITE FL Zip 32038 Retain Cap? Y
Country (PUD1) (PUD2) (PUD3) MKTA02

Appr By JS Date 3/20/2005 AppCode UseCd 005000 IMPROVED AG
TxDist Nbhd MktA ExCode Exemption/% TxCode Units Tp
003 3616.00 02 HX 25000

DIST 3

House# 340 Street LOGSTON MD CT Dir SW #
City FT WHITE

Subd N/A Condo .00 N/A
Sect 3 Twn 6S Rnge 16 Subd Blk Lot
Legals LOTS 4 & 5 SEDGEFIELD S/D PHASE 1. ORB 948-1151.

Map# Mnt 5/23/2005 GAIL
F1=Task F2=ExTx F3=Exit F4=Prompt F11=Docs F10=GoTo PgUp/PgDn F24=More

Attn: WEGGIE

**Columbia County Building Department
Culvert Waiver**

**Culvert Waiver No.
000001061**

DATE: 04/26/2006

BUILDING PERMIT NO. 24368

APPLICANT GARY HART

PHONE 454-4673

ADDRESS 340 SW LOGSTON COURT

FT. WHITE

FL 32038

OWNER GARY HART

PHONE 454-4673

ADDRESS 340 SW LOGSTON COURT

FT. WHITE

FL 32038

CONTRACTOR OWNER BUILDER

PHONE _____

LOCATION OF PROPERTY 47S, TL O SEDGEFIELD LANE, TR ON LOGSTON COURT, TO THE END OF

CUL-DE-SAC ON RIGHT

SUBDIVISION/LOT/BLOCK/PHASE/UNIT SEDEGEFIELD

5

PARCEL ID # 03-6S-16-03767-104

I HEREBY CERTIFY THAT I UNDERSTAND AND WILL FULLY COMPLY WITH THE DECISION OF THE COLUMBIA COUNTY PUBLIC WORKS DEPARTMENT IN CONNECTION WITH THE HEREIN PROPOSED APPLICATION.

SIGNATURE: *Gary Hart*

A SEPARATE CHECK IS REQUIRED
MAKE CHECKS PAYABLE TO BCC

Amount Paid 50.00

PUBLIC WORKS DEPARTMENT USE ONLY

I HEREBY CERTIFY THAT I HAVE EXAMINED THIS APPLICATION AND DETERMINED THAT THE CULVERT WAIVER IS:

APPROVED ✓

NOT APPROVED - NEEDS A CULVERT PERMIT

COMMENTS: *Culvert Needed to maintain Positive*


Drainage around Cul-De-Sac

SIGNED: *Ken Hunt*

DATE: *04/28/06*

ANY QUESTIONS PLEASE CONTACT THE PUBLIC WORKS DEPARTMENT AT 386-752-5955.

135 NE Hernando Ave., Suite B-21
Lake City, FL 32055
Phone: 386-758-1008 Fax: 386-758-2160



24368

**Columbia County Building Department
Culvert Permit****Culvert Permit No.
000001061**DATE 05/02/2006 PARCEL ID # 03-6S-16-03767-104APPLICANT GARY HART PHONE 454-4673ADDRESS 340 SW LOGSTON COURT FT. WHITE FL 32038OWNER GARY HART PHONE 454-4673ADDRESS 340 SW LOGSTON COURT FT. WHITE FL 32038CONTRACTOR OWNER BUILDER PHONE _____LOCATION OF PROPERTY 47S, TL O SEDGEFIELD LANE, TR ON LOGSTON COURT, TO THE END OF

CUL-DE-SAC ON RIGHT _____

SUBDIVISION/LOT/BLOCK/PHASE/UNIT SEDFIELD 5

SIGNATURE

**INSTALLATION REQUIREMENTS**

Culvert size will be 18 inches in diameter with a total length of 32 feet, leaving 24 feet of driving surface. Both ends will be mitered 4 foot with a 4 : 1 slope and poured with a 4 inch thick reinforced concrete slab.

INSTALLATION NOTE: Turnouts will be required as follows:

- a) a majority of the current and existing driveway turnouts are paved, or;
- b) the driveway to be served will be paved or formed with concrete.

Turnouts shall be concrete or paved a minimum of 12 feet wide or the width of the concrete or paved driveway, whichever is greater. The width shall conform to the current and existing paved or concreted turnouts.



Culvert installation shall conform to the approved site plan standards.



Department of Transportation Permit installation approved standards.



Other _____

**ALL PROPER SAFETY REQUIREMENTS SHOULD BE FOLLOWED
DURING THE INSTALATION OF THE CULVERT.**

135 NE Hernando Ave., Suite B-21
Lake City, FL 32055
Phone: 386-758-1008 Fax: 386-758-2160

Amount Paid 25.00

