

PRODUCT APPROVAL SPECIFICATION SHEET

44

Location: 368 SW MULBERRY DR, **Project Name:** LOT 33 TIMBERLANDS

As required by Florida Statute 553.842 and Florida Administrative Code 9B-72, please provide the information and the product approval number(s) on the building components listed below if they will be utilized on the construction project for which you are applying for a building permit on or after April 1, 2004. We recommend you contact your local product supplier should you not know the product approval number for any of the applicable listed products. More information about statewide product approval can be obtained at www.floridabuilding.org

Category/Subcategory	Manufacturer	Product Description	Approval Number(s)
A. EXTERIOR DOORS			
1. Swinging			
2. Sliding			
3. Sectional			
4. Roll up			
5. Automatic			
6. Other			
B. WINDOWS			
1. Single hung			
2. Horizontal Slider			
3. Casement			
4. Double Hung			
5. Fixed			
6. Awning			
7. Pass-through			
8. Projected			
9. Mullion			
10. Wind Breaker			
11. Dual Action			
12. Other			
C. PANEL WALL			
1. Siding			
2. Soffits			
3. EIFS			
4. Storefronts			
5. Curtain walls			
6. Wall louver			
7. Glass block			
8. Membrane			
9. Greenhouse			
10. Other			
D. ROOFING PRODUCTS			
1. Asphalt Shingles			
2. Underlayments			
3. Roofing Fasteners			
4. Non-structural Metal Rf			
5. Built-Up Roofing			
6. Modified Bitumen			
7. Single Ply Roofing Sys			
8. Roofing Tiles			
9. Roofing Insulation			
10. Waterproofing			
11. Wood shingles /shakes			
12. Roofing Slate			

SEE ATTACHED

Maronda Homes Inc.
6800 Southpoint Pkwy
Suite 300
Jacksonville, FL 32216
(904) 296-1490 ph
(904) 332-0367 fax

44

Category/Subcategory (cont.)	Manufacturer	Product Description	Approval Number(s)
13. Liquid Applied Roof Sys			
14. Cements-Adhesives – Coatings			
15. Roof Tile Adhesive			
16. Spray Applied Polyurethane Roof			
17. Other			
E. SHUTTERS			
1. Accordion			
2. Bahama			
3. Storm Panels			
4. Colonial			
5. Roll-up			
6. Equipment			
7. Others			
F. SKYLIGHTS			
1. Skylight			
2. Other			
G. STRUCTURAL COMPONENTS			
1. Wood connector/anchor			
2. Truss plates			
3. Engineered lumber			
4. Railing			
5. Coolers-freezers			
6. Concrete Admixtures			
7. Material			
8. Insulation Forms			
9. Plastics			
10. Deck-Roof			
11. Wall			
12. Sheds			
13. Other			
H. NEW EXTERIOR ENVELOPE PRODUCTS			
1.			
2.			

Maronda Homes Inc.
6800 Southpoint Pkwy
Suite 300
Jacksonville, FL 32216
(904) 296-1490 ph
(904) 332-6367 fax

The products listed below did not demonstrate product approval at plan review. I understand that at the time of inspection of these products, the following information must be available to the inspector on the jobsite; 1) copy of the product approval, 2) the performance characteristics which the product was tested and certified to comply with, 3) copy of the applicable manufacturers installation requirements.

I understand these products may have to be removed if approval cannot be demonstrated during inspection

Contractor or Contractor's Authorized Agent Signature

Print Name

Date

Location

Permit # (FOR STAFF USE ONLY)

CITY OF JACKSONVILLE PRODUCT APPROVAL SPECIFICATION SHEET

As required by Florida Statute 553.842 and Florida Administrative Code 9B-72, please provide the information and product approval number(s) for the building components listed below as applicable to the building construction project for the permit number listed above. You should contact your product supplier if you do not know your product approval number for any of the applicable listed products. Information regarding statewide product approval may be obtained at: www.floridabuilding.org.

Project Name:

LOT 33 TIMBERLANDS Permit No:

Subdivision:

TIMBERLANDS Lot: 33 Block:

Project Address:

368 SW MULBERRY DR. LAKE CITY FL 32024 Date: 8/27/2012

Category/Subcategory	Manufacturer	Product Description	Limitation of Use	State #	Design Pressures
A. EXTERIOR DOORS					
1. Swinging	Plastpro Inc./ Nanya Plastics Corp.	Fiberglass Dr Single Fiberglass Dr w/ Sidelite Fiberglass Dr w/ Dbl Sidelite Fiberglass Dr Single Glazed Fiberglass Dbl Fr Dr Glazed	Evaluated for use in locations adhering to the Florida Building Code and where pressure requirements as determined by ACSE 7 Minimum Design Loads	FL 6184.1 FL 6184.3 FL 6184.5 FL 6729.1 FL 6729.4	+65 / -70 +50 / -50 +50 / -50 +50 / -50 +50 / -50
2. Sliding	MI Windows & Doors	420/430/440 Sliding Glass Door	For Building and Other Structures Windows have not been evaluated For use in HVHZ	FL 11956	+45 / -45
3. Sectional					
4. Roll Up	Wayne Dalton Corp.	Garage Doors 130 10'-16' 9100 / 5102 8'-9' Garage Doors 140 10'-16' 9100 / 5102 8'-9'	As indicated in evaluation report and installation drawings. Not to be used in HVHZ	FL 9174.3 FL 9174.1 FL 9174.6 FL 9174.5	+25.9 / -28.8 +26.9 / -30.8 +39.2 / -43.7 +43.3 / -49.6
B. WINDOWS					
1. Single Hung	MI Windows & Doors	Series 740 / 3740	53" x 76" Max. Windows have not been evaluated for use in High, Velocity Hurricane Zones	FL 11827	+45 / -45

Maronda Homes Inc.
6800 Southpoint Pkwy
Suite 300
Jacksonville, FL 32216
(904) 296-1490 ph

FL

2. Horizontal Slider	MI Windows & Doors	Series 188	62"x 73" XO Max. Windows have not been evaluated for use in High Velocity Hurricane Zones	FL 12586	+50 / -50
3. Casement					
4. Double Hung					
5. Fixed	MI Windows & Doors	Series 740 / 3740	73"x71" Max. windows have not been evaluated for use in High Velocity Hurricane Zones	FL 11825	+45 / -45
6. Awning					
7. Pass-through					
8. Projected					
9. Mullion	MI Windows & Doors	Mullion 5650, 5764, 5766, 5767	Evaluated for use in locations adhering to the Florida Building Code and where pressure requirements as determined by ACSE 7 Minimum Design Loads For Building and Other Structures	FL11950	70 PSF
10. Wind Breaker					
11. Dual Action					
12. Other					
C. PANEL WALL					
1. Siding	James Hardie Building Products, Inc.	HardiePlank Lap Siding HardieShingle Siding (CemPlank Fiber-cement Siding)	Approved for use in HVHZ and outside HVHZ, Impact resistant	FL 13236 FL 13192	N/A N/A
2. Soffit	AlSCO Metal Corp	Quad 4 Aluminum Soffit System	For use as Soffit only. Not for use in HVHZ	FL 4459-R1	62.0 PSF
D. ROOFING PRODUCTS					
1. Asphalt Shingles	Owens Corning Certain-teed Corp	Asphalt Shingles Asphalt Shingles	This approval not for use in the HVHZ. All FBC sections that apply to counties except Broward and Miami-Dade must be followed	FL 10674-R1 FL 5444-R1	N/A N/A
2. Underlayments	Black Warrior Roofing	15# Felt Paper	For use under discontinuous roofing systems with slopes greater than 2:12, not to be used in HVHZ	FL 2077	N/A
3. Roofing Fasteners					
4. Nonstructural Metal Roof					
5. Build-up Roof					

6. Modified Butimen	Fiberglass USA	2 layer torch down	The max design pressure for the selected for the selected assembly shall meet or exceed the zone 1 design pressure determined in Accordance with FBC chapter 16	FL 1654-R4	+N/A / -622.5
7. Single Ply Roof					
8. Roofing Tiles					
9. Roofing Insulation					
10. Waterproofing					
11. Wood Shingle/Shakes					
12. Roofing Slate					
13. Liquid Applied Roofing					
14. Cement Adhesive Coats					
15. Roof Tile Adhesive					
16. Spray applied Polyurethane Roof					
17. Roof Vents	Lamanco	Off Ridge Vent	This approval not for use in the HVAZ. All FBC sections that apply to counties except Broward and Miami-Dade must be followed	FL 3792-R3	N/A
E. SHUTTERS					
1. Storm Panels	ASI Building Products Atrium Companies Inc. Alufab Hurricane Shutters Inc.	.018 Galvanized Steel Storm Panels 24 GA Galv. Steel Panel 24 & 22 GA Steel Panel	This product may only be installed on concrete, hollow concrete block, or wood substrats. This product is NOT suitable for installation in the HVHZ or Basic Wind Speed > 140	FL 7989-R2 FL 12540.2 FL 4804	+70 / -70 N/A N/A
	KD Manufacturing	KD Storm Panel		FL 2773	N/A

44

F. STRUCTURAL COMPONENTS				
1. Wood Connectors/Anchors	United Steel Products	Anchors, Hangers, etc Structural Components Wood Connectors	Subject to limitation and installation instructions specified in NOA 05- 0105-05.	565-R3, 567- R3, 568-R2, 569-R3, 570- R2, 571-R2, 574-R2, 576- R3, 578-R2, 815-R1, 816- R1, 817-R1, 819-R1, 820- R2, 821-R1, 822-R1, 859- R4, 1247-R1, 2033-R2, 4928-R1, 5631-R1, 9835-R1, 10739, 11664, 11748, 11838, 11910
2. Truss Planes	Mitek Industries, Inc.	Truss Connectors	No Limitation of Use	FL 2197-R1
3. Engineered Lumber				N/A
4. Railing				
5. Coolers-Freezers				
6. Concrete admixtures				
7. Material				
8. Insulation Forms				
9. Plastics				
10. Deck-Roof				
11. Wall				
12. Shed				
13. Other	Power Steel Inc.	PS box8 PS box8 (5-5/8)	Limits shall not exceed the affordable design load and spans. The lintels shall not be uses in a fire resistance rated assembly. A proper barrier is required when using corrosive lumber products in contact with the steel lintels. Not for use in HVHZ Miami or Broward counties at this time	FL 11383-R1
				N/A

F. STRUCTURAL COMPONENTS					
1. Wood Connectors/Anchors	United Steel Products	Anchors, Hangers, etc Structural Components Wood Connectors	Subject to limitation and installation instructions specified in NOA 05- 0105-05.	565-R3, 567- R3, 568-R2, 569-R3, 570- R2, 571-R2, 574-R2, 576- R3, 578-R2, 815-R1, 816- R1, 817-R1, 819-R1, 820- R2, 821-R1, 822-R1, 859- R4, 1247-R1, 2033-R2, 4928-R1, 5631-R1, 9835-R1, 10739, 11664, 11748, 11838, 11910	N/A
2. Truss Planes	Mitek Industries, Inc.	Truss Connectors	No Limitation of Use	FL 2197-R1	N/A
3. Engineered Lumber					
4. Railing					
5. Coolers-Freezers					
6. Concrete admixtures					
7. Material					
8. Insulation Forms					
9. Plastics					
10. Deck-Roof					
11. Wall					
12. Shed					
13. Other	Power Steel Inc.	PS box8 PS box8 (5-5/8)	Limits shall not exceed the affordable design load and spans. The lintels shall not be uses in a fire resistance rated assembly. A proper barrier is required when using corrosive lumber products in contact with the steel lintels. Not for use in HVHZ Miami or Broward counties at this time	FL 11383-R1	N/A

1. Skylights					
2. Other					
H. New Exterior Envelope					
Products					
1					

In addition to completing the above list of manufactures, product description and State approval number for the products used on this project. It is the Contractor's or Authorized Agent's responsibility to have a legible copy of each manufacturer's printed instructions, along with the list above on the job site available to the inspector.

The products listed below did not demonstrate product approval at time of plan review. I understand that before these products can be inspected, they must be submitted for review for code compliance and approved by a Plans Examiner. This form will be revised to include each new product in the categories listed above and will be highlighted to indicate the new products and required information.

Authorized Project Agent: Kenneth Wayne Campbell, Jr.
(Contractor or Design Professional) (Print Name) (Signature)

Company Name: Maronda Homes Inc of Florida

Mailing Address: 6800 South Point Pkwy Ste 300

City: Jacksonville State: Florida Zip Code: 32216

Telephone Number: (904) 296-1490 Fax Number: (904) 332-6375

Cell Phone Number: (904) 509-8011 E-Mail Address: campbellke@maronda.com

LOT 33 TIMBERLAKE

Maronda Homes Inc.
6800 Southpoint Pkwy
Suite 300
Jacksonville, FL 32216
(904) 296-1490 ph

CITY OF JACKSONVILLE PRODUCT APPROVAL SPECIFICATION SHEET

As required by Florida Statute 553.842 and Florida Administrative Code 9B-72, please provide the information and product approval number(s) for the building components listed below as applicable to the building construction project for the permit number listed above. You should contact your product supplier if you do not know your product approval number for any of the applicable listed products. Information regarding statewide product approval may be obtained at: www.floridabuilding.org.

Project Name:

Permit No:

Subdivision:

Lot: 33 Block:

Date:

Project Address:

Catagory/Subcategory	Manufacturer	Product Description	Limitation of Use	State #	Design Pressures
A. EXTERIOR DOORS	Plastpro Inc./ Nanya Plastics Corp.	Fiberglass Dr Single	Evaluated for use in locations adhering to the Florida Building Code and where pressure requirements as determined by ACSE 7 Minimum Design Loads	FL 6184.1	+65 / -70
		Fiberglass Dr w/ Sidelite		FL 6184.3	+50 / -50
		Fiberglass Dr w/ Dbl Sidelite		FL 6184.5	+50 / -50
		Fiberglass Dr Single Glazed		FL 6729.1	+50 / -50
2. Sliding	MI Windows & Doors	Fiberglass Dbl Fr Dr Glazed	For Building and Other Structures	FL 6729.4	+50 / -50
3. Sectional		420/430/440 Sliding Glass Door	Windows have not been evaluated For use in HVHZ	FL 11956	+45 / -45
4. Roll Up	Wayne Dalton Corp.	Garage Doors 130	As indicated in evaluation report and installation drawings. Not to be used in HVHZ	FL 9174.3	+25.9 / -28.8
		10'-16' 9100 / 5102		FL 9174.1	+26.9 / -30.8
		8'-9'		FL 9174.6	+39.2 / -43.7
		Garage Doors 140 10'-16' 9100 / 5102 8'-9'		FL 9174.5	+43.3 / -49.6
B. WINDOWS					
1. Single Hung	MI Windows & Doors	Series 740 / 3740	53" x 76" Max. Windows have not been evaluated for use in High, Velocity Hurricane Zones	FL 11827	+45 / -45

Maronda Homes Inc.
6800 Southpoint Pkwy
Suite 300
Jacksonville, FL 32216
(904) 296-1490 ph

44

2. Horizontal Slider	MI Windows & Doors	Series 188	62"x 73" XO Max. Windows have not been evaluated for use in High Velocity Hurricane Zones	FL 12586	+50 / -50
3. Casement					
4. Double Hung					
5. Fixed	MI Windows & Doors	Series 740 / 3740	73"x71" Max. windows have not been evaluated for use in High Velocity Hurricane Zones	FL 11825	+45 / -45
6. Awning					
7. Pass-through					
8. Projected					
9. Mullion	MI Windows & Doors	Mullion 5650, 5764, 5766, 5767	Evaluated for use in locations adhering to the Florida Building Code and where pressure requirements as determined by ACSE 7 Minimum Design Loads For Building and Other Structures	FL 11950	70 PSF
10. Wind Breaker					
11. Dual Action					
12. Other					
C. PANEL WALL					
1. Siding	James Hardie Building Products, Inc.	HardiePlank Lap Siding HardieShingle Siding (Cemplant Fiber-cement Siding)	Approved for use in HVHZ and outside HVHZ, Impact resistant	FL 13236 FL 13192	N/A N/A
2. Soffit	Alsco Metal Corp	Quad 4 Aluminum Soffit System	For use as Soffit only. Not for use in HVHZ	FL 4459-R1	62.0 PSF
D. ROOFING PRODUCTS					
1. Asphalt Shingles	Owens Corning Certain-teed Corp	Asphalt Shingles Asphalt Shingles	This approval not for use in the HVHZ. All FBC sections that apply to counties except Broward and Miami-Dade must be followed	FL 10674-R1 FL 5444-R1	N/A N/A
2. Underlayments	Black Warrior Roofing	15# Felt Paper	For use under discontinuous roofing systems with slopes greater than 2:12, not to be used in HVHZ	FL 2077	N/A
3. Roofing Fasteners					
4. Nonstructural Metal Roof					
5. Build-up Roof					

F. STRUCTURAL COMPONENTS					
1. Wood Connectors/Anchors	United Steel Products	Anchors, Hangers, etc Structural Components Wood Connectors	Subject to limitation and installation instructions specified in NOA 05- 0105-05.	565-R3, 567- R3, 568-R2, 569-R3, 570- R2, 571-R2, 574-R2, 576- R3, 578-R2, 815-R1, 816- R1, 817-R1, 819-R1, 820- R2, 821-R1, 822-R1, 859- R4, 1247-R1, 2033-R2, 4928-R1, 5631-R1, 9835-R1, 10739, 11664, 11748, 11838, 11910	N/A
2. Truss Planes	Mitek Industries, Inc.	Truss Connectors	No Limitation of Use	FL 2197-R1	N/A
3. Engineered Lumber					
4. Railing					
5. Coolers-Freezers					
6. Concrete admixtures					
7. Material					
8. Insulation Forms					
9. Plastics					
10. Deck-Roof					
11. Wall					
12. Shed					
13. Other	Power Steel Inc.	PS box8 PS box8 (5-5/8)	Limits shall not exceed the affordable design load and spans. The lintels shall not be uses in a fire resistance rated assembly. A proper barrier is required when using corrosive lumber products in contact with the steel lintels. Not for use in HVHZ Miami or Broward counties at this time	FL 11383-R1	N/A

G. Skylights				
1. Skylights				
2. Other				
H. New Exterior Envelope Products				
1				

In addition to completing the above list of manufactures, product description and State approval number for the products used on this project. It is the Contractors or Authorized Agent's responsibility to have a legible copy of each manufacturer's printed instructions, along with the list above on the job site available to the inspector.

The products listed below did not demonstrate product approval at time of plan review. I understand that before these products can be inspected, they must be submitted for review for code compliance and approved by a Plans Examiner. This form will be revised to include each new product in the categories listed above and will be highlighted to indicate the new products and required information.

Authorized Project Agent: Kenneth Wayne Campbell, Jr.
(Contractor or Design Professional) (Print Name) (Signature)

Company Name: Maronda Homes Inc of Florida

Mailing Address: 6800 South Point Pkwy Ste 300

City: Jacksonville State: Florida Zip Code: 32216

Telephone Number: (904) 296-1490 Fax Number: (904) 332-6375

Cell Phone Number: (904) 509-8011 E-Mail Address: campbellke@maronda.com

LOT 33 Timberlane

Maronda Homes Inc.
6800 Southpoint Pkwy
Suite 300
Jacksonville, FL 32216
(904) 296-1490 ph