

Columbia County BUILDING DEPARTMENT

MINIMUM PLAN REQUIREMENTS FOR THE FLORIDA BUILDING CODE, FLORIDA PLUMBING CODE, FLORIDA MECHINICAL CODE, FLORIDA FUEL AND GAS CODE 2007, NATIONAL ELECTRICAL 2005 ALL REQUIREMENTS ARE SUBJECT TO CHANGE

COMMERCIAL MINIMUM PLAN REQUIREMENTS AND CHECKLIST

ALL BUILDING PLANS MUST INDICATE COMPLIANCE WITH THE CURRENT FLORIDA BUILDING CODES. ALL PLANS OR DRAWING SHALL PROVIDED CALCULATIONS AND DETAILS THAT HAVE THE SEAL AND SIGNATURE OF A CERTIFIED ARCHITECT OR ENGINEER REGISTERED IN THE STATE OF FLORIDA, OR ALTERNATE METHODOLOGIES, APPROVED BY THE STATE OF FLORIDA BUILDING COMMISSION.

FOR DESIGN PURPOSES THE FOLLOWING BASIC WIND SPEEDS ARE PER FBC FIGURE 1609 STATE OF FLORIDA WIND SPEED MAP

WIND SPEED LINE SHALL BE DEFINED AS FOLLOWS: THE CENTERLINE OF INTERSTATE 75 ALL BUILDINGS CONSTRUCTED EAST OF SAID LINE SHALL BE ------- 100 MPH ALL BUILDINGS CONSTRUCTED WEST OF SAID LINE SHALL BE ------ 110 MPH NO AREA IN COLUMBIA COUNTY IS IN A WIND BORNE DEBRIS REGION

	GENERAL REQUIREMENTS:	Items Each C A	all be	
1	All drawings must be clear, concise and drawn to scale, details that are not used shall be marked void.	YES	NO	N/A
2	If the design professional is an architect or engineer legally registered under the laws of this state regulating the practice of architecture as provided for in Chapter 481, Florida Statutes, Part I, or engineering as provided for in Chapter 471, Florida Statutes, then he or she shall affix his or her official seal to said drawings, specifications and accompanying data, as required by Florida Statute.	YES	NO	N/A
3	The design professional signature shall be affixed to the plans	YES/	NO	N/A
4	Two (2) complete sets of plans with the architecture or engineer signature and the date the affix embossed official seal was placed on the plans	YES	NO	N/A

	Building Site Plan Requirements						Items to Include Each Box shall Circled as Applicable					
4	Parking, inclu	Parking, including provision FBC chapter 11 for the required accessible parking site				Yes	No	N/A				
5	Fire access, sl				e accessible	e for emerg	ency vehi	cles		Yes	No	(N/A)
6	Driving/turnii									Yes	No	N/A
7	Vehicle loadi									Yes	No	N/A)
8	Nearest or nu									Yes	No	N/A
9	Set back of al separation inc				rom each st	tructure and	property l	ooundaries, S	Show all	Yes	No	MA
10	Location of sp drain fields	pecific tank	s(above or	under grow	n ,water lin	es and sew	er lines and	d septic tank	and	Yes	No	NIA
11	All structures	exterior vi	ews include	finished fl	oor elevatio	n				Yes	No	(NYA)
12	Total height of structure(s) form established grade								Yes	No	(N/A	
	Occupancy group use circle all uses:	Group A	Group B	Group E	Group F	Group H	Group I	Group M	Group R	Grou S	ip	Group U D
13	Specia	al occupano	y requirem	ents.						Yes	No	N/A
14	Incidental use areas (total square footage for each room of use area)					Yes	No	N/A				
15	Mixed occupancies					Yes	No	N/A				
16	REQU	JIRED SEF	PARATION	OF OCCU	PANCIES	IN HOURS	FBC TA	BLE 302.3.2		Yes	No	N/A
	Minin	um type o	f permitted	construct	ion by cod	e for occup	ancy use	circle the co	nstructio	n type Fl	BC 60)2
17			Type III	Type IV	Type \							V

	Fire-resistant construction requirements shall be shown, include the following comp	onents		~
18	Fire-resistant separations	Yes	No	NA
19	Fire-resistant protection for type of construction	Yes	No	MA
20	Protection of openings and penetrations of rated walls	Yes	No	NXA
21	Protection of openings and penetrations of rated walls	Yes	No	(V/A)
22	Fire blocking and draftstopping and calculated fire resistance	Yes	No	MYA
	Fire suppression systems shall be shown include:		the lite	<u> </u>
23	Early warning smoke evacuation systems Schematic fire sprinklers Standpipes	Yes	No	NA
24	Standpipes	Yes	No	(N(A)
25	Pre-engineered systems	Yes	No	OXA
26	Riser diagram	Yes	No	(N/A
	Life safety systems shall be shown include the following requirements:			
27	Occupant load and egress capacities	Yes	No	N/A
28	Early warning	Yes	No	W/A
29	Smoke control	Yes	No	NIA
30	Stair pressurization	Yes	No	MIA
31	Systems schematic	Yes	No	N/A
NAME OF STREET	Occupancy load/egress requirements shall be shown include:		H. Daniel	
32	Occupancy load	Yes	No	N/A
33	Gross occupancy load	Yes	No	N/A
34	Net occupancy load	Yes	No	N/A
35	Means of egress	(Yes)	No	N/A
36	Exit access	(Yes)	No	N/A
37	Exit discharge	Yes	No	N/A
38	Stairs construction/geometry and protection	Yes	No	NIA
39	Doors	(Yes)	No	N/A
40	Emergency lighting and exit signs	Ves	No	NA
41	Specific occupancy requirements	Yes	No	W/A
42	Construction requirements	(Yes)	No	N/A
43	Horizontal exits/exit passageways	Ves	No	N/A

Items to Include-
Each Box shall
be Circled as
Applicable

		Appli	Cabic	
A Disputação Kesti	Structural requirements shall be shown incl	ude: Yes	No	TAISA
44	Soil conditions/analysis	Yes	No	N/A
45	Termite protection	Yes	No	-
46	Design loads		No	N/A N/A
47	Wind requirements	Yes		
48	Building envelope		No	N/A N/A
49	Structural calculations (if required)	Yes (Yes)	No	
50	Foundation		No	N/A
51	Wall systems	Yes	No No	(N/A)
52	Floor systems	Yes	100,000	(N/A
53	Roof systems	Yes	No	
54	Threshold inspection plan	Yes	No	1800
55	Stair systems	Yes	No	NA
	Materials shall be shown include the follow	ying Yes	NI-	NI/A
56	Wood		No	N/A N/A
57	Steel	<u>(19</u>	No	_
58	Aluminum	©	No	N/A
59	Concrete	<u>I</u>	No	N/A
60	Plastic	(e)	No	N/A
61	Glass	Mes (Yes)	No	N/A
62	Masonry		No	N/A
63	Gypsum board and plaster	(P)	No	N/A
64	Insulating (mechanical)	(Yes)	No	N/A
65	Roofing	(5)	No	N/A
66	Insulation	(Øs	No	N/A
CO VINCENTAL PROPERTY.	Accessibility requirements shall be shown include the	ne following (Fes)	No	I NIZA
67	Site requirements		-	N/A
68	Accessible route	Yes	No	N/A
69	Vertical accessibility	Yes	No	
70	Toilet and bathing facilities		No	N/A
71	Drinking fountains Equipment	Yes Yes	No No	N/A
72			No	N/A N/A
73	Special occupancy requirements	Yes Yes		N/A)
74	Fair housing requirements Interior requirements shall include the follow		No	WA
HO TAIGRE SALMEN SHOW			Newsy and	I ATZA
75	Interior finishes (flame spread/smoke development)	(es	No	N/A
76	Light and ventilation	Yes	No	N/A
77	Sanitation	(Yes)	No	N/A
70	Special systems		NI-	TODA
78 79	Elevators	Yes	No	
	Escalators	Yes	No	WA
80	Lifts Swimming pools	Yes	No	(NO)
81	Barrier requirements	Yes	No	NVA
82	Spas	Yes	No	NIA
83	Wading pools	Yes	No	NI
03	wading pools	1 es	INO	INA

Items to Include-Each Box shall be Circled as Applicable			
Electrical Wiring	Yes	No	N/A
85 Services	Yes	No	N/A
R6 Feeders and branch circuits	Ves	No	N/A
	Yes	No	N/A
87 Overcurrent protection 88 Grounding	Yes	No	N/A
89 Wiring methods and materials	Yes	No	N/A
90 GFCIs	Yes	No	N/A
91 Equipment	Yes	No	N/A
92 Special occupancies	Yes	No	N/A
93 Emergency systems	Yes	No	N/A
94 Communication systems	Yes	No	N/A
95 Low voltage	Yes	No	N/A
96 Load calculations	Yes	No	N/A
Plumbing			
Off NC in the Callet	(Yes)	No	N/A
98 Fixture requirements	Yes	No	N/A
98 Fixture requirements 99 Water supply piping 100 Sanitary drainage 101 Water heaters	racto Yes	No	N/A
100 Sanitary drainage	Yes	No	N/A
101 Water heaters	Yes	No	N/A
102 Vents	Yes	No	N/A
103 Roof drainage	Yes	No	N/A
104 Back flow prevention	Yes	No	N/A
105 Irrigation	Yes	No	N/A
106 Location of water supply line	Yes	No	N/A
107 Grease traps	Yes	No	N/A
108 Environmental requirements	Yes	No	N/A
109 Plumbing riser	Yes	No	N/A
Mechanical			
110 Energy calculations	Yes	No	(N/A
111 Exhaust systems	(Yes)	No	N/A
112 Clothes dryer exhaust	Yes	No	MA
113 Kitchen equipment exhaust	(Co)	No	N/A
114 Specialty exhaust systems	Yes	No	WA
Equipment location			
115 Make-up air	Yes	No	N/A
116 Roof-mounted equipment	Yes Yes	No	N/A
117 Duct systems	Yes	No	N/A
Roof-mounted equipment Duct systems Ventilation Duct systems Use Ventilation	Yes	No	N/A
		No	N/A
20 Combustion air	Yes	No	N/A
121 Chimneys, fireplaces and vents	Yes	No	N/A
122 Appliances	Yes	No	N/A
123 Boilers	Yes	No	N/A
124 Refrigeration	Yes	No	N/A
125 Bathroom ventilation	Yes	No	N/A

15(12)	Gas			
126	Gas piping	Yes	No	N/A
127	Venting	Yes	No	N/A
128	Combustion air	Yes	No	N/A
129	Chimneys and vents	Yes	No	N/A
130	Appliances	Yes	No	N/A
131	Type of gas	Yes	No	N/A
132	Fireplaces	Yes	No	N/A
133	LP tank location	Yes	No	N/A
134	Riser diagram/shutoffs	Yes	No	N/A
	Notice of Commencement		ALL I	
135	A recorded (in the Columbia County Clerk Office) notice of commencement is required to be on file with the building department . Before Any Inspections Will Be Done	Yes	No	N/A
	Disclosure Statement for Owner Builders	Yes	No	N/A

	Private Potable W	ater		ALC: NO
136	Horse power of pump motor	Yes	No	NA
137	Capacity of pressure tank	Yes	No	(N)
138	Cycle stop valve if used	Yes	No	NA

THE FOLLOWING ITEMS MUST BE SUBMITTED WITH BUILDING PLANS

139	Building Per Application	A current Building Permit Application form is to be completed and submitted for all construction projects. mit	Yes	No	N/A
140	Parcel Numb	The parcel number (Tax ID number) from the Property Appraiser is required. A copy of property deed is also requested. (386) 758-1084	Yes	No	N/A
141	Environmental Health Permit or Sewer Tap Approval	A copy of an approved Environmental Health (386) 758-1058 waste water disposal permit or an approved City of Lake City(386) 752-2031 sewer tap is required before a building permit can be issued. Toilet facilities shall be provided for construction workers	/ Yes	No	N/A
142	Driveway Connection	If the property does not have an existing access to a public road, then an application for a culvert permit must be made (\$25.00). Culvert installation for commercial, industrial and other uses shall conform to the approved site plan or to the specifications of a registered engineer. Use or joint use of driveways will comply with Florida Department of Transportation specifications. If the project is to be located on an F.D.O.T. maintained road, then an F.D.O.T. access permit is required.	Yes	No	N/A
143	Suwannee River Water Management District Approval	All commercial projects must have an SRWMD permit issued or an exemption letter, before a building permit will be issued.	Yes	No	N/A

144	Flood Management	Any project located within a flood zone where the base flood elevation (100 year flood) has been established shall meet the requirements of section 8.5.2 of the Columbia County Land Development Regulations. Any project that is located within a flood zone where the base flood elevation (100 year flood) has not been established shall meet the requirements of section 8.5.3 of Columbia County Land Development Regulations. A development permit will also be required. The development permit cost is \$50.00	Yes	No	N/A
145	Flood Management	A CERTIFIED FINISHED FLOOR ELEVATIONS WILL BE REQUIRED ON ANY PROJECT WHERE THE BASE FLOOD ELEVATION (100 YEAR FLOOD) HAS BEEN ESTABLISHED.	Yes	No	N/A V
146	911 Address	If the project is located in an area where a 911 address has not been issued, then application for a 911address must be applied for and received through the Columbia County Emergency Management Office of 911 Addressing Department (386) 758-1125	Yes	No	N/A

Section 105 of the Florida Building Code defines the:

Time limitation of application.

An application for a permit for any proposed work shall be deemed to have been abandoned 180 days after the date of filing, unless such application has been pursued in good faith or a permit has been issued; except that the building official is authorized to grant one or more extensions of time for additional periods not exceeding 90 days each. The extension shall be requested in writing and justifiable cause demonstrated.

Permit intent.

Section 105.4.1: A permit issued shall be constructed to be a license to proceed with the work and not as authority to violate, cancel, alter or set aside any of the provisions of the technical codes, nor shall issuance of a permit prevent the building official from thereafter requiring a correction of errors in plans, construction or violations of this code. Every permit issued shall become invalid unless the work authorized by such permit is commenced within six months after its issuance, or if the work authorized by such permit is suspended or abandoned for a period of six months after the time the work is commenced.

If work has commenced.

Section 105.4.1.1: If work has commenced and the permit is revoked, becomes null and void, or expires because of lack of progress or abandonment, a new permit covering the proposed construction shall be obtained before proceeding with the work.

Section 105 of the Florida Building Code defines the:

New Permit.

Section 105.4.1.2: If a new permit is not obtained within 180 days from the date the initial permit became null and void, the building official is authorized to require that any work which has been commenced or completed be removed from the building site. Alternately, a new permit may be issued on application, providing the work in place and required to complete the structure meets all applicable regulations in effect at the time the initial permit became null and void and any regulations which may have become effective between the date of expiration and the date if issuance of the new permit.

Work Shall Be:

Section 105.4.1.3: Work shall be considered to be in active progress when the permit has received an approved inspection within 180 days. This provision shall not be applicable in case of civil commotion or strike or when the building work is halted due directly to judicial injunction, order or similar process.

The Fee:

Section 105.4.1.4: The fee for renewal reissuance and extension of a permit shall be set forth by the administrative authority.

When the submitted application is approved for permitting the applicant will be notified by phone as to the date and time a building permit will be prepared and issued by the Columbia County Building & Zoning Department.