






STAIR DETAIL

CHAIR RAIL TO POST/ COLUMN
CONCEALED CONNECTION NTSPOST/ COLUMN TO CONCRETE
& BOTTOM/ PERIMETER RAIL NTS
CONCEALED CONNECTION NON LOAD BEARING WALL FRONT VIEWCHAIR RAIL/ GIRT TO PERIMETER WALL
CONCEALED CONNECTION NTSSOLID ROOF PANEL ATTACHMENT
NTS

POST FOOTING TO DECK

NOTES:

- A- FOR WALL, TOP & BOTTOM PERIMETER RAIL/ PLATE CONNECTION TO SOLID CONCRETE USE 1/4" DIA. X 3" SIMPSON MIN. TITAN ANCHORS OR EQUAL FOR WOOD CONNECTION USE 1/4" DIA. X 8" LONG S.S. LAG SCREWS, W/ 1" DIA SS WASHER @ 6" FROM EACH SIDE OF EACH COLUMN EACH END OF EACH RAIL TOP & BOTTOM OF CHAIR RAIL/ GIRT AND 24" MAX SPACING. (TYP)

REV: 5.17.21



Digitally signed
by Michael E.
Driscoll PE
Date:
2021.05.17
15:05:38 -04'00'

MICHAEL E. DRISCOLL P.E.
FL REG. #43922

HOGUE
669 SW BLUFF DR
FT WHITE, FL DA21-106