





RIGHT ELEVATION
SCALE: 1/8" = 1'-0"



LEFT ELEVATION
SCALE: 1/8" = 1'-0"




CRAFTSMAN COLUMN DETAIL
SCALE: 1" = 1'-0"



REAR ELEVATION
SCALE: 1/8" = 1'-0"



ALTERNATE ELEVATION 'B'
SCALE: 1/8" = 1'-0"



FRONT ELEVATION
SCALE: 1/8" = 1'-0"

NOTE: ALL DRAWINGS NOT TO BE SCALED, WRITTEN DIMENSIONS TAKE PRECEDENCE OVER SCALED DIMENSIONS

REVISIONS
April 23, 2014

EXTERIOR ELEVATIONS
SCALE: 1/8" = 1'-0"
DETAILS
SCALE: AS NOTED


MODEL 1403 (left-hand)
LOT 15, COTTAGE GROVE, LAKE CITY, FLORIDA
INNOVATIVE HOME BUILDERS
OF NORTH FLORIDA, INC.

©WILLIAM MYERS
DESIGN, INC.
4210 W. COMMERCIAL DR., STE 100
LAKE CITY, FL 33505
(800) 758-6406
www.wmym.com



JOB NUMBER
20140424

SHEET NUMBER
A.1
OF 3 SHEETS



Will C. Myers


ELECTRICAL LEGEND	
	CEILING FAN (PRE-WIRE FOR LIGHT KIT)
	DOUBLE SECURITY LIGHT
	RECESSED CAN LIGHT
	BATH EXHAUST FAN
	LIGHT FIXTURE
	DUPLEX OUTLET (AFCI & TAMPER RESISTANT)
	220V OUTLET
	GFI DUPLEX OUTLET (PER NEC 408.6)
	TELEVISION JACK
	TELEPHONE JACK
	SMOKE / CARBON MONOXIDE DETECTOR (see note below)
	WALL SWITCH
	3 WAY WALL SWITCH
	WATER PROOF GFI OUTLET
	2 OR 4 TUB FLUORESCENT FIXTURE

NOTE:
ALL INTERIOR RECEPTACLES SHALL BE AFCI
(ARC FAULT CIRCUIT INTERRUPT) PER NEC 210.12 & TAMPER RESISTANT PER
NEC 408.11

ALL SMOKE DETECTORS BE A COMBO SMOKE & CARBON MONOXIDE DETECTOR
AND SHALL HAVE BATTERY BACKUP POWER
AND ALL WIRED TOGETHER SO IF ANY ONE UNIT IS ACTUATED THEY
ALL ACTIVATE.

THE ELECTRICAL SERVICE OVERCURRENT PROTECTION DEVICE SHALL BE
INSTALLED ON THE EXTERIOR OF STRUCTURES TO SERVE AS A DISCONNECT MEANS.
CONDUCTORS USED FROM THE EXTERIOR DISCONNECTING MEANS TO A PANEL OR SUB
PANEL SHALL HAVE FOUR-WIRE CONDUCTORS, OF WHICH ONE CONDUCTOR
SHALL BE USED AS IN EQUIPMENT GROUND.

IT IS THE LICENSED ELECTRICAL CONTRACTORS RESPONSIBILITY TO INSURE THAT ALL
WORK PERFORMED AND EQUIPMENT INSTALLED MEETS OR EXCEEDS THE 2008 NATIONAL
ELECTRIC CODE AND ALL OTHER LOCAL CODES AND ORDINANCES.



ELECTRICAL PLAN
SCALE: 1/8" = 1'-0"

NOTE: ALL DRAWINGS NOT TO BE SCALED, WRITTEN DIMENSIONS TAKE PRECEDENCE OVER SCALED DIMENSIONS

REVISIONS
April 25, 2014

SOFTPLAN
ARCHITECTURAL SOFTWARE

ELECTRICAL PLAN
SCALE: 1/8" = 1'-0"

MODEL 1403 (left-hand)
LOT 42, COTTAGE GROVE, LAKE CITY, FLORIDA

INNOVATIVE HOME BUILDERS
OF NORTH FLORIDA, INC.






WILLIAM MYERS DESIGN INC.
426 SW COMMERCE DR. STE. 135
LAKE CITY, FL 33608
(386) 758-8406
wmyersdesign.com




JOB NUMBER
20140424

SHEET NUMBER
A.3
OF 3 SHEETS

William Myers



REVISIONS	
	
WINALCO THOMAS (Mark Dismore) P.O. Box 32025 Fort Lauderdale, FL, 33304, 305-581-5415	
DISCLAIMERS I, the undersigned, hereby disclaim all and warrant that the undersigned is not a party to the above contract.	
COPYRIGHTS AND PROPERTY RIGHTS Mark Dismore, P.E. hereby represents and warrants that the undersigned is the sole owner of the above contract and that the undersigned is the sole owner of the above contract and that the undersigned is the sole owner of the above contract.	
CERTIFICATION I hereby certify that the undersigned is the sole owner of the above contract and that the undersigned is the sole owner of the above contract and that the undersigned is the sole owner of the above contract.	
LIMITATION This page is subject to one limitation, as specified below:	
	
Innovative Home Builders	
1403 12th Lot (LeG)	
ADDRESS: Lot 1 Columbia Avenue 3rd Columbia County, FL	
Mark Dismore P.E. 163 SW Florida Place Suite 103 Lake City, Florida 32025 Phone: (386) 754 - 5419 Fax: (386) 298 - 4671	
PRINTED DATE: Friday, May 2, 2014	
DRAWN BY:	STRUCTURAL BY:
FINAL DATE: 10/10/01	JOB NUMBER: 140334
DRAWING NUMBER: S-1	
OF 2 SHEETS	

