

#0005/340

PRO GRADE SYNTHETIC ROOF U

ASTM E108
CLASS A

PLASTIC CAP NAILS / ROOFING NAILS
They vary depending on weather, surface conditions or function required.

ICC Approved
UL Listed

ASTM E108
CLASS A

TDI Listed
CCRR #0402

PLASTIC CAP NAILS / ROOFING NAILS
They vary depending on weather, surface conditions or function required.

ICC Approved
UL Listed

Approved
ICC-ES AC-108

ASTM E108, ASTM D1978 & ASTM D1979
PLASTIC CAP NAILS / ROOFING NAILS

NT

PRO

#0005/340

GRADE SYNTHETIC ROOF UNDERLAYMENT

ASTM D1978
CLASS 1

100% POLYESTER

100% POLYESTER

100% POLYESTER

slip resistance may vary dependent on weather, surface conditions or footwear being used

PLASTIC CAP NAILS / ROOFING NAILS

TDI Listed
CCRR #0482

ASTM E108
CLASS A



slip resistance may vary dependent on weather, surface conditions or footwear being used

PLASTIC CAP NAILS / ROOFING NAILS

PRO GRADE S

TERIALS, INC.
DERLAYMENT

MIAMI-DADE COUNTY
APPROVED

TDI Listed
CCRR #0482

#00051340



#00051340

DD GRADE SYNTHETIC ROOF UNDERLAYMENT

ASTM D226, ASTM D4869 & ASTM D8257
ASTM AC-188
CONTINENTAL MATERIALS, INC.
SYNTHETIC ROOF UNDERLAYMENT
www.continentalmaterials.com
MIAMI-DADE COUNTY APPROVED
800-247-6637
Be aware that slip resistance may vary dependent on weather, surface conditions or footwear being used.

TDI Listed
CCRR #0482

ASTM E108
CLASS A



FBC Approved
#FL46488

MEETS THE
REQUIREMENTS OF
ICC-ES AC-188

CONTINENTAL MATERIALS, INC.
SYNTHETIC ROOF UNDERLAYMENT
www.continentalmaterials.com
MIAMI-DADE COUNTY APPROVED
800-247-6637
Be aware that slip resistance may vary dependent on weather, surface conditions or footwear being used.

Slip resistance may vary dependent on weather, surface conditions or footwear being used.

PLASTIC CAP NAILS / ROOFING NAILS

Meets ASTM D226, ASTM D4869 & ASTM D8257

PLASTIC CAP NAILS / ROOFING NAILS



PRO GRADE SYN

DADE COUNTY
APPROVED

TDI Listed
CCRR #0482

ASTM E108
CLASS A



FBC Approved
#FL46488

CONTINENTAL MATERIALS, INC.
SYNTHETIC ROOF UNDERLAYMENT



www.continentalmaterials.com

04615340
#00051340

Be aware that slip resistance may vary dependent on weather, surface condition or footwear being used.

Meets ASTM D226, AS

PLASTIC

AILS



#00051340



