

DATE 01/14/2008

Columbia County Building Permit

PERMIT

This Permit Must Be Prominently Posted on Premises During Construction

000026609

APPLICANT ROBERT MINNELLA PHONE 352-472-6010
ADDRESS 25743 SW 22 PLACE NEWBERRY FL 32669
OWNER DAYNA CLIFFORD PHONE 352-235-4060
ADDRESS 339 SW ROLLING GLN FT. WHITE FL 32038
CONTRACTOR ERNEST S. JOHNSON PHONE 352.494.8099
LOCATION OF PROPERTY 47-S TO US 27,TR TO CENTERVILLE,TR TO ROLLING GLN,TL AND
IT DEAD ENDS INTO DRIVEWAY. FOLLOW DRIVEWAY TO SITE.
TYPE DEVELOPMENT M/H/UTILITY ESTIMATED COST OF CONSTRUCTION 0.00
HEATED FLOOR AREA TOTAL AREA HEIGHT STORIES
FOUNDATION WALLS ROOF PITCH FLOOR
LAND USE & ZONING A-3 MAX. HEIGHT 35
Minimum Set Back Requirments: STREET-FRONT 30.00 REAR 25.00 SIDE 25.00
NO. EX.D.U. 0 FLOOD ZONE X DEVELOPMENT PERMIT NO.

PARCEL ID 29-6S-16-03969-016 SUBDIVISION
LOT BLOCK PHASE UNIT TOTAL ACRES 4.40

IH0000359
Culvert Permit No. Culvert Waiver Contractor's License Number Applicant/Owner/Contractor
EXISTING 07-1009 CFS JTH N
Driveway Connection Septic Tank Number LU & Zoning checked by Approved for Issuance New Resident

COMMENTS: FLOOR ONE FOOT ABOVE THE ROAD. EXISTING M/H TO BE REMOVED.

Check # or Cash 4206

FOR BUILDING & ZONING DEPARTMENT ONLY

(footer/Slab)

Temporary Power Foundation Monolithic
date/app. by date/app. by date/app. by
Under slab rough-in plumbing Slab Sheathing/Nailing
date/app. by date/app. by date/app. by
Framing Rough-in plumbing above slab and below wood floor
date/app. by date/app. by
Electrical rough-in Heat & Air Duct Peri. beam (Lintel)
date/app. by date/app. by date/app. by
Permanent power C.O. Final Culvert
date/app. by date/app. by date/app. by
M/H tie downs, blocking, electricity and plumbing Pool
date/app. by date/app. by
Reconnection Pump pole Utility Pole
date/app. by date/app. by date/app. by
M/H Pole Travel Trailer Re-roof
date/app. by date/app. by date/app. by

BUILDING PERMIT FEE \$ 0.00 CERTIFICATION FEE \$ 0.00 SURCHARGE FEE \$ 0.00
MISC. FEES \$ 200.00 ZONING CERT. FEE \$ 50.00 FIRE FEE \$ 0.00 WASTE FEE \$
FLOOD DEVELOPMENT FEE \$ FLOOD ZONE FEE \$ 25.00 CULVERT FEE \$ TOTAL FEE 275.00
INSPECTORS OFFICE CLERKS OFFICE

NOTICE: IN ADDITION TO THE REQUIREMENTS OF THIS PERMIT, THERE MAY BE ADDITIONAL RESTRICTIONS APPLICABLE TO THIS PROPERTY THAT MAY BE FOUND IN THE PUBLIC RECORDS OF THIS COUNTY. AND THERE MAY BE ADDITIONAL PERMITS REQUIRED FROM OTHER GOVERNMENTAL ENTITIES SUCH AS WATER MANAGEMENT DISTRICTS, STATE AGENCIES, OR FEDERAL AGENCIES.

"WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT."

EVERY PERMIT ISSUED SHALL BECOME INVALID UNLESS THE WORK AUTHORIZED BY SUCH PERMIT IS COMMENCED WITHIN 180 DAYS AFTER ITS ISSUANCE, OR IF THE WORK AUTHORIZED BY SUCH PERMIT IS SUSPENDED OR ABANDONED FOR A PERIOD OF 180 DAYS AFTER THE TIME THE WORK IS COMMENCED. A VALID PERMIT RECIEVES AN APPROVED INSPECTION EVERY 180 DAYS. WORK SHALL BE CONSIDERED TO BE IN ACTIVE PROGRESS WHEN THE PERMIT HAS RECIEVED AN APPROVED INSPECTION WITHIN 180 DAYS.

The Issuance of this Permit Does Not Waive Compliance by Permittee with Deed Restrictions.

UK# 4204

Zoning Official

Building Official

Date Received

By

Permit #

Comments existing MH to be removed

☒ Site Plan with Setbacks Shown ☒ EH # 07-1009 ☐ EH Release ☐ Well letter ☒ Existing well

☒ Copy of Recorded Deed or Affidavit from land owner ☐ Letter of Authorization from installer

☐ State Road Access ☐ Parent Parcel # _____ ☐ STUP-MH

☐ Unincorporated area ☐ Incorporated area ☐ Town of Fort White ☐ Town of Fort White Compliance letter

▪ New Mobile Home ✓ Used Mobile Home _____ Year 2008

▪ Applicant Robert Minnella Phone # (352) 472-6010

▪ Address 25743 SW 22 PL, Newberry, FL 32669

▪ Name of Property Owner Dayna Clifford Phone# (352) 235-4060

911 Address 339 SW Rolling Glen, Ft. White, FL 32038

Circle the correct power company - FL Power & Light - Clay Electric

(Circle One) - Suwannee Valley Electric - Progress Energy

▪ Name of Owner of Mobile Home Dayna Clifford Phone # (352) 235-4060

Address 339 SW Rolling Glen, Ft White, FL 32038

Relationship to Property Owner Same

▪ **Current Number of Dwellings on Property** _____

▪ Lot Size 400x544x400x150x234 Total Acreage 4.40

Do you : Have Existing Drive or Private Drive or need Culvert Permit or Culvert Waiver (Circle one)
(Currently using) (Blue Road Sign) (Putting in a Culvert) (Not existing but do not need a Culvert)

Is this Mobile Home Replacing an Existing Mobile Home Yes (Pd)

- Driving Directions to the Property 475 to US Hwy 27 (TR) Go about a mile + half to SW Centerville (1st street on right before Wahoo Restaurant (TR) Go to first dirt road on left (SW Rolling Glen (TL) Road deadends into driveway. Follow driveway to site.

Name of Licensed Dealer/Installer Ernest S. Johnson Phone # (352) 494-8099

▪ **Installers Address** 2224 54th Hwy 301, Hawthorne, FL 32041

License Number IH0000359 Installation Decal # 362449

- JW called SPOKE w Rob: 1.2.08

PERMIT NUMBER

PERMIT WORKSHEET

Installer Ernest S. Johnson License # IHD0000359

Address of home being installed 339 SW Rolling 6th.
Fort White, FL. 32038

Manufacturer Fleetwood Length x width 30' x 44' Box

NOTE: if home is a single wide fill out one half of the blocking plan
if home is a triple or quad wide sketch in remainder of home

I understand Lateral Arm Systems cannot be used on any home (new or used)
where the sidewall ties exceed 5 ft 4 in.

Installer's initials EJ

New Home ☒ Used Home ☐

Home installed to the Manufacturer's Installation Manual ☒

Home is installed in accordance with Rule 15-C ☐

Single wide ☐ Wind Zone II ☒ Wind Zone III ☐

Double wide ☒ Installation Decal # 362449

Triple/Quad ☐ Serial # TBD

PIER SPACING TABLE FOR USED HOMES

Load bearing capacity (sq in)	Footer size (256)	18 1/2" x 18 1/2" (342)	20" x 20" (400)	22" x 22" (484)	24" x 24" (576)	26" x 26" (676)
1000 psf	3'	4'	5'	6'	7'	8'
1500 psf	4' 6"	6'	7'	8'	8'	8'
2000 psf	6'	8'	8'	8'	8'	8'
2500 psf	7' 6"	8'	8'	8'	8'	8'
3000 psf	8'	8'	8'	8'	8'	8'
3500 psf	8'	8'	8'	8'	8'	8'

* Interpolated from Rule 15C-1 pier spacing table.

PIER PAD SIZES

I-beam pier pad size 17x25' ABS

Perimeter pier pad size 17x25' ABS

Other pier pad sizes (required by the mfg.) N/A

POPULAR PAD SIZES

Pad Size	Sq In
16 x 16	256
16 x 18	288
18.5 x 18.5	342
16 x 22.5	360
17 x 22	374
13 1/4 x 26 1/4	348
20 x 20	400
17 3/16 x 25 3/16	441
17 1/2 x 25 1/2	446
24 x 24	576
26 x 26	676

Draw the approximate locations of marriage wall openings 4 foot or greater. Use this symbol to show the piers.

List all marriage wall openings greater than 4 foot and their pier pad sizes below.

Opening Pier pad size

Over 6' Triple 17x25'

ANCHORS

4 ft 5 ft

FRAME TIES

within 2' of end of home spaced at 5' 4" oc


TIEDOWN COMPONENTS

Longitudinal Stabilizing Device (LSD)
Manufacturer Oliver 1101V

Longitudinal Stabilizing Device w/ Lateral Arms
Manufacturer Oliver 1101V

OTHER TIES

Sidewall Marriage wall Shearwall
Number 20
N/A
N/A



POCKET PENETROMETER TEST

The pocket penetrometer tests are rounded down to _____ psf or check here to declare 1000 lb. soil without testing.

X _____ X _____ X _____

POCKET PENETROMETER TESTING METHOD

1. Test the perimeter of the home at 6 locations.
2. Take the reading at the depth of the footer.
3. Using 500 lb. increments, take the lowest reading and round down to that increment.

X _____ X _____ X _____

TORQUE PROBE TEST

The results of the torque probe test is _____ inch pounds or check here if you are declaring 5' anchors without testing. A test showing 275 inch pounds or less will require 5 foot anchors. *Oliver 1100V system*

Note: A state approved lateral arm system is being used and 4 ft. anchors are allowed at the sidewall locations. I understand 5 ft anchors are required at all centerline tie points where the torque test reading is 275 or less and where the mobile home manufacturer may requires anchors with 4000 lb holding capacity. _____ Installer's initials

ALL TESTS MUST BE PERFORMED BY A LICENSED INSTALLER

Installer Name

Ernest S. Johnson

Date Tested

Electrical

Connect electrical conductors between multi-wide units, but not to the main power source. This includes the bonding wire between multi-wide units. Pg. 23

Plumbing

Connect all sewer drains to an existing sewer tap or septic tank. Pg. 16

Connect all potable water supply piping to an existing water meter, water tap, or other independent water supply systems. Pg.

Site Preparation

Debris and organic material removed _____
Water drainage: Natural ☒ Swale _____ Pad _____ Other _____

Fastening multi wide units

Floor: Type Fastener: *Lags* Length: *5"* Spacing: *2'*
Walls: Type Fastener: *Metal* Length: _____ Spacing: *2'*
Roof: Type Fastener: *Lags* Length: *5"* Spacing: *2'*
For used homes a min. 30 gauge, 8" wide, galvanized metal strip will be centered over the peak of the roof and fastened with galv. roofing nails at 2" on center on both sides of the centerline.

Gasket (weatherproofing requirement)

I understand a properly installed gasket is a requirement of all new and used homes and that condensation, mold, mildew and buckled marriage walls are a result of a poorly installed or no gasket being installed. I understand a strip of tape will not serve as a gasket.

Installer's initials *Ernest*

Type gasket Pg. 43

Installed:
Between Floors ☒
Between Walls ☒
Bottom of ridgebeam ☒

Weatherproofing

The bottomboard will be repaired and/or taped. ☒ Pg. 3
Siding on units is installed to manufacturer's specifications. Yes _____
Fireplace chimney installed so as not to allow intrusion of rain water. ☒ if appl.

Miscellaneous

Skirting to be installed ☒ Yes ☒ No
Dryer vent installed outside of skirting. ☒ Yes ☒ N/A
Range downflow vent installed outside of skirting. Yes _____
Drain lines supported at 4 foot intervals. ☒ Yes ☒ N/A
Electrical crossovers protected. ☒ Yes
Other: _____

Installer verifies all information given with this permit worksheet is accurate and true based on the manufacturer's installation instructions and or Rule 15C-1 & 2

Installer Signature *Ernest S. Johnson* Date *12-21-07*



NOTES:

1. THIS DRAFTING IS DESIGNED FOR THE STANDARD KING COIL AND IS TO BE USED IN CONJUNCTION WITH THE INSTALLATION MANUAL AND ITS SUPPLEMENTS.
2. FOOTINGS ARE SHOWN FOR EXAMPLE ONLY. QUANTITY AND SPACING MAY VARY BASED ON PAD TYPE, SOIL CONVLUTION, ETC.
3. FOOTING PADS & PIERS ARE REQUIRED AT SUPPORT POSTS. SEE INSTALLATION MANUAL FOR REQUIREMENTS.

FLEETWOOD
ALMA
75

PRODUCT NAME

TIMBERWOOD

MODEL NO.

0443T

DRAWING TITLE

PIER LAYOUT
20# ROOF LOAD


DRAWN BY:

DATE: _____

180	180
-----	-----

SP.1C.1

752TW0443T



POST DATA		
LIVE LOG: 20 185.		
LABEL	LOCATION	UNIT/FIR LOAD*
A		A 2500
A		B
B	12'-3 1/4"	A 7300
B	12'-7 1/4"	B
C	29'-5 1/2"	A 8000
C	29'-5 1/2"	B
D	44'-0"	A 2900
D	44'-0"	B
* 1000 LBS PER UNIT/FIR LOAD		

CHASSIS INFO	
M.R. SPACING	95 1/2"
I-BEAM SIZE	6W

D	44'-0"	B
---	--------	---

* EMPTY PIER LOAD IS COMBINED IN NUMBER ABOVE



STATE OF FLORIDA
DEPARTMENT OF HEALTH


APPLICATION FOR ONSITE SEWAGE DISPOSAL SYSTEM CONSTRUCTION PERMIT

Permit Application Number _____

Dayna Clifford

PART II - SITE PLAN

Scale: Each block represents 5 feet and 1 inch = 50 feet.



Notes: _____

Site Plan submitted by: Robert Merrill 12-21-07
Signature

Agent
Title

Plan Approved _____

Not Approved _____

Date _____

By _____ County Health Department

ALL CHANGES MUST BE APPROVED BY THE COUNTY HEALTH DEPARTMENT

Rec'd
10/20/02
Dea STJ

RETURN TO:
U.S. TITLE
642 N.E. Santa Fe Blvd.
High Springs, FL 32643
454-2071

Inst: 2002017913 Date: 09/11/2002 Time: 10:26
Doc Stamp-Deed: 245.00
DC, P. DeWitt Cason, Columbia County B: 962 P: 286

Parcel ID. No.: 286S [Space Above This Line for Recording Data]

WARRANTY DEED

This indenture made this 6th day of September, 2002 BETWEEN FRANCIS S. SCHWINDLER, GRANTOR*, whose post office address is 4218 NW 121 TERRACE, GAINESVILLE, FL 32608 and STEVEN M. CLIFFORD and DAYNA M. CLIFFORD, HUSBAND AND WIFE, GRANTEE*, whose post office address is .

WITNESSETH. That said Grantor, for and in consideration of the sum of TEN AND 00/100'S (\$10.00) Dollars and other good and valuable considerations to said grantor in hand paid by said grantee, the receipt whereof is hereby acknowledged, has granted, bargained and sold to the grantee and grantee's heirs forever the following described land located in the County of COLUMBIA, State of Florida, to-wit:

SEE ATTACHED EXHIBIT "A"

TOGETHER WITH:

GRANTOR WARRANTS THAT SUBJECT PROPERTY DOES NOT CONSTITUTE HIS HOMESTEAD, NOR IS IT CONTIGUOUS THERETO.

SUBJECT to there being no usage of subject property by adjacent property owners for the purpose of ingress and egress.


SUBJECT TO covenants, restrictions and easements of record, if any; however, this reference thereto shall not operate to reimpose same.

and the grantor hereby covenants with said grantee that the grantor is lawfully seized of said land in fee simple; that the grantor has good right and lawful authority to sell and convey said land; that the grantor hereby fully warrants the title to said land, and will defend the same against the lawful claims of all persons whomsoever; and that said land is free of all encumbrances, except taxes accruing subsequent to December 31, 2001.

*Singular and plural are interchangeable as context requires.

IN WITNESS WHEREOF, Grantor has hereunto set grantor's hand and seal this day and year first above written.

WITNESSES


Typed Name: Jannette S. Boyd



FRANCIS S. SCHWINDLER


Typed Name: Leslie Ketchel

COUNTY OF Alachua
STATE OF FLORIDA

THE FOREGOING INSTRUMENT was acknowledged before me on September 6th, 2002 by FRANCIS S. SCHWINDLER who is/are personally known to me or has produced his/her Driver's License as identification.




NOTARY PUBLIC, STATE OF FLORIDA
Name: Jannette S. Boyd
COMMISSION EXPIRATION: August 7, 2005

THIS INSTRUMENT WAS PREPARED BY: JANNETTE S. BOYD, an employee of U.S. TITLE, 642 N.E. SANTA FE BLVD., HIGH SPRINGS, FLORIDA 32643, as a necessary incident to fill the requirements of a Title Insurance Binder issued by U.S. UH4-2071.

Inst:2002017913 Date:07/11/2002 Time:10:26

Doc Stamp-Deed : 245.00

DC, P. DeWitt Cason, Columbia County Br 962 P:247

EXHIBIT "A"

Commence at the Southeast corner of the SW 1/4 of the NE 1/4 of Sec. 29, Township 6 South, Range 16 East, Columbia County, Florida; thence run North 01 deg. 17'18" W, along the East line of said SW 1/4 of the NE 1/4, a distance of 468.74 feet to the point of beginning; thence run South 87 deg. 37'13" W, a distance of 400.00 feet, thence North 01 deg. 17'18" W, a distance of 544.50 feet, thence North 87 deg. 37'13"E, a distance of 400.00 feet to the East line of said SW 1/4 of the NE 1/4, thence South 01 deg. 17'18" East along said East line 544.50 feet to the POINT OF BEGINNING.

TOGETHER WITH A 1973 SINGLE WIDE MOBILE HOME, ID#333 422 6234W, TITLE #6087363

INSTALLER AUTHORIZATION

DATE: 12-21-07

TO: Columbia Co

License No. IH0000359

I, Ernest S. Johnson give full consent to Robert Minnella to pull
any and all necessary permits on my behalf for mobile home set ups
in Columbia County.

Signed Ernest S. Johnson

Dayna Clifford


Sworn to me this 21 day of Dec, 2007

Notary Signature Nancy S. Phelps

NANCY S. PHELPS
NOTARY PUBLIC - STATE OF FLORIDA
COMMISSION # DD666995
EXPIRES 5/10/2011
BONDED THRU 1-888-NOTARY1

BOUNDARY SURVEY

IN SECTION 29, TOWNSHIP SOUTH, RANGE 16 EAST COLUMBIA COUNTY, FLORIDA



DESCRIPTION:
THAT PART OF (PER ORB 982 PAGE 247):

COMMENCE AT THE SOUTHEAST CORNER OF THE SW 1/4 OF THE NE 1/4 OF SEC. 29, TOWNSHIP 6 SOUTH, RANGE 16 EAST, COLUMBIA COUNTY, FLORIDA; THENCE RUN NORTH 01 DEG. 17'18\" W. ALONG THE EAST LINE OF SAID SW 1/4 OF THE NE 1/4, A DISTANCE OF 488.74 FEET TO THE POINT OF BEGINNING; THENCE RUN SOUTH 87 DEG. 37'13\" W. A DISTANCE OF 400.00 FEET; THENCE NORTH 01 DEG. 17'18\" W. A DISTANCE OF 544.50 FEET; THENCE NORTH 87 DEG. 27'13\" E. A DISTANCE OF 400.00 FEET TO THE EAST LINE OF SAID SW 1/4 OF THE NE 1/4, THENCE SOUTH 01 DEG. 17'18\" EAST ALONG SAID EAST LINE 544.50 FEET TO THE POINT OF BEGINNING.

BEING DESCRIBED AS:

PART \"B\"

COMMENCE AT THE SOUTHEAST CORNER OF THE SW 1/4 OF THE NE 1/4 OF SEC. 29, TOWNSHIP 6 SOUTH, RANGE 16 EAST, COLUMBIA COUNTY, FLORIDA; THENCE RUN NORTH 01 DEG. 17'18\" W. ALONG THE EAST LINE OF SAID SW 1/4 OF THE NE 1/4, A DISTANCE OF 488.74 FEET; THENCE S 87°42'44\" W. 399.83 FEET; THENCE N 01°17'18\" W. 233.91 FEET TO THE POINT OF BEGINNING; THENCE CONTINUE N 01°17'18\" W. 154.00 FEET; THENCE N 87°42'44\" E. 142.04 FEET; THENCE S 18°20'36\" E. 160.23 FEET; THENCE S 87°42'44\" W. 189.04 FEET TO THE POINT OF BEGINNING.

LEGEND

These standard symbols will be found in the drawing.

- 5/8\" SET IRON ROD AND CAP, PLS. 4586
- (D) DEED
- (F) FIELD
- ORB OFFICIAL RECORDS BOOK

SURVEYOR'S NOTES:

THIS SURVEY IS BASED IN WHOLE OR IN PART ON EXISTING MONUMENTATION FOUND IN PLACE AS SHOWN HEREON.

BEARINGS ARE BASED ON THE WEST LINE OF PART \"A\", BEING N 01°17'18\" W. AND ARE REFERENCED TO THE DEED, (ORB 982, PAGE 247).

THIS SURVEY WAS PERFORMED WITHOUT THE BENEFIT OF A TITLE COMMITMENT OR A TITLE POLICY.

INTERIOR IMPROVEMENTS NOT LOCATED EXCEPT AS SHOWN HEREON.

IF THEY EXIST, NO UNDERGROUND ENCROACHMENTS AND/OR UTILITIES WERE LOCATED FOR THIS SURVEY EXCEPT AS SHOWN HEREON.

FENCE LINES AS SHOWN ARE NOT TO SCALE.

THERE MAY BE EASEMENTS AND/OR RESTRICTIONS FOR THE DESCRIBED PARCEL IN THE PUBLIC RECORDS OF COLUMBIA COUNTY, FLORIDA THAT ARE NOT SHOWN HEREON.

PREPARED FOR:

STEVEN AND DAVIA CLIFORD

ROBERT A. VAUGHAN,
PROFESSIONAL SURVEYOR AND
MAPPER NO. 4586

Robert A. Vaughan
DATE OF SIGNATURE 9/28/06

UNLESS IT BEARS THE SIGNATURE AND THE ORIGINAL PAID SEAL OF A FLORIDA LICENSED SURVEYOR AND MAPPER THIS DRAWING IS FOR INFORMATIONAL PURPOSES ONLY AND IS NOT VALID.



VAUGHAN SURVEYING AND MAPPING
2812 SW COUNTY ROAD NO. 18 - PO BOX 942
FORT WHITE, FLORIDA 32038 (386) 497-2015
DATE OF FIELD SURVEY - SEPTEMBER 22, 2006



STATE OF FLORIDA
DEPARTMENT OF HEALTH


APPLICATION FOR ONSITE SEWAGE DISPOSAL SYSTEM CONSTRUCTION PERMIT

Permit Application Number 07-1009

Dayna Clifford

PART II - SITE PLAN

Scale: Each block represents 5 feet and 1 inch = 50 feet.



Notes: _____

Site Plan submitted by: Robert Munnell 12-21-07
Signature

Plan Approved X Not Approved _____

By Salhi Ford ESII

Agent
Title

Date 1-14-08

Columbia CHD

County Health Department

ALL CHANGES MUST BE APPROVED BY THE COUNTY HEALTH DEPARTMENT

GERBANYNICK AVENUE
OPEN

M/H OCCUPANCY

COLUMBIA COUNTY, FLORIDA

Department of Building and Zoning Inspection

This Certificate of Occupancy is issued to the below named permit holder for the building and premises at the below named location, and certifies that the work has been completed in accordance with the Columbia County Building Code.

Parcel Number 29-6S-16-03969-016

Building permit No. 000026609

Permit Holder ERNEST S. JOHNSON

Owner of Building DAYNA CLIFFORD

Location: 339 SW ROLLING GLEN, FT. WHITE, FL

Date: 03/27/2008

Dayna Bickel

Building Inspector



POST IN A CONSPICUOUS PLACE
(Business Places Only)