

DATE 11/25/2009

Columbia County Building Permit

PERMIT

This Permit Must Be Prominently Posted on Premises During Construction

000028241

APPLICANT DAVID CHERISOL PHONE 386.965.7723
ADDRESS 129 SE HICKORY DRIVE LAKE CITY FL 32025
OWNER DAVID CHERISOL PHONE 386.965.7723
ADDRESS 504 SW GRIZZLY WAY LAKE CITY FL 32024
CONTRACTOR RANDY MORRIS PHONE 727.643.430
LOCATION OF PROPERTY 90-W TO SR. 247-S, TL TO CYPRESS LAKE RD, TR TO GRIZZLY WAY,
TR TO BEIGE DW/MH ON R.
TYPE DEVELOPMENT M/H/UTILITY ESTIMATED COST OF CONSTRUCTION 0.00
HEATED FLOOR AREA TOTAL AREA HEIGHT STORIES
FOUNDATION WALLS ROOF PITCH FLOOR
LAND USE & ZONING A-3 MAX. HEIGHT
Minimum Set Back Requirments: STREET-FRONT 30.00 REAR 25.00 SIDE 25.00
NO. EX.D.U. 0 FLOOD ZONE X DEVELOPMENT PERMIT NO.

PARCEL ID 25-4S-15-00385-113 SUBDIVISION MIMOSA ACRES UNRC.
LOT 13 BLOCK PHASE UNIT TOTAL ACRES 10.42

IH0000828 David G. Leonard
Culvert Permit No. Culvert Waiver Contractor's License Number Applicant/Owner/Contractor
PRIVATE 09-0517-M CSB HD N
Driveway Connection Septic Tank Number LU & Zoning checked by Approved for Issuance New Resident

COMMENTS: 1 FOOT ABOVE ROAD.

Check # or Cash

14-022604910
14-022604911
MONEY ORDER
+ 46 cash

FOR BUILDING & ZONING DEPARTMENT ONLY

(footer/Slab)

Temporary Power date/app. by Foundation date/app. by Monolithic date/app. by
Under slab rough-in plumbing date/app. by Slab date/app. by Sheathing/Nailing date/app. by
Framing date/app. by Insulation date/app. by
Rough-in plumbing above slab and below wood floor date/app. by Electrical rough-in date/app. by
Heat & Air Duct date/app. by Peri. beam (Lintel) date/app. by Pool date/app. by
Permanent power date/app. by C.O. Final date/app. by Culvert date/app. by
Pump pole date/app. by Utility Pole date/app. by M/H tie downs, blocking, electricity and plumbing date/app. by
Reconnection date/app. by RV date/app. by Re-roof date/app. by

BUILDING PERMIT FEE \$ 0.00 CERTIFICATION FEE \$ 0.00 SURCHARGE FEE \$ 0.00
MISC. FEES \$ 300.00 ZONING CERT. FEE \$ 50.00 FIRE FEE \$ 134.42 WASTE FEE \$ 184.25
FLOOD DEVELOPMENT FEE \$ FLOOD ZONE FEE \$ 25.00 CULVERT FEE \$ TOTAL FEE 693.67 ✓
INSPECTORS OFFICE CLERKS OFFICE

NOTICE: IN ADDITION TO THE REQUIREMENTS OF THIS PERMIT, THERE MAY BE ADDITIONAL RESTRICTIONS APPLICABLE TO THIS PROPERTY THAT MAY BE FOUND IN THE PUBLIC RECORDS OF THIS COUNTY. AND THERE MAY BE ADDITIONAL PERMITS REQUIRED FROM OTHER GOVERNMENTAL ENTITIES SUCH AS WATER MANAGEMENT DISTRICTS, STATE AGENCIES, OR FEDERAL AGENCIES.

"WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT."

EVERY PERMIT ISSUED SHALL BECOME INVALID UNLESS THE WORK AUTHORIZED BY SUCH PERMIT IS COMMENCED WITHIN 180 DAYS AFTER ITS ISSUANCE, OR IF THE WORK AUTHORIZED BY SUCH PERMIT IS SUSPENDED OR ABANDONED FOR A PERIOD OF 180 DAYS AFTER THE TIME THE WORK IS COMMENCED. A VALID PERMIT RECIEVES AN APPROVED INSPECTION EVERY 180 DAYS. WORK SHALL BE CONSIDERED NOT SUSPENDED, ABANDONED OR INVALID WHEN THE PERMIT HAS RECIEVED AN APPROVED INSPECTION WITHIN 180 DAYS OT THE PREVIOUS INSPECTION.

The Issuance of this Permit Does Not Waive Compliance by Permittee with Deed Restrictions.

PERMIT APPLICATION / MANUFACTURED HOME INSTALLATION APPLICATION

For Office Use Only (Revised 1-10-08) Zoning Official 120 10/5/09 Building Official 140 10-14-09

AP# 0910-04 Date Received 10/2 By JW Permit # 28291

Flood Zone X Development Permit _____ Zoning A-3 Land Use Plan Map Category A-3

Comments _____

FEMA Map# _____ Elevation _____ Finished Floor _____ River _____ In Floodway _____

☒ Site Plan with Setbacks Shown ☒ EH # 09-0517-M ☒ EH Release ☒ Well letter ☒ Existing well

☒ Recorded Deed or Affidavit from land owner ☒ Letter of Auth. from installer ☐ State Road Access

☐ Parent Parcel # _____ ☐ STUP-MH _____ ☐ F W Comp. letter _____

IMPACT FEES: EMS _____ Fire _____ Corr _____ Road/Code 14 Prec. 1111

School _____ = TOTAL 0 out 8 courts - sent 10/14/09

REC'D via Priority Mail
10-20-09

Property ID # 25-45-15-00385-113 Subdivision LOT 13 MINOSA ACRES, LINDSEY

- New Mobile Home _____ Used Mobile Home ☒ MH Size 30x76 Year 1989
- Applicant DAVID CHARISOL Phone # 386-965-7723 / 386-687-559
- Address 129 SE HICKORY DR LAKE CITY FL 32025
- Name of Property Owner DAVID CHARISOL Phone# SAME AS ABOVE
- 911 Address 504 S.W. GRIZZLY WAY LAKE CITY FL 32024
- Circle the correct power company - FL Power & Light - Clay Electric
(Circle One) - Suwannee Valley Electric - Progress Energy
- Name of Owner of Mobile Home DAVID CHARISOL Phone # SAME
- Address SAME AS ABOVE
- Relationship to Property Owner SELF
- Current Number of Dwellings on Property 0
- Lot Size _____ Total Acreage 10.42
- Do you : Have Existing Drive or Private Drive or need Culvert Permit or Culvert Waiver (Circle one)
(Currently using) (Blue Road Sign) (Putting in a Culvert) (Not existing but do not need a Culvert)
- Is this Mobile Home Replacing an Existing Mobile Home YES (OWES)
- Driving Directions to the Property 90 WEST TL 2475, CYPRESS LAKE RD (RIGHT)
TO CYPRESS LAKE RD (RIGHT) TO GRIZZLY WAY (PROPERTY ON LEFT)

Name of Licensed Dealer/Installer RANDY MORRIS Phone # 727-643-4301

Installers Address 7501 14th AVE LOT # 628 LARGO, FL 33771

License Number IH0000828 Installation Decal # 294110

386-965-7723

Spoke to Randy PRE-INSPECTION DECAL #
10/14/09

SMV
per
Bath
10-20-09
ACTIVE

PERMIT WORKSHEET

page 1 of 2

Installer David Meers License # TH0000828
 Manufacturer LAAR Length x Width 32 x 26
 Name of Owner of this Mobile Home David Chenio
 Phone 386-697-5595
 Address 128 J.S. Hickory Dr Lake City FL 32025

NOTE: If home is a single wide fill out one half of the blocking plan
 If home is a triple or quad wide sketch in remainder of home

I understand Lateral Arm Systems cannot be used on any home (new or used) where the sidewall ties exceed 5 ft 4 in.

Installer's initials RM



marriage wall piers within 2' of end of home per Rule 15C

New Home ☐ Used Home ☒ Year 1999
 Home installed to the Manufacturer's Installation Manual ☐
 Home is installed in accordance with Rule 15-C ☒
 Single wide ☐ Wind Zone II ☒ Wind Zone III ☐
 Double wide ☒ Installation Decal # 29 4110
 Triple/Quad ☐ Serial # GAFL075MA091710221

PIER SPACING TABLE FOR USED HOMES

Load bearing capacity (sq in)	Footer size (sq in)	16" x 16" (256)	18 1/2" x 18 1/2" (342)	20" x 20" (400)	22" x 22" (484)*	24" x 24" (576)*	26" x 26" (676)
1000 dsf	3'	4'	5'	6'	7'	8'	8'
1500 dsf	4' 6"	6'	7'	8'	9'	10'	11'
2000 dsf	6'	8'	9'	10'	11'	12'	13'
2500 dsf	7' 6"	8'	9'	10'	11'	12'	13'
3000 dsf	8'	8'	9'	10'	11'	12'	13'
3500 dsf	8'	8'	9'	10'	11'	12'	13'

* Interpolated from Rule 15C-1 pier spacing table.

PIER PAD SIZES

I-beam pier pad size 17x22
 Perimeter pier pad size 16x16

Other pier pad sizes (required by the mfg.)

Draw the approximate locations of marriage wall openings 4 foot or greater. Use this symbol to show the piers.

List all marriage wall openings greater than 4 foot and their pier pad sizes below.

Opening Pier pad size 25x25

POPULAR PAD SIZES

Pad Size	Sq In
16 x 16	256
16 x 18	288
18.5 x 18.5	342
16 x 22.5	360
17 x 22	374
13 1/4 x 26 1/4	348
20 x 20	400
17 3/16 x 25 3/16	441
17 1/2 x 25 1/2	446
24 x 24	576
26 x 26	676

ANCHORS

FRAME TIES

within 2' of end of home spaced at 5' 4" oc

OTHER TIES

TIEDOWN COMPONENTS

Longitudinal Stabilizing Device (LSD)
 Manufacturer
 Longitudinal Stabilizing Device w/ Lateral Arms
 Manufacturer

Sidewall
 Longitudinal Marriage wall
 Shearwall
 Number 4

POCKET PENETROMETER TEST

The pocket penetrometer tests are rounded down to _____ psf or check here to declare 1000 lb. soil ☒ without testing.

X _____ X _____ X _____

POCKET PENETROMETER TESTING METHOD

1. Test the perimeter of the home at 6 locations.
2. Take the reading at the depth of the footer.
3. Using 500 lb. increments, take the lowest reading and round down to that increment.

X _____ X _____ X _____

TORQUE PROBE TEST

The results of the torque probe test is 295 inch pounds or check here if you are declaring 5' anchors without testing. A test showing 275 inch pounds or less will require 4 foot anchors.

Note: A state approved lateral arm system is being used and 4 ft. anchors are allowed at the sidewalk locations. I understand 5 ft anchors are required at all centerline the points where the torque test reading is 275 or less and where the mobile home manufacturer may requires anchors with 4000 lb holding capacity.

RM Installer's initials

ALL TESTS MUST BE PERFORMED BY A LICENSED INSTALLER

Installer Name

Randy MARRIS

Date Tested

9/22/09

Electrical

Connect electrical conductors between multi-wide units, but not to the main power source. This includes the bonding wire between multi-wide units. Pg. 45

Plumbing

Connect all sewer drains to an existing sewer tap or septic tank. Pg. 45

Connect all potable water supply piping to an existing water meter, water tap, or other independent water supply systems. Pg. 45

Site Preparation

Debris and organic material removed ☒ Swale ☒ Pad ☒ Other _____

Fastening multi wide units

Floor: Type Fastener: 6" Length: 6" Spacing: 24"
Walls: Type Fastener: 6" Length: 6" Spacing: 24"
Roof: Type Fastener: 6" Length: 6" Spacing: 24"

For used homes a min. 30 gauge, 8" wide, galvanized metal strip will be centered over the peak of the roof and fastened with galv. roofing nails at 2" on center on both sides of the centerline.

Gasket (weatherproofing requirement)

I understand a properly installed gasket is a requirement of all new and used homes and that condensation, mold, mildew and buckled marriage walls are a result of a poorly installed or no gasket being installed. I understand a strip of tape will not serve as a gasket.

Installer's initials RM

Type gasket FOAM

Installed: Between Floors ☒ Between Walls ☒ Bottom of ridgebeam ☒

Weatherproofing

The bottomboard will be repaired and/or taped. Yes ☒ Pg. 45
Siding on units is installed to manufacturer's specifications. Yes ☒
Fireplace chimney installed so as not to allow intrusion of rain water. Yes ☒

Miscellaneous

Skirting to be installed. Yes ☒ No _____
Dryer vent installed outside of skirting. Yes ☒ N/A _____
Range downflow vent installed outside of skirting. Yes ☒ N/A _____
Drain lines supported at 4 foot intervals. Yes ☒
Electrical crossovers protected. Yes ☒
Other: _____

Installer verifies all information given with this permit worksheet is accurate and true based on the


Installer Signature

Randy MARRIS


Date 9/30/09

1. A PLAT, PLAN, OR DRAWING SHOWING THE PROPERTY LINES OF THE PARCEL.
2. LOCATION OF PLANNED RESIDENT OR BUSINESS STRUCTURE ON THE PROPERTY WITH DISTANCES FROM AT LEAST TWO OF THE PROPERTY LINES TO THE STRUCTURE (SEE SAMPLE BELOW).
3. LOCATION OF THE ACCESS POINT (DRIVEWAY, ETC.) ON THE ROADWAY FROM WHICH LOCATION IS TO BE ADDRESSED WITH A DISTANCE FROM A PARALLEL PROPERTY LINE AND OR PROPERTY CORNER (SEE SAMPLE BELOW).
4. TRAVEL OF THE DRIVEWAY FROM THE ACCESS POINT TO THE STRUCTURE (SEE SAMPLE BELOW).

SAMPLE:



SITE PLAN BOX:



Columbia County Property Appraiser

DB Last Updated: 7/22/2009

2009 Preliminary Values

Tax Record

Property Card

Interactive GIS Map

Print


Parcel: 25-4S-15-00385-113

Owner & Property Info

Search Result: 1 of 1

Owner's Name	CHERISOL DAVID G		
Site Address	GRIZZLY		
Mailing Address	3582 SW 68 WAY MIRAMAR, FL 33023		
Use Desc. (code)	VACANT (000000)		
Neighborhood	025415.01	Tax District	3
UD Codes	MKTA02	Market Area	02
Total Land Area	10.420 ACRES		
Description	AKA LOT 13 MIMOSA ACRES UNREC: COMM NE COR OF NW1/4 OF SE1/4, RUN W ALONG N LINE 1114.90 FT FOR POB, CONT W 217.96 FT TO NW COR, CONT W 309.96 FT, S 859.47 FT, E 527.91 FT, N 859.80 FT TO POB. ORB 859-2141, 863-1679, CT 1041-136, WD 1062-827, QC 1125-139, QC 1162-2594		

GIS Aerial



Property & Assessment Values

Mkt Land Value	cnt: (2)	\$62,136.00
Ag Land Value	cnt: (0)	\$0.00
Building Value	cnt: (0)	\$0.00
XFOB Value	cnt: (0)	\$0.00
Total Appraised Value		\$62,136.00

Just Value	\$62,136.00
Class Value	\$0.00
Assessed Value	\$62,136.00
Exemptions	\$0.00
Total Taxable Value	County: \$62,136.00 City: \$62,136.00 Other: \$62,136.00 School: \$62,136.00

Sales History

Sale Date	Book/Page	Inst. Type	Sale Vlmp	Sale Qual	Sale RCode	Sale Price
10/21/2008	1162/2594	QC	V	U	01	\$100.00
6/21/2007	1125/139	QC	V	U	01	\$100.00
10/13/2005	1062/827	WD	V	Q		\$75,000.00
3/2/2005	1041/136	CT	V	U	01	\$30,000.00
8/4/1998	863/1679	QC	V	U	01	\$27,614.00
6/1/1998	859/2141	WD	V	Q		\$28,000.00

Building Characteristics

Bldg Item	Bldg Desc	Year Blt	Ext. Walls	Heated S.F.	Actual S.F.	Bldg Value
NONE						


Extra Features & Out Buildings

Code	Desc	Year Blt	Value	Units	Dims	Condition (% Good)
NONE						

MOBILE HOME FLOORPLAN

LENGTH 76'

WIDTH 30'



BEDROOMS 4

SQUARE FOOTAGE OF LIVING AREA 2280

PLEASE NOTE THAT A FLOORPLAN OF YOUR HOME OR STRUCTURE IS REQUIRED. WE DO NOT REQUIRE ACTUAL BLUEPRINTS. IF YOUR DEALER HAS PROVIDED A FLOORPLAN, WE PREFER IT, IF NOT, PLEASE SKETCH ONE SHOWING OUTSIDE DIMENSIONS AND INSIDE ROOM LAYOUT.

USE REVERSE SIDE IF NOT A MOBILE HOME.

DATE: _____ SUBMITTED BY: _____



COLUMBIA COUNTY 911 ADDRESSING / GIS DEPARTMENT

P. O. Box 1787, Lake City, FL 32056-1787
Telephone: (386) 758-1125 * Fax: (386) 758-1365 * Email: ron_croft@columbiacountyfla.com



ADDRESS ASSIGNMENT DATA

The Columbia County Board of County Commissioners has passed Ordinance 2001-9, which provides for a uniform numbering system. A copy of this ordinance is available in the Clerk of Court records, located in the courthouse. This new numbering system will increase the efficiency of POLICE, FIRE AND EMERGENCY MEDICAL vehicles responding to calls within Columbia County by immediately identifying the location of the caller.

A Residential or Other Structure(s) on Parcel Number:
25-4S-15-00385-113 (AKA LOT 13 MIMOSA ACRES UNREC)

Address Assignment(s):

✓ **504 SW GRIZZLY WAY, LAKE CITY, FL, 32024**

Any questions concerning this information should be referred to the Columbia County 911 Addressing / GIS Department at the address or telephone number above.

ATTN: Steve

CODE ENFORCEMENT DEPARTMENT

COLUMBIA COUNTY, FLORIDA

OUT OF COUNTY MOBILE HOME INSPECTION REPORT

COUNTY THE MOBILE HOME IS BEING MOVED FROM MARIONOWNERS NAME David Charisul PHONE _____ CELL 386-627-585INSTALLER Randy Morris PHONE _____ CELL 727-467-4301INSTALLERS ADDRESS 7501 14th Ave SE #28 Largo FL 33771

MOBILE HOME INFORMATION

MAKE CAR YEAR 1999 SIZE 30 x 76COLOR Blue SERIAL No. GAEW75A69171CD21WIND ZONE 2 SMOKE DETECTOR YES

INTERIOR:

FLOORS 2x8 STUD. Vinyl carpetDOORS metal. CARWALLS 2x6 STUD. (Drywall)CABINETS woodELECTRICAL (FIXTURES/OUTLETS) 200 amp service

EXTERIOR:

WALLS / SIDING 2x6 vinyl sidingWINDOWS single stormDOORS metal

STATUS:

APPROVED YES NOT APPROVED _____

NOTES: _____

INSTALLER OR INSPECTORS PRINTED NAME Randy MorrisInstaller/Inspector Signature Randy Morris License No. TH0000928 Date 9/30/09**ONLY THE ACTUAL LICENSE HOLDER OR A BUILDING INSPECTOR CAN SIGN THIS FORM.**

NO WIND ZONE ONE MOBILE HOMES WILL BE PERMITTED. MOBILE HOMES PRIOR TO 1977 ARE PRE-HUD AND THE WIND ZONE MUST BE PROVEN TO BE PERMITTED.

BEFORE THE MOBILE HOME CAN BE MOVED INTO COLUMBIA COUNTY THIS FORM MUST BE COMPLETED AND RETURNED TO THE COLUMBIA COUNTY BUILDING DEPARTMENT.

ONCE MOVED INTO COLUMBIA COUNTY AN INSPECTOR MUST COMPLETE A PRELIMINARY INSPECTION ON THE MOBILE HOME. CALL 386-719-2038 TO SET UP THIS INSPECTION. NO PERMIT WILL BE ISSUED BEFORE THIS IS DONE.

Code Enforcement Approval Signature [Signature] Date 10-16-09



COLUMBIA COUNTY BUILDING DEPARTMENT
135 NE Hernando Ave, Suite B-21, Lake City, FL 32055
Phone: 386-758-1008 Fax: 386-758-2160

MOBILE HOME INSTALLERS LETTER OF AUTHORIZATION

I, RANDY MORRIS, give this authority for the job address show below
Installer License Holder Name

only, # 504 Grizzly Way LK. City, and I do certify that
Job Address

the below referenced person(s) listed on this form is/are under my direct supervision and control and is/are authorized to purchase permits, call for inspections and sign on my behalf.

Printed Name of Authorized Person	Signature of Authorized Person	Authorized Person is... (Check one)
David CHERISOL		<input type="checkbox"/> Agent <input type="checkbox"/> Officer <input checked="" type="checkbox"/> Property Owner
		<input type="checkbox"/> Agent <input type="checkbox"/> Officer <input type="checkbox"/> Property Owner
		<input type="checkbox"/> Agent <input type="checkbox"/> Officer <input type="checkbox"/> Property Owner

I, the license holder, realize that I am responsible for all permits purchased, and all work done under my license and I am fully responsible for compliance with all Florida Statutes, Codes, and Local Ordinances.

I understand that the State Licensing Board has the power and authority to discipline a license holder for violations committed by him/her or by his/her authorized person(s) through this document and that I have full responsibility for compliance granted by issuance of such permits.

Randy Morris
License Holders Signature (Notarized)

1H0000828
License Number

10/29/09
Date


NOTARY INFORMATION:

STATE OF: Florida COUNTY OF: Pinellas

The above license holder, whose name is Randy J. Morris, personally appeared before me and is known by me or has produced identification (type of I.D.) Fl. Dr. License on this 29 day of Oct., 20 09.

Marcia I. Kelly-Champoux
NOTARY'S SIGNATURE

(Seal/Stamp)



09-0517M

STATE OF FLORIDA
DEPARTMENT OF HEALTH AND REHABILITATIVE SERVICES
ONSITE SEWAGE DISPOSAL SYSTEM
APPLICATION FOR CONSTRUCTION PERMIT
Authority: Chapter 381, FS & Chapter 10D-6, FAC

PERMIT # 9401071
DATE PAID 10/27/09
FEE PAID \$ 285.00
RECEIPT # 1195208
CR # 09-4727

APPLICATION FOR:

☐ New System ☐ Existing System ☐ Holding Tank ☐ Temporary/Experimental System
☐ Repair ☐ Abandonment ☒ Other (Specify) MODIFICATION

APPLICANT: DAVID & KATIA CHERISOITELEPHONE: 386-965-7723AGENT: DAVID OR KATIA CHERISOIMAILING ADDRESS: 129 SE HICKORY DRIVE CITY: LAKE CITY STATE: FL ZIP: 32025

TO BE COMPLETED BY APPLICANT OR APPLICANT'S AUTHORIZED AGENT. ATTACH BUILDING PLAN AND TO-SCALE SITE PLAN SHOWING PERTINENT FEATURES REQUIRED BY CHAPTER 10D-6, FLORIDA ADMINISTRATIVE CODE.

PROPERTY INFORMATION [IF LOT IS NOT IN A RECORDED SUBDIVISION, ATTACH LEGAL DESCRIPTION OR DEED]

LOT: 13 BLOCK: _____ SUBDIVISION: MEMOSA ACERS UNREC. DATESUBD: _____PROPERTY ID #: 25-4S-15-00385-113 [Section/Township/Range/Parcel] ZONING: AGPROPERTY SIZE: 10.42 ACRES [Sqft/43560] PROPERTY WATER SUPPLY: ☒ PRIVATE ☐ PUBLICPROPERTY STREET ADDRESS: 504 SW GRIZZLEY WAY

DIRECTIONS TO PROPERTY: 90 WEST TURN LEFT ON CR 247 TURN RIGHT ON CYPRESS LAKE RD. TURN RIGHT ON GRIZZLEY WAY SITE ON LEFT AFTER ROAD TURNS TO GRASS.

BUILDING INFORMATION


☒ RESIDENTIAL☐ COMMERCIAL

Unit No.	Type of Establishment	No. of Bedrooms	Building Area Sqft	# Persons Served	Business Activity For Commercial Only
1	MOBILE HOME	4	2280	4	
2					
3					
4					

☐ Garbage Grinders/Disposals☐ Spas/Hot Tubs☐ Floor/Equipment Drains☐ Ultra-low Volume Flush Toilets☐ Other (Specify) _____APPLICANT'S SIGNATURE: Katia CheroiDATE: 10/27/09

Application for Onsite Sewage Disposal System
Construction Permit. Part II Site Plan
Permit Application Number: 09-0517M

ALL CHANGES MUST BE APPROVED BY THE COUNTY HEALTH UNIT



Site Plan Submitted By Paul Lloyd Date 16/2/09
Plan Approved A Not Approved _____ Date 10/28/09

By [Signature] Columbia CPHU

Notes:-

CJDE ENFORCEMENT
PRELIMINARY MOBILE HOME INSPECTION REPORTDATE RECEIVED 11/23/09 BY GF IS THE M.I. ON THE PROPERTY WHERE THE PERMIT WILL BE ISSUED? YesOWNERS NAME DAVID CHORISO PHONE _____ CELL _____ADDRESS 504 SW Grizzly Way, L.C. 32024

MOBILE HOME PARK _____ SUBDIVISION _____

DRIVING DIRECTIONS TO MOBILE HOME 90W, TL 2475, TR Cypress Lake Rd,
TR Cypress Lake Rd, to Grizzly Way, property
on leftMOBILE HOME INSTALLER Randy Morris PHONE 727-6434301 CELL _____

MOBILE HOME INFORMATION

MAKE CARR YEAR 1999 SIZE 30x76 COLOR BeigeSERIAL No. GAFW75A69171C121WIND ZONE II Must be wind zone I or higher NO WIND ZONE I ALLOWED

INSPECTION STANDARDS

INTERIOR:

(P or F) - P=PASS F=FAILED

- ☒ SMOKE DETECTOR () OPERATIONAL () MISSING
- ☒ FLOORS () SOLID () WEAK () HOLES DAMAGED LOCATION _____
- ☒ DOORS () OPERABLE () DAMAGED
- ☒ WALLS () SOLID () STRUCTURALLY UNSOUND
- ☒ WINDOWS () OPERABLE () INOPERABLE
- ☒ PLUMBING FIXTURES () OPERABLE () INOPERABLE () MISSING
- ☒ CEILING () SOLID () HOLES () LEAKS APPARENT
- ☒ ELECTRICAL (FIXTURES/OUTLETS) () OPERABLE () EXPOSED WIRING () OUTLET COVERS MISSING () LIGHT FIXTURES MISSING

EXTERIOR:

- ☒ WALLS / SIDING () LOOSE SIDING () STRUCTURALLY UNSOUND () NOT WEATHERTIGHT () NEEDS CLEANING
- ☒ WINDOWS () CRACKED / BROKEN GLASS () SCREENS MISSING () WEATHERTIGHT
- ☒ ROOF () APPEARS SOLID () DAMAGED

STATUS

APPROVED ☒ WITH CONDITIONS: _____

NOT APPROVED _____ NEED RE-INSPECTION FOR FOLLOWING CONDITIONS: _____

SIGNATURE [Signature] ID NUMBER 402 DATE 11-24-09