

DATE 07/19/2007

Columbia County Building Permit

PERMIT

This Permit Expires One Year From the Date of Issue

000026038

APPLICANT ROGER FOMOSA PHONE 965-3242
 ADDRESS 343 SW FORREST LAWN LAKE CITY FL 32025
 OWNER VETERANS OF FOREIGN WARS PHONE 965-3242
 ADDRESS 343 SW FORREST LAWN LAKE CITY FL 32025
 CONTRACTOR ROGER FORMOSA PHONE 965-3242
 LOCATION OF PROPERTY 441S, TR ON FORREST LAWN, BUILDING ON LEFT

TYPE DEVELOPMENT ADDITION TO CLUB ESTIMATED COST OF CONSTRUCTION 4600.00
 HEATED FLOOR AREA _____ TOTAL AREA _____ HEIGHT _____ STORIES 1
 FOUNDATION CONC WALLS FRAMED ROOF PITCH _____ FLOOR SLAB
 LAND USE & ZONING CG MAX. HEIGHT _____
 Minimum Set Back Requirments: STREET-FRONT 20.00 REAR 15.00 SIDE 5.00
 NO. EX.D.U. _____ FLOOD ZONE X DEVELOPMENT PERMIT NO. _____

PARCEL ID 17-4S-17-08421-000 SUBDIVISION _____
 LOT _____ BLOCK _____ PHASE _____ UNIT _____ TOTAL ACRES _____

Culvert Permit No. _____ Culvert Waiver _____ Contractor's License Number _____ Applicant/Owner/Contractor Roger Formosa 9
 EXISTING 07-569 BK JH N
 Driveway Connection _____ Septic Tank Number _____ LU & Zoning checked by _____ Approved for Issuance _____ New Resident _____

COMMENTS: NOC ON FILE
COOLER CONSIDERED EQUIPMENT ADDITION, NO SDP REQUIRED

Check # or Cash 1434

FOR BUILDING & ZONING DEPARTMENT ONLY

(footer/Slab)

Temporary Power _____ Foundation _____ Monolithic _____
 date/app. by _____ date/app. by _____ date/app. by _____
 Under slab rough-in plumbing _____ Slab _____ Sheathing/Nailing _____
 date/app. by _____ date/app. by _____ date/app. by _____
 Framing _____ Rough-in plumbing above slab and below wood floor _____
 date/app. by _____ date/app. by _____
 Electrical rough-in _____ Heat & Air Duct _____ Peri. beam (Lintel) _____
 date/app. by _____ date/app. by _____ date/app. by _____
 Permanent power _____ C.O. Final _____ Culvert _____
 date/app. by _____ date/app. by _____ date/app. by _____
 M/H tie downs, blocking, electricity and plumbing _____ Pool _____
 date/app. by _____ date/app. by _____
 Reconnection _____ Pump pole _____ Utility Pole _____
 date/app. by _____ date/app. by _____ date/app. by _____
 M/H Pole _____ Travel Trailer _____ Re-roof _____
 date/app. by _____ date/app. by _____ date/app. by _____

BUILDING PERMIT FEE \$ 25.00 CERTIFICATION FEE \$ 0.00 SURCHARGE FEE \$ 0.00
 MISC. FEES \$ 0.00 ZONING CERT. FEE \$ 50.00 FIRE FEE \$ 0.00 WASTE FEE \$ _____
 FLOOD DEVELOPMENT FEE \$ _____ FLOOD ZONE FEE \$ _____ CULVERT FEE \$ _____ TOTAL FEE 75.00
 INSPECTORS OFFICE [Signature] CLERKS OFFICE [Signature]

NOTICE: IN ADDITION TO THE REQUIREMENTS OF THIS PERMIT, THERE MAY BE ADDITIONAL RESTRICTIONS APPLICABLE TO THIS PROPERTY THAT MAY BE FOUND IN THE PUBLIC RECORDS OF THIS COUNTY. AND THERE MAY BE ADDITIONAL PERMITS REQUIRED FROM OTHER GOVERNMENTAL ENTITIES SUCH AS WATER MANAGEMENT DISTRICTS, STATE AGENCIES, OR FEDERAL AGENCIES.

"WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT."

This Permit Must Be Prominently Posted on Premises During Construction

PLEASE NOTIFY THE COLUMBIA COUNTY BUILDING DEPARTMENT AT LEAST 24 HOURS IN ADVANCE OF EACH INSPECTION, IN ORDER THAT IT MAY BE MADE WITHOUT DELAY OR INCONVENIENCE, PHONE 758-1008. THIS PERMIT IS NOT VALID UNLESS THE WORK AUTHORIZED BY IT IS COMMENCED WITHIN 6 MONTHS AFTER ISSUANCE.

The Issuance of this Permit Does Not Waive Compliance by Permittee with Deed Restrictions.

CHA 1434

Columbia County Building Permit Application

For Office Use Only Application # 0707-37 Date Received 7/13/07 By LH Permit # 26038

Application Approved by - Zoning Official BK Date 18-07-07 Plans Examiner DKJTH Date 7-17-07

Flood Zone X Development Permit N/A Zoning CG Land Use Plan Map Category Commercial

Comments Code considered equipment addition no SDP required

NOC EH Deed or PA Site Plan State Road Info Parent Parcel # Development Permit

dropped off by Linda Roder 752-2281

Fax 386-752-2412

Name of Authorized Person Signing Permit Roger Formosa Phone 386-965-3242

Address 343 SW Forrest Lawn, Lake City FL 32025

Owner Name Veterans of Foreign Wars Phone 386-965-3242

911 Address 343 SW Forrest Lawn Lake City FL 32025

Contractors Name ownerbuilder Roger Formosa Phone 386-965-3242

Address 343 SW Forrest Lawn, Lake City, FL 32025

Fee Sample Owner Name & Address NA

Bonding Co. Name & Address NA

Architect/Engineer Name & Address Will Myers/Nick Geisler

Mortgage Lenders Name & Address NA

Click the correct power company - FL Power & Light - Clay Elec. - Suwannee Valley Elec. - Progressive Energy

Property ID Number 17-45-17-08421-000 Estimated Cost of Construction 4,600.00

Subdivision Name _____ Lot _____ Block _____ Int _____ Phase _____

Driving Directions 441 S, Ron Forrest Lawn, building on left

about 1/2 mile

Type of Construction addition to a club lodge Number of Existing Dwellings on Property 1

Total Creage 5 Lot Size 5 AC Do you need a - Culvert Permit or Culvert Waiver or have an Existing Drive

Actual Distance of Structure from Property Lines - Front 110' Side 100' Side 200' Rear 213'

Total Building Height 17'3" Number of Stories 1 Heated Floor Area 0 Roof Pitch 5-12

Application is hereby made to obtain a permit to do work and installations as indicated. I certify that no work or installation has commenced prior to the issuance of a permit and that all work be performed to meet the standards of all laws regulating construction in this jurisdiction.

OWNER'S AFFIDAVIT: I hereby certify that all the foregoing information is accurate and all work will be done in compliance with all applicable laws and regulating construction and zoning.

WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOU PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT.

Owner Builder or Authorized Person by Notarized Letter _____ Contractor Signature _____

STATE OF FLORIDA _____ Linda R. Roder _____ Contractors License Number _____

COUNTY OF COLUMBIA _____ Commission #DD303 _____ Competency Card Number _____

Sworn to (or affirmed) and subscribed before me _____ Expires: Mar 24, 2008 _____ NOTARY STAMP/SEAL _____

this _____ day of _____ 20 _____ Bonded Thru _____

Personally known _____ or Produced Identification _____ Atlantic Bonding Co., Inc. _____

Notary Signature _____ (Revised Sept. 2006)

NOTORIZED DISCLOSURE STATEMENT

FOR OWNER/BUILDER WHEN ACTING AS THEIR OWN CONTRACTOR AND CLAIMING EXEMPTION OF CONTRACTOR LICENSING REQUIREMENTS IN ACCORDANCE WITH FLORIDA STATUTES, ss. 489.103(7).

State law requires construction to be done by licensed contractors. You have applied for a permit under an exemption to that law. The exemption allows you, as the owner of your property, to act as your own contractor with certain restrictions even though you do not have a license. You must provide direct onsite supervision of the construction yourself. You may build or improve a one-family or two-family residence or a farm outbuilding. You may also build or improve a commercial building, provided your costs do not exceed \$75,000. The building or residence must be for your own use or occupancy. It may not be built or substantially improved for sale or lease. If you sell or lease a building you have built or substantially improved yourself within 1 year after the construction is complete, the law will presume that you built or substantially improved it for sale or lease, which is a violation of this exemption. You may not hire or employ an unlicensed person to act as your contractor or to supervise people working on your building. It is your responsibility to make sure that people employed by you have licenses required by state law and by county or municipal licensing ordinances. You may not delegate the responsibility for supervising work to a licensed contractor who is not licensed to perform the work being done. Any person working on your building who is not licensed must work under your direct supervision and must be employed by you, which means that you must deduct F.I.C.A. and withholding tax and provide workers' compensation for that employee, all as prescribed by law. Your construction must comply with all applicable laws, ordinances, building codes, and zoning regulations.

TYPE OF CONSTRUCTION

- Single Family Dwelling
- Farm Outbuilding

- Two-Family Residence
- Other _____

NEW CONSTRUCTION OR IMPROVEMENT

- New Construction

- Addition, Alteration, Modification or other Improvement

I, _____, have been advised of the above disclosure statement for exemption from contractor licensing as an owner/builder. I agree to comply with all requirements provided for in Florida Statutes ss.489.103(7) allowing this exception for the construction permitted by Columbia County Building Permit Number _____

Roger Forno
Owner Builder Signature _____ Date _____



Linda R. Roder
Commission #DD303275
Expires: Mar 24, 2008
Bonded Thru
Atlantic Bonding Co., Inc.

The above signer is personally known to me or produced identification

Notary Signature Linda R. Roder Date 7-12-07

(Stamp Seal)


FOR BUILDING USE ONLY

I hereby certify that the above listed owner/builder has been notified of the disclosure statement in Florida Statutes ss 489.103(7).

Date _____ Building Official/Representative _____

Veterans of Foreign Wars Site Plan

17-45-17-08421-000



> Print as PDF <<

 E ; NW COR OF SW1/4 OF SE1/4, VETERANS OF FOREIGN WARS 17-4S-17-08421-000 Columbia County
 R I E 546.96 FT TO N R/W POST NO 2206 OF CAF
 C -131, SW ALONG R/W 770.24 FT PO BOX 276 PRINTED 5/11/2007 13:44 E
 T W LINE OF SW1/4 OF SE1/4, LAKE CITY, FL 32056 APPR 4/27/2004 DF

 E 009500 PRIV CLUB AE? N 2911 HTD AREA 88.015 INDEX 17417.00 DIST 2 PUS : 007700 C J
 M 4 COMMERCIAL BATH 3075 EFF AREA 37.846 E-RATE 100.000 INDX STR 17- 4S- 17
 E 19 COMMON BRK FIXT 6 116376 RCN 1976 AYB MKT AREA 06 5
 R 03 GABLE/HIP 3DRM 55.00 %GOOD 64,006 B BLDG VAL 1976 EYB (PUD1
 R 03 COMP SHNGL JNTS 5 -----
 % N/A -W% 3 FIELD CK: 3 NTCD
 I W 04 PLYWOOD IGHT 8 3 3 LOC: 3 APPR CD
 % N/A PMTR 3 +---16---+ 3 CNDO 4
 F R 12 HARDWOOD STYS 1.0 3 1USP19931 3 BLK
 % N/A ECON 3 4 4 3 LOT
 H P 04 AIR DUCTED FUNC 3 +---16---+-----35-----+-----20---+6+ 3 MAP#
 A : 03 CENTRAL 3PCD 3 IBAS1993 IBAS2002 IFOP2002 3 10
 C AL 05 05 DEPR 06 3 I I I I 3 TXDT 002
 F ON N/A JD-1 N/A 3 I I I I 3
 S E ALL JD-2 N/A 3 I I I I 3 ----- BIG TRAVERSE -
 C IL 02 F.NOT SUS JD-3 N/A 3 4 4 4 3 BAS1993=W35 USP1993=N14 W16
 A H N/A JD-4 N/A 3 1 1 1 3 S41 E51 BAS2002= E20 FOP200 =
 F 4E 02 WOOD FRAME JD-5 N/A 3 I I I I 3 1\$ N41W20 S41\$ N4.\$.
 K H N/A JD-6 N/A 3 I I I I 3
 W O N/A JD-7 N/A 3 I I I I 3
 C AS N/A JD-8 N/A 3 I I I I 3
 C : N/A JD-9 N/A 3 +-----51-----+-----20---+6+ 3
 C ID 03 03 % N/A 3
 S 3 A-AREA % E-AREA SUB VALUE 3
 E 93 2091 100 2091 43524 3
 U 93 224 40 90 1873 3
 E 02 820 100 320 17068 3
 F 02 246 30 74 1541 3
 T AL 3381 3075 64006 -----
 ----- EXTRA FEATURES ----- FIELD CK: -----
 A BN CODE DESC LEN WID HGHT QTY QL YR ADJ UNITS UT PRICE ADJ UT PR SPCD % %GOOD

 LAND DESC ZONE ROAD {UD1 {UD3 FRONT DEPTH FIELD CK:
 A CODE TOPO UTIL {UD2 {UD4 BACK DT ADJUSTMENTS UNITS UT PRICE ADJ UT PR A
 N 007700 CLUB 1.00 1.00 1.00 1.00 5.000 AC 15912.000 15912.00
 007

NOTICE OF COMMENCEMENT FORM
COLUMBIA COUNTY, FLORIDA

Linda Roder
387 SW Kemp Ct Lake City FL 32024

*****THIS DOCUMENT MUST BE RECORDED AT THE COUNTY CLERKS OFFICE BEFORE YOUR FIRST INSPECTION.*****

THE UNDERSIGNED hereby gives notice that improvement will be made to certain real property, and in accordance with Chapter 713, Florida Statutes, the following information is provided in this Notice of Commencement.

Tax Parcel ID Number 17-45-17-08421-000

1. Description of property: (legal description of the property and street address or 911 address)

343 SW Forrest Lawn Lake City FL 32025

2. General description of improvement: addition to lodge- Club

3. Owner Name & Address Veterans of Foreign Wars

343 SW Forrest Lawn Lake City FL 32025 Interest in Property Club-lodge

4. Name & Address of Fee Simple Owner (if other than owner): NA

5. Contractor Name Roger Formosa -owner builder Phone Number 386-965-3242

Address _____

6. Surety Holders Name NA

Phone Number _____

Address _____

Amount of Bond _____

Inst: 200712015600 Date: 7/13/2007 Time: 11:44 AM

J. P. DeWitt Cason, Columbia County Page 1 of 1

7. Lender Name NA

Phone Number _____

Address _____

8. Persons within the State of Florida designated by the Owner upon whom notices or other documents may be served as provided by section 718.13 (1)(a) 7; Florida Statutes:

Name NA

Phone Number _____

Address _____

9. In addition to himself/herself the owner designates NA of

_____ to receive a copy of the Lienor's Notice as provided in Section 713.13 (1) -

(a) 7. Phone Number of the designee _____

10. Expiration date of the Notice of Commencement (the expiration date is 1 (one) year from the date of recording, (Unless a different date is specified) _____

NOTICE AS PER CHAPTER 713, Florida Statutes:

The owner must sign the notice of commencement and no one else may be permitted to sign in his/her stead.

Roger Formosa
Signature of Owner

Constantin



Linda R. Roder
Commission #DD303275
Expires: Mar 24, 2008
Bonded Thru
Atlantic Bonding Co., Inc.

Sworn to (or affirmed) and subscribed before
day of July 12, 2007

NOTARY STAMP/SEAL

Linda R. Roder
Signature of Notary



VFW

STATE OF FLORIDA
DEPARTMENT OF HEALTH


APPLICATION FOR ONSITE SEWAGE DISPOSAL SYSTEM CONSTRUCTION PER IIT

Permit Application Number

01-5169

PART II - SITE PLAN

Scale: Each block represents 5 feet and 1 inch = 50 feet.



Notes:

Site Plan submitted by: Linda Roder *Linda Roder* 7-12-07
 Signature Title Date
 Plan Approved Not Approved Date ag st
 E. Sally Ford - ES II **Columbia CHD** County Health Department

ALL CHANGES MUST BE APPROVED BY THE COUNTY HEALTH DEPARTMENT

VFW



VETERANS OF FOREIGN WARS OF THE U.S.
VFW POST 2206
P.O. Box 276
Lake City, Florida 32056

DATE: July 18, 2007
TO: Columbia County Building & Zoning
FROM: Roger Formosa, Commander
VFW Post 2206
SUBJECT: Permits

Please accept this as notification that as
Commander of VFW Post 2206 in Lake City, Fl., I
am authorized to pull permits in the name of the
Post.


Roger Formosa, Commander VFW Post 2206

metal Roofing

FL3576	MILLENNIUM METALS INC.	Roofing	Non-structural Metal Roofing	Schaefer, P.E. (561) 775-4902	<input checked="" type="checkbox"/> Evaluation Report - Hardcopy Received
--------	------------------------	---------	------------------------------	----------------------------------	---

Page:

Page 1 / 1



Copyright and Disclaimer: ©2000 The State of Florida. All rights reserved.

msj

CALCULATIONS FOR
ATTACHMENTS FOR
RIB PANELS

29 & 26 Gauge

FOR

**MILLENNIUM
METALS, INC.**

1888 HANES STREET EXPRESSWAY • JACKSONVILLE, FL 32202
904-953-8888 • WATS 1-877-953-7888 (TOLL FREE)
FAX 904-953-8885

Greatest Mean Height 30' Exposure B
Pitches 3/12 to 12/12

BY
[Signature]
2/19/2003

ZON	TYPE OF FASTENER	ATTACHMENT MATERIAL	FASTENER SIZE	WIND SPEED			
				140 MPH	110 MPH	120 MPH	140 MPH
			ON CENTER SPACING	ON CENTER SPACING	ON CENTER SPACING	ON CENTER SPACING	
704	WOOD	EXISTING 1/2" TIMBER					
704	SCREEN	DECK WITH BATTENS	#8 x 3 1/2"	16" O.C.	16" O.C.	16" O.C.	16" O.C.
704	SCREEN	1/2" THICK BATTENS	#8 x 1 1/2"	16" O.C.	16" O.C.	16" O.C.	16" O.C.
704	SCREEN	PLYWOOD 2x4 RAFTERS	#8 x 3"	24" O.C.	24" O.C.	24" O.C.	24" O.C.
	NETS	12 THROUGH #12 x 1"		16" O.C.	16" O.C.	16" O.C.	16" O.C.
	SCREEN	18 GAUGE		16" O.C.	16" O.C.	16" O.C.	SEE NOTE
		20 THROUGH #1 1/2"		16" O.C.	16" O.C.	16" O.C.	
		26 GAUGE					

TYPICAL ATTACHMENT: 12 9" O.C. EXCEPT AS NOTED

NOTE - DOUBLE SCREENS @ 20" O.C. WITH ROWS OF 16" PER DETAIL C

** BATTENS 2x4 ATTACHED OVER 1/2" PLYWOOD 12" O.C. WITH A #8 x 3" RING SHANK FASTENER

2x4 OPEN BAFK ATTACHMENT OF BATTENS ARE THE RESPONSIBILITY OF THE ENGINEER OF THE POST FRAME APPLICATION.

RIB PANEL FASTENING RECOMMENDATIONS (ON RIBS)

A) **Positive**

NOT: MAIN ATTACHMENT IS THROUGH MAJOR RIB

DETAIL B
FIELD PURLIN
ATTACHMENT @ 1/2"
WOOD FASTENER



DETAIL C
S. ROSS & B (CLAP)
1/2" WOOD FR. TIMBER



[Signature]
3/19/2003

[Handwritten signature]

DOI J. KELLEY, JR., P.E.
Consulting Structural Engineer
JACKSONVILLE, FLORIDA

DAK

DATE 2/2003

JOB TITLE MILLENNIUM

JOB NO. 212

DOLE J. KELLEY, JR., P.E.
Consulting Structural Engineer
JACKSONVILLE, FLORIDA

JOB TITLE MILLENNIUM

JOB NO. SH 4 of 8

CALCULATED BY DUK DATE 2/2003
CHECKED BY _____ DATE _____
SCALE _____

SUBJECT RIB PANELS

R.I.B. PANELS CONT:

- ZON 1 = -24.8 #/ft²
- ZON 2 = -40.1 #/ft²
- ZON 3 = -55.0 #/ft²

WOOD SCREWS

- #11 MAOR = PULL OUT CAPACITY = 121 #
- 9" x 1/2" = 1.0" x 55 = 55 # < 121
- #12 WOOD = PULL OUT CAPACITY = 152 #
- 7" x 1/2" = 1.0" x 55 = 55 # < 152

FLORIDA BUILDING CODE - BUILDING

1606.2.5 Components and cladding. Pressure for wind loading actions on components and cladding shall be determined from Table 1606.2B for enclosed portions of the building and Table 1606.2C for overhangs, based on the effective area for the element under consideration. The pressures in Table 1606.2C include internal pressure. The pressure shall be applied in accordance with the loading diagrams in Figure 1606.2c.

2x4 BATTENS @ 24" O.C.

- 1 1/2" OUT CAPACITY = 364 #
- 1 1/2" x 24" = 1.5" x 95 = 142.5 # < 364

SCREWS INTO METAL DECK

- #12 THRU 18 GA. = CAPACITY = 210 #
- #14 THRU 26 GA. = CAPACITY = 611 #

MAX RIB OUT = 75 x 1.33 x 55 = 55 # < 611 #

[Handwritten signature]

DOL J. KELLEY, JR., P.E.
Consulting Structural Engineer
JACKSONVILLE, FLORIDA

JOB TITLE MILLENNIUM

JOB NO. _____

CALCULATED BY DJK DATE 2/2003

CHECKED BY _____ DATE _____

SUBJECT RIB PANELS

SH 5 OF 8

SKETCH NO. _____ SCALE _____

1) RIB PANELS

120 LIPK - WPCET

2) WE 1 = -25.9%

2) WE 2 = -50.1%

2) WE 3 = -65.4%

2) TRUSS - PULL OUT CAPACITY = 121

9" x 10" = 1.0 x 65.4% = 65.4% < 121

3) WOOD - PULL OUT CAPACITY = 152

9" x 16" = 1.0 x 65.4% = 65.4% < 152

2) 4 BATTENS @ 29" O.C.

PULL OUT CAPACITY = 96.4

MAX IPHET = .75 x 2 x 65.4% = 98.1

3) SCREWS INTO METAL

#1 - 1/2" GAUGE = 210

#1 - 2" GAUGE = 61 < 65.4

1) 200 E 3 - 1.25 9 x 1.0 = .75 x 65.4% = 49 < 61

[Handwritten signature and date]
4/25/03

DOLE KELLEY, R., P.E.
Consulting Structural Engineer
JACKSONVILLE, FLORIDA

JOB TITLE MILLENNIUM

CALCULATED BY: DJK DATE: 2003
CHECKED BY: _____ DATE: _____
SKETCHED BY: _____ SCALE: _____

SUBJECT RIB PANELS JOB NO. _____
PAGE 10 OF 8

RIB PANELS CONT.

1. O.N.E.H.

- ZONE 1 = - 35.3 [#]/₁₆
- ZONE 2 = - 68.1 [#]/₁₆
- ZONE 3 = - 89.0 [#]/₁₆

1/2" T. LUMBER PULL OUT CAPACITY = 121 [#]
LIFT = 1" x 16" = 16" x 89.0 [#]/₁₆ = 89.0 [#] < 121 [#]

5/8" P. WOOD PULL OUT CAPACITY = 152 [#]
UP LIFT = 1" x 16" = 16" x 89.0 [#]/₁₆ = 89.0 [#] < 152 [#]

2 X 4 BATTENS @ 24" O.C. 1
PULL OUT CAPACITY = 364 [#]
LIFT = 9" x 24" FLG x 89.0 [#]/₁₆ = 132 [#] < 364 [#]

SCREWS INTO METAL

#16 → 16 GAUGE = 210 [#] / SCREW

#14 → 20 GAUGE = 61 [#] / SCREW

IN ZONE 3, DOUBLE UP ON SCREWS ON EACH SIDE OF RIBS.

9" |
O 375 x 133 = 5" x 89.0 [#]/₁₆ = 445 [#] / SCREW < 610 [#]

Handwritten notes and signatures at the top right of the page.

DOLE J. ELLEY, JR., P.E.
 Consulting Structural Engineer
 JACKSONVILLE, FLORIDA

JOB TITLE MILLENNIUM

JOB NO. _____

CALCULATE BY DJK DATE 2/2003

SUBJECT RIB PANELS


SH. 7 OF 8

CHECKED BY _____ DATE _____
 SKETCHING _____ SCALE _____

UPLIFT VALUES:

TABLE 1606.2
 COMPONENT AND CLADDING WIND LOADS FOR A BUILDING WITH A MEAN ROOF HEIGHT
 OF 20 FEET LOCATED IN EXPOSURE B (s)

Roof	Roof Slope (°)	Basic Wind Speed V (mph) - 3 second gust																	
		20	30	40	50	60	70	80	90	100									
Roof Angle = 0-30 degrees																			
1	10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0
1	20.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0
1	30.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0
2	10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0
2	20.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0
2	30.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0
3	10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0
3	20.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0
3	30.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0
4	10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0
4	20.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0
4	30.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0
5	10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0
5	20.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0
5	30.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0
Roof Angle = 30-45 degrees																			
1	10.0	10.0	-11.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0
1	20.0	10.0	-11.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0
1	30.0	10.0	-11.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0
2	10.0	10.0	-11.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0
2	20.0	10.0	-11.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0
2	30.0	10.0	-11.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0
3	10.0	10.0	-11.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0
3	20.0	10.0	-11.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0
3	30.0	10.0	-11.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0
4	10.0	10.0	-11.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0
4	20.0	10.0	-11.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0
4	30.0	10.0	-11.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0
Roof Angle = 45-60 degrees																			
1	10.0	11.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0
1	20.0	11.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0
1	30.0	11.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0
2	10.0	11.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0
2	20.0	11.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0
2	30.0	11.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0
3	10.0	11.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0
3	20.0	11.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0
3	30.0	11.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0
4	10.0	11.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0
4	20.0	11.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0
4	30.0	11.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0	10.0	-10.0



1606.2 Edge strip and end zones. The width of the edge strip (a), as shown in Figure 1606.2 (c), shall be at least horizontal dimension or 40% of the eave height, whichever is less but not less than either 4% of the horizontal dimension or 3 feet (914 mm). End zones as shown in Figure 1606.2(b) shall be twice the width of the edge strip (a).

FIGURE 100100
COMPONENT AND GLASSING LOADING DIAGRAM

DOUGLAS G. DALLEY, JR., P.E.
Consulting Structural Engineer
JACKSONVILLE, FLORIDA

JOB TITLE MILLENNIUM

JOB NO. _____
SH. 8 OF 8

CALCULATED BY DJK DATE 2/2003
CHECKED _____ DATE _____
SKETCHED _____ SCALE _____

SUBJECT RIB PANELS

DESIGN	MIN	VALUES																		

Table 2.2.2 Frequently Used Load Duration Factors, C_d


Load Duration	C_d	Typical Design Loads

XX
Glazed Opening Unit

MAD-WL-JH1162-02

WOOD-EDGE STEEL DOORS

APPROVED ARRANGEMENT:



Note:
Units of other sizes are covered by this report as long as the panels used do not exceed 5'0" x 6'6".

Double Door
Minimum unit size = 6'0" x 6'0"

Design Pressure
+40.5/-40.5

Limited water unless special threshold design is used.

Large Glass Impact Resistance

Hurricane protective system (shutters) is REQUIRED.

Actual design pressure and impact resistant requirements for a specific building design and geographic location is determined by ASCE 7-section, state or local building codes specify the criteria required.

MINIMUM ASSEMBLY DETAIL:

Compliance requires that minimum assembly details have been followed - see MAD-WL-MA0012-02 and MAD-WL-MA0041-02.

MINIMUM INSTALLATION DETAIL:

Compliance requires that minimum installation details have been followed - see MID-WL-MA0002-02.

APPROVED DOOR STYLES:

1/4 GLASS:



1/2 GLASS:



*This glass kit may also be used in the following door styles: 5-panel; 6-panel with egress; Egress 5-panel; Egress 6-panel with egress.


Johnson
Window Systems

March 20 2002
Our window products are made to order and subject to change without notice.


Exclusively from
PREMDOR
Premium Quality Doors

Masonite
Masonite International Corporation

**GLASS INSERT IN DOOR
OR SIDELITE PANEL**



**SECTION A-A
TYPICAL RIGID PLASTIC LIP LITE SURROUND**



March 29, 1982
Our entire program of product improvement makes specifications change and subject to change without notice.




Masonite International Corporation

XX
Glazed / Latching Unit

PDF GENERATED

WOOD-EDGE STEEL DOORS

APPROX 3 DOOR STYLES: 3/4 GLASS:



404 Series



409 Series



408 Series

FULL GLASS:



100 Series



114, 120, 122 Series



102 Series



140 Series



100 Series

CERTIFYING TEST REPORTS:

NCTL 210-1887-7, 8, 9, 10, 11, 12; NCTL 210-1884-5, 6, 7, 8; NCTL 210-2178-1, 2, 3

Certifying Engineer and License Number: Barry D. Portney, P.E. / 16258.

Unit Tested in Accordance with Miami-Dade BCCO PA202.

Evaluation report NCTL-210-2794-1

Door panels constructed from 26-gauge 0.017" thick steel skins. Both sides constructed from wood. Top end rails constructed of 0.041" steel. Bottom end rails constructed of 0.021" steel. Interior cavity of slab filled with rigid polyurethane foam core. Slab glazed with insulated glass mounted in a rigid plastic lip like surround.

Frame constructed of wood with an extruded aluminum bumper threshold.

PRODUCT COMPLIANCE LABELING:

TESTED IN
ACCORDANCE WITH
MIAMI-DADE BCCO PA202
COMPANY NAME
CITY, STATE

To the best of my knowledge and ability the above side-hinged exterior door unit conforms to the requirements of the 2001 Florida Building Code, Chapter 17 (Structural Tests and Inspections).

Kurt L. Balhazor

State of Florida, Professional Engineer
Kurt Balhazor, P.E. - License Number 56633

Johanson
Door Systems

March 29, 2002
Our entire program of product improvement relies upon qualified, design and product development to change without notice.


FREDDERICK
Premium Quality Doors

Exclusively from
Masonite
Masonite International Corporation


XX
Unit

**OUTSWING UNITS WITH
DOUBLE DOOR**


TYPICAL I WIRE ATTACHMENT



TYPICAL ASTRAGAL PROFILES



ALIGN THE EXTRUDED ASTRAGAL (LIFT MINIMUM WALL THICKNESS) WITH ADDED REINFORCEMENT MESHES AT TOP EXTERIOR SILL, BOTTOM EXTERIOR SILL AND CHAMFERED ANGLE IRON LOCATIONS. ATTACH WITH 3/8 X 1 1/2 PAN HEAD SCREWS - LOCATE 1 FROM EACH END UNSECURED AND 2\"/>




**TYPICAL HEADER &
SIDE JAMB ATTACHMENT**



Ø FOR 7\"/>

**TYPICAL THRESHOLD &
SIDE JAMB ATTACHMENT**




March 2, 2002
Current: No program of product improvement unless specifications
changes published subject to change without notice.



Exclusively from
Masonite
Masonite International Corporation

XX
Unit

DOUBLE DOOR



- 6 per vertical framing member
 - 8 per horizontal framing member
- Hinge and strike plates require two 2-1/2" long screws per location.

Fastening Hardware:

- Compliance requires that GRADE 2 or better (ANSI/ASMA A156.2) cylindrical and deadlock hardware be installed.

Notes:

1. Anchor calculations have been carried out with the lowest (least) fastener rating from the different fasteners being considered for use. Fasteners used for this unit include #8 and #10 wood screws or 3/16" Tapcons.
2. The wood screw single shear design values come from Table 11.3A of ANSI/APA & PA NDS for southern pine lumber with a side member thickness of 1-1/4" and achievement of minimum embedment. The 3/16" Tapcon single shear design values come from the ITW and ELCO Dade County app notes respectively, each with minimum 1-1/4" embedment.
3. Wood bucks by others, must be anchored properly to transfer loads to the structure.

March 21 2002
Our continuing program of product improvement makes specifications, product and design subject to change without notice.



CHERRYBROOK ENGINEERS & ARCHITECTS P.A.

OCCUPANCY

COLUMBIA COUNTY, FLORIDA

Department of Building and Zoning Inspection

This Certificate of Occupancy is issued to the below named permit holder for the building and premises at the below named location, and certifies that the work has been completed in accordance with the Columbia County Building Code.

Parcel Number 17-4S-17-08421-000

Building permit No. 000026038

Use Classification ADDITION TO CLUB

Fire: 0.00

Permit Holder ROGER FORMOSA

Waste: _____

Owner of Building VETERANS OF FOREIGN WARS

Total: 0.00

Location: 343 SW FORREST LAWN, LAKE CITY, FL 32025

Date: 10/05/2007

Hang Tzika

Building Inspector



POST IN A CONSPICUOUS PLACE
(Business Places Only)