
PERMIT APPLICATION / MANUFACTURED HOME INSTALLATION APPLICATION

For Office Use Only (Revised 6-23-05) Zoning Official But 08.03 (Building Official OK 57)
AP# (Na)2-84 Date Received © 923/06 By W Permit # 242/9
Flood Zone X Mr Sw Development Permit N/A Zoning A-3 Land Use Plan Map Category A-3
Comments
(CC* 3/97)
FEMA Map# Elevation Finished Floor River In Floodway
Site Plan with Setbacks Shown EEH Signed Site Plan AEH Release Well letter AE Existing well
Copy of Recorded Deed or Affidavit from land owner Letter of Authorization from installer
Property ID #
Property ID # Must have a copy of the property deed
New Mobile Home
- Applicant Laura Swinder Phone # 386-497-106 to
- Address 6434 SW CR 18 . Ft. White, F1 32038
Name of Property Owner Michael Martindale Phone# 772- 360-6383
911 Address 548 SW Hawaii Terrace Ft. White, F1 32038
Circle the correct power company - FL Power & Light - Clay Electric
(Circle One) - Suwannee Valley Electric - Progress Energy
,
Name of Owner of Mobile Home <u>Michael Markindale</u> Phone # 772-360-6393
Address 2146 79 Ave Vero Beach, Fl. 32966
Relationship to Property Owner <u>Same</u>
Current Number of Dwellings on Property
Lot Size 210 × 210 Total Acreage /./
Do you : Have an Existing Drive or need a Culvert Permit or a Culvert Waiver (Circle one)
Is this Mobile Home Replacing an Existing Mobile Home No (Dd) \$275
Driving Directions to the Property (From Lake (ity) 1-75 5 to SR 47 5), Gre
south approx. 15 mikes (cross Us. 27) Go right & Library
Jum lett @ Wilson Springs Rd. Go loft @ Pope's Gracery
The Colonial of the Colonial o
The Colonial Colonia Colonial Colonial
Homes sign in front)
Homes sign in front)



			namiage wall piers within 2' of end of home pe Rule 15C			Show locations of Longitudinal and Lateral Systems longitudinal (use dark lines to show these locations)	I understand Lateral Arm Systems cannot be used on any home (new or used) where the sidewall ties exceed 5 ft 4 in. Installer's initials /pical pier spacing	NOTE: if home is a single wide fill out one half of the blocking plan if home is a triple or quad wide sketch in remainder of home	anufacturer Clayton Length x width 56X28	idress of home 548 SW Hawaii Frace	SERWIT NUMBER
Longitudinal Stabilizing Device (LSD) Longitudinal Stabilizing Device w/Lateral Arms Manufacturer Manufacturer Manufacturer Marriage wall Marriage wall Shearwall	within 2' of end of home spaced at 5' 4" oc 22	List all marriage wall openings greater than 4 foot 26 x 26 676 and their pier pad sizes below. Opening Pier pad size ANCHORS ANCHORS 4 ft 5 ft	Je 20 × 20 1/4 20 × 20 17 3/16 × 25 3/16 17 1/2 × 25 1/2 24 × 24	 AD SIZES 7x2\SX Pad Size 16 x 16	8' 8' 8' 8' 6' 7' 8' 8' 8' 8' 8' 8' 8' 8' 8' 8' 8' 8' 8'	8 8 8 7 7 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8		serial # NHCDISILa	Wind Zone III	New Home Used Home Home installed to the Manufacturer's Installation Manual Home is installed in accordance with Rule 15-C	

nnect all sewer drains to an existing sewer tan or sentic tank. Po
Plumbing
nnect electrical conductors between multi-wide units, but not to the main power rce. This includes the bonding wire between mult-wide units. Pg
Electrical
Date Tested 2/36/0C
nstaller Name Greet Gallell
ALL TESTS MUST BE PERFORMED BY A LICENSED INSTALLER
requires anchors with 4000 lb bloking capacity. Installer's initials
Note: A state approved lateral arm system is being used and 4 ft. anchors are allowed at the sidewall locations. I understand 5 ft anchors are required at all centerline tie points where the torque test reading is 275 or less and where the mobile home manufacturer may
The results of the torque probe test is
TORQUE PROBE TEST
× ×
 Using 500 lb. increments, take the lowest reading and round down to that increment.
Take the reading at the depth of the footer.
 Test the perimeter of the home at 6 locations.
POCKET PENETROMETER TESTING METHOD
The pocket penetrometer tests are rounded down to psf or check here to declare 1000 lb. soil without testing.
POCKET PENETROMETER TEST

Type gasket _____Pg.

200

installed:

nstaller's initials

homes and that condensation, mold, meldew and buckled marriage walls are a result of a poorly installed or no gasket being installed. I understand a strip

I understand a properly installed gasket is a requirement of all new and used

will be centered over the peak of the roof and fastened with galv For used homes a fair. 3b gauge, 8" wide, galvanized metal Strip

Length: Length: Length:

Spacing: Spacing: Spacing:

roofing nails at 2"on center on both sides of the centerline.

Gasket (weatherproofing requirement)

of tape will not serve as a gasket

Walls

Roof: Floor

Type Fastener: Type Fastener:
Type Fastener: Debris and organic material removed Water drainage: Natural Swale

Site Preparation

Fasterling multi wide units

Pad

Other

Installer Signature	manufacturer's installation instructions and or Rule 15C-1 & 2	is accurate and true based on the	Installer verifies all information given with this permit worksheet			
---------------------	--	-----------------------------------	---	--	--	--

Electrical crossovers protected. Drain lines supported at 4 foot intervals.

Yes

Other:

Range downflow vent installed outside of skirting.

Ses \mathbb{X}

N A

Skirting to be installed. Yes

8 Yes

Dryer vent installed outside of skirting.

Yes

Miscellaneous

The bottomboard will be repaired and/or taped. Yes

Weatherproofing

Bottom of ridgebeam Yes Between Floors Yes
Between Walls Yes

Yes

lependent water supply systems. Pg.

nnect all potable water supply piping to an existing water meter, water tap, or other



STATE OF FLORIDA DEPARTMENT OF HEALTH

APPLICATION FOR ONSITE SEWAGE DISPOSAL SYSTEM CONSTRUCTION PERMIT

Permit Application Number _ -- PART II - SITE PLAN----Scale: Each block represents 5 feet and 1 inch = 50 feet. Site Plan submitted by: Plan Approved **Not Approved** Date **County Health Department** By_

ALL CHANGES MUST BE APPROVED BY THE COUNTY HEALTH DEPARTMENT

Jouth,

5年 第 157 AL SARE, MODIL CLEAR MESS. AND ANTIONS HAPPING CONTROL OF THE STATE OF THE STA CERTAFIED TO PHIZEST ES PARSECENT. 20139' (FELD) 2010' (PLAY) 107 BB 5 5 POST OF COMMENC P.O.P. B9 -NR-COMMER OF EXCUPTION YEACT 5 AND AN LIBOR BOUNDARY RANGE 15 11 ŧ EAST, COLUMBIA BRITT FORD IN ACCOUNTS WIN THE RETRICKANT OF THE BEST OF A THE CHANGEMENT OF A LINE CHECKLY WAYDE CHELTER'S SEER LECKIED FOR LAND SURVEYORS AND MAPPERS ABOUT HAND SOURCE AND THE LEAVE SOURCE THE S SURVEYING COLWITY, FLORIDA

Columbia County Property

Appraiser

DB Last Updated: 9/16/2005

Parcel: 00-00-00-00613-000 HX

2005 Proposed Values

Tax Record

Property Card

Interactive GIS Map

Print

Owner & Property Info

Search Result: 1 of 1

Owner's Name	KALBERER THOMAS E & LAURETTA M
Site Address	HAWAII
Mailing Address	BOX 638 FT WHITE, FL 32038
Brief Legal	LOTS 39, 40 & 41 UNIT 4 THREE RIVERS ESTATES. ORB 787-1752, 839-1396, 868-2360, 869-021,

Use Desc. (code)	MOBILE HOM (000200)
Neighborhood	100000.04
Tax District	3
UD Codes	MKTA02
Market Area	02
Total Land Area	3.036 ACRES

Property & Assessment Values

Mkt Land Value	cnt: (4)	\$17,300.00
Ag Land Value	cnt: (0)	\$0.00
Building Value	cnt: (1)	\$24,341.00
XFOB Value	cnt: (1)	\$1,500.00
Total Appraised Value		\$43,141.00

Just Value		\$43,141.00
Class Value		\$0.00
Assessed Value		\$37,832.00
Exempt Value	(code: HX)	\$25,000.00
Total Taxable Value		\$12,832.00

Sales History

Sale Date	Book/Page	Inst. Type	Sale VImp	Sale Qual	Sale RCode	Sale Price
3/1/1994	787/1752	WD	I	U	12	\$6,000.00
10/1/1986	604/532	AA	V	U	01	\$6,000.00
10/1/1986	604/532	AA	V	U	01	\$6,000.00

Building Characteristics

Bldg Item	Bldg Desc	Year Blt	Ext. Walls	Heated S.F.	Actual S.F.	Bldg Value		
1	MOBILE HME (000800)	1990	Vinyl Side (31)	1152	1552	\$24,341.00		
	Note: All S.F. calculations are based on exterior building dimensions.							

Extra Features & Out Buildings

Code	Desc	Year Bit	- Value	Units	Dims	Condition (% Good)
0200	GARAGE F	0	\$1,500.00	1.000	0 x 0 x 0	(.00)

Land Breakdown

Lnd Code	Desc	Units	Adjustments	Eff Rate	Lnd Value
000102	SFR/MH (MKT)	1.000 LT - (1.012AC)	1.00/1.00/1.00/1.00	\$5,100.00	\$5,100.00
000000	VAC RES (MKT)	1.000 LT - (1.012AC)	1.00/1.00/1.00/1.00	\$5,100.00	\$5,100.00
000000	VAC RES (MKT)	1.000 LT - (1.012AC)	1.00/1.00/1.00/1.00	\$5,100.00	\$5,100.00
009945	WELL/SEPT (MKT)	1.000 UT - (.000AC)	1.00/1.00/1.00/1.00	\$2,000.00	\$2,000.00

Columbia County Property Appraiser

DB Last Updated: 9/16/2005

Martindale Locator 548 SW Hawaii Terrace Ft White, Fl 32038 From Tradition Homes Lot -U.S. 27 M to SR 47-go left. Make a right @ Wilson Springs Rd. Go left @ stop sign (still Wilson Spring Rd) Make a left & Pope's Grovery Stone Make a right Q. Towa, then a right on Hawaii Jerroce. -Property is 2nd 6+ on left side Michael Martindale's cellt 772-360-6393

SIMESAIRS A

Columbia County Property Appraiser DB Last Updated: 2/10/2006

Parcel: 00-00-00-00613-039 **Owner & Property Info**

 Owner's Name	MARTINDALE MICHAEL & PATRICIA
 Site Address	HAWAII
 Mailing Address	2146 79TH AVE VERO BEACH, FL 32966
Brief Legal	LOT 39 UNIT 4 THREE RIVERS ESTATES. ORB 787-1752, 839-1396, 868-2360, 869-021,

2006 Proposed Values

7 TO I SREJ

Tax Record Property Card Interactive GIS Map Print

Search Result: 1 of 1

Property & Assessment Values

7 I		
	grt: (0)	XFOB Value
\$0.00 As	ant: (0)	Building Value
\$0.00 CH	art: (0)	Ag Land Value o
\$15,300.00 Ju	cnt: (1)	Mikt Land Value c

Use Desc. (code)	VACANT (000000)
Neighborhood	100000,04
Tax District	3
UD Codes	MKTA02
Market Area	02
Total Land Area	1.012 ACRES
-	

lust Value otal Taxable xempt Value seesed Value lass Value \$15,300.00 \$15,300.00 \$15,300.00 \$0.00 \$0.00

Sales History

Sale Date	BookPage	Inst. Type	Sale Vimp	Sale Qual	Sale RCode	Sale Price
1/20/2006	1071/2108	GIN	٧	Q		\$27,000.00
3/1/1994	787/1752	dip.	1	U	12	\$6,000.00
10/1/1986	604/532	AA	A	c	01	\$6,000.00
Building Characteristics	tics					

	Bidg Item
	Bldg Desc
	Year Bit
NONE	Ext. Walks
	Heated S.F.
	Actual S.F.
	Bldg Value

Land Breakdown

Extra Features & Out Buildings

Code

Desc

Year Bit

Value

Dims

Condition (% Good)

NONE Salut Salut

Lind Code	Desc	Units	Adjustments .	Eff Rate	Lnd Value
000000	VAC RES (MKT)	1.000 LT - (1.012AC)	1.00.1/00.1/00.1	\$15,300.00	\$15,300.00

Columbia County Property Appraiser

DB Last Updated: 2/10/2006


MOBILE HOME INSTALLER AFFIDAVIT

As per Florida Statutes Section 320.8249 Mobile Home Installers License:

Any person who engages in mobile home-installation shall obtain a mobile home installer's license from the Bureau of Mobile Home and Recreational Vehicle Construction of the Department of Highway Safety and Motor Vehicles pursuant to this section. Said license shall be renewed annually, and each licensee shall pay a fee of \$150.

Please Print	license number IH 000079
do hereby state that the installation of the manu	
$\sim \sim $	8 SW Hawaii Ferrace Fy
will be done under my supervision.	911 Address 320.
Jerry Confeeth Signature	
Sworn to and subscribed before me this 22 concerns of the subscrib	day of Seb.
My Commission Expires:	
TREEA A. FOSTER Notary Public - State of Flor My commission Expires Dec 1, Commission # DD495981	ida 2009

Bonded By National Notary Assr



10314 U.S. Hwy. 90 East • Live Oak, FL 32060 (386) 362-4948 • Fax (386) 364-1979

Jerry Corbett's Mobile Home Installers give permission to <u>Fradehor Homes Laura Suradell</u> to pull all permits necessary for mobile home to be installed.		
Make	Clayton	
Year	2006	
Size	28X56	
S/N# _	5163	

Jerry Corbett Licenses#IH0000790 Date

Notary

Sworn before me this 2/ day of 46. 2006 County of Columbia.

Seal



COLUMBIA COUNTY 9-1-1 ADDRESSING

P. O. Box 1787, Lake City, FL 32056-1787 PHONE: (386) 758-1125 * FAX: (386) 758-1365 * Email: ron_croft@columbiacountyfla.com

Addressing Maintenance

To maintain the Countywide Addressing Policy you must make application for a 9-1-1 Address at the time you apply for a building permit. The established standards for assigning and posting numbers to all principal buildings, dwellings, businesses and industries are contained in Columbia County Ordinance 2001-9. The addressing system is to enable Emergency Service Agencies to locate you in an emergency, and to assist the United States Postal Service and the public in the timely and efficient provision of services to residents and businesses of Columbia County.

DATE REQUESTED:

2/3/2006

DATE ISSUED:

2/14/2006

ENHANCED 9-1-1 ADDRESS:

548

SW HAWAII

TER

FORT WHITE

FL 32038

PROPERTY APPRAISER PARCEL NUMBER:

00-00-00-00613-000

Remarks:

LOT 39, UNIT 4, THREE RIVERS ESTATES S/D

Address Issued By:

Columbia County 9-1-1 Addressing / GIS Department

NOTICE: THIS ADDRESS WAS ISSUED BASED ON LOCATION INFORMATION RECEIVED FROM THE REQUESTER. SHOULD, AT A LATER DATE, THE LOCATION INFORMATION BE FOUND TO BE IN ERROR, THIS ADDRESS IS SUBJECT TO CHANGE.

1 1

Dependable Well Drilling 2139 NW 50th Street Bell Fl. 32619 Ph.386-935-3042 Fax.386-935-0087

March 3rd 2006

We will be drilling a 4" water well for Micheal Martin Dale. It well have 1H pump with cycle stop & 4" PVC casing.

Thank You

Ilpendalde Well Drilling clnc. Martindale STATE OF FLORIDA DEPARTMENT OF HEALTH APPLICATION FOR ONSITE SEWAGE DISPOSAL SYSTEM CONSTRUCTION PERMIT

Permit Application Number 0 -0181 and 1 inch = 40 feet 2/0' 210' Scale: Each block represents 10 feet and 1 inch = 40 feet SED 3 134 1568 501 3 W V, Notes: Site Plan submitted by: Plan Approved Not Approved

enlaces HRS-H Form 4016 which may be used)

ALL CHANGES MUST BE APPROVED BY

DH 4015, 10/96 (Replaces HRS-H Form 4016 which may be used) (Stock Number: 5744-002-4015-6)

By

Page 2 of 4

County Health Department



0ののとすと 2の1

COLUMBIA COUNTY, FLORIDA

Department of Building and Zoning Inspection
This Certificate of Occupancy is issued to the below named permit holder for the building

accordance with the Columbia County Building Code. and premises at the below named location, and certifies that the work has been completed in

Parcel Number 36-6S-15-00613-000

Building permit No. 000024219

Permit Holder JERRY CORBETT

Owner of Building MICHAEL MARTINDALE

Location: 548 SW HAWAII TERRACE, FT. WHITE, FL

Date:

04/05/2006

Hamy Dicke

Building Inspector

POST IN A CONSPICUOUS PLACE (Business Places Only)