

FLORIDA ENERGY EFFICIENCY CODE FOR BUILDING CONSTRUCTION

Florida Department of Business and Professional Regulation - Residential Performance Method

Project Name: Hubbart In-Law Suite
 Street: Crnr of SW CR 18 & Tustenuggee Ave
 City, State, Zip: Lake City, FL, 32024
 Owner: Jesse Hubbart
 Design Location: FL, Gainesville

Builder Name: Sparks Construction, Inc.
 Permit Office: Columbia County
 Permit Number:
 Jurisdiction:
 County: Columbia (Florida Climate Zone 2)

1. New construction or existing	New (From Plans)
2. Single family or multiple family	Detached
3. Number of units, if multiple family	1
4. Number of Bedrooms	2
5. Is this a worst case?	No
6. Conditioned floor area above grade (ft²)	793
Conditioned floor area below grade (ft²)	0
7. Windows (97.7 sqft.)	Description Area
a. U-Factor:	Dbl, U=0.36 97.67 ft²
SHGC:	SHGC=0.25
b. U-Factor:	N/A ft²
SHGC:	
c. U-Factor:	N/A ft²
SHGC:	
Area Weighted Average Overhang Depth:	1.500 ft.
Area Weighted Average SHGC:	0.250
8. Skylights	Area
c. U-Factor:(AVG)	N/A ft²
SHGC(AVG):	N/A
9. Floor Types (793.0 sqft.)	Insulation Area
a. Slab-On-Grade Edge Insulation	R=0.0 793.00 ft²
b. N/A	R= ft²
c. N/A	R= ft²

10. Wall Types (917.3 sqft.)	Insulation Area
a. Frame - Wood, Exterior	R=13.0 917.33 ft²
b. N/A	R= ft²
c. N/A	R= ft²
d. N/A	R= ft²
11. Ceiling Types (832.7 sqft.)	Insulation Area
a. Under Attic (Vented)	R=38.0 832.65 ft²
b. N/A	R= ft²
c. N/A	R= ft²
12. Ducts	R ft²
a. Sup: Attic, Ret: Attic, AH: Attic	6 198.25
13. Cooling systems	kBtu/hr Efficiency
a. Central Unit	10.8 SEER:14.00
14. Heating systems	kBtu/hr Efficiency
a. Electric Heat Pump	14.2 HSPF:8.20
15. Hot water systems	
a. Electric	Cap: 40 gallons
	EF: 0.920
b. Conservation features	
None	
16. Credits	CV, Pstat

Glass/Floor Area: 0.123

Total Proposed Modified Loads: 25.90

Total Baseline Loads: 26.35

PASS

I hereby certify that the plans and specifications covered by this calculation are in compliance with the Florida Energy Code.

PREPARED BY: _____

DATE: _____

I hereby certify that this building, as designed, is in compliance with the Florida Energy Code.

OWNER/AGENT: _____

DATE: _____

Review of the plans and specifications covered by this calculation indicates compliance with the Florida Energy Code. Before construction is completed this building will be inspected for compliance with Section 553.908 Florida Statutes.



BUILDING OFFICIAL: _____

DATE: _____

- Compliance requires certification by the air handler unit manufacturer that the air handler enclosure qualifies as certified factory-sealed in accordance with R403.3.2.1.
- Compliance requires an Air Barrier and Insulation Inspection Checklist in accordance with R402.4.1.1 and this project requires an envelope leakage test report with envelope leakage no greater than 5.00 ACH50 (R402.4.1.2).

INPUT SUMMARY CHECKLIST REPORT

PROJECT

Title:	Hubbart In-Law Suite	Bedrooms:	2	Address Type:	Street Address
Building Type:	User	Conditioned Area:	793	Lot #	
Owner Name:	Jesse Hubbart	Total Stories:	1	Block/Subdivision:	
# of Units:	1	Worst Case:	No	PlatBook:	
Builder Name:	Sparks Construction, Inc.	Rotate Angle:	0	Street:	Cmn of SW CR 18 & Tu
Permit Office:	Columbia County	Cross Ventilation:	Yes	County:	Columbia
Jurisdiction:		Whole House Fan:	No	City, State, Zip:	Lake City ,
Family Type:	Detached				FL , 32024
New/Existing:	New (From Plans)				
Comment:					

CLIMATE

✓	Design Location	TMY Site	Design Temp		Int Design Temp		Heating	Design	Daily Temp
			97.5 %	2.5 %	Winter	Summer	Degree Days	Moisture	Range
_____	FL, Gainesville	FL_GAINESVILLE_REGI	32	92	70	75	1305.5	51	Medium

BLOCKS

Number	Name	Area	Volume
1	Block1	793	6344

SPACES

Number	Name	Area	Volume	Kitchen	Occupants	Bedrooms	Infil ID	Finished	Cooled	Heated
1	Main	793	6344	Yes	4	2	1	Yes	Yes	Yes

FLOORS

✓	#	Floor Type	Space	Perimeter	R-Value	Area		Tile	Wood	Carpet
_____	1	Slab-On-Grade Edge Insulation	Main	114.667 ft	0	793 ft²	----	0	0	1

ROOF

✓	#	Type	Materials	Roof Area	Gable Area	Roof Color	Rad Barr	Solar Absor.	SA Tested	Emitt	Emitt Tested	Deck Insul.	Pitch (deg)
_____	1	Hip	Composition shingles	887 ft²	0 ft²	Medium	Y	0.96	No	0.9	No	0	26.57

ATTIC

✓	#	Type	Ventilation	Vent Ratio (1 in)	Area	RBS	IRCC
_____	1	Full attic	Vented	300	793 ft²	Y	N

CEILING

✓	#	Ceiling Type	Space	R-Value	Ins Type	Area	Framing Frac	Truss Type
_____	1	Under Attic (Vented)	Main	38	Double Batt	832.65 ft²	0.11	Wood

INPUT SUMMARY CHECKLIST REPORT

WALLS

✓	#	Ornt	Adjcent To	Wall Type	Space	Cavity R-Value	Width Ft	In	Height Ft	In	Area	Sheathing R-Value	Framing Fraction	Solar Absor.	Below Grade%
✓	1	S	Exterior	Frame - Wood	Main	13	34		8		272.0 ft²		0.23	0.75	0
✓	2	E	Exterior	Frame - Wood	Main	13	23	4	8		186.7 ft²		0.23	0.75	0
✓	3	N	Exterior	Frame - Wood	Main	13	34		8		272.0 ft²		0.23	0.75	0
✓	4	W	Exterior	Frame - Wood	Main	13	23	4	8		186.7 ft²		0.23	0.75	0

DOORS

✓	#	Ornt	Door Type	Space	Storms	U-Value	Width Ft	In	Height Ft	In	Area
✓	1	S	Insulated	Main	None	.46	3		6	8	20 ft²
✓	2	N	Insulated	Main	None	.46	3		6	8	20 ft²

WINDOWS

Orientation shown is the entered, Proposed orientation.

✓	#	Ornt	Wall ID	Frame	Panes	NFRC	U-Factor	SHGC	Imp	Area	Overhang Depth	Separation	Int Shade	Screening
✓	1	S	1	Vinyl	Low-E Double	Yes	0.36	0.25	N	45.0 ft²	1 ft 6 in	0 ft 6 in	None	None
✓	2	E	2	Vinyl	Low-E Double	Yes	0.36	0.25	N	9.0 ft²	1 ft 6 in	0 ft 6 in	None	None
✓	3	E	2	Vinyl	Low-E Double	Yes	0.36	0.25	N	15.0 ft²	1 ft 6 in	0 ft 6 in	None	None
✓	4	N	3	Vinyl	Low-E Double	Yes	0.36	0.25	N	20.0 ft²	1 ft 6 in	0 ft 6 in	None	None
✓	5	N	3	Vinyl	Low-E Double	Yes	0.36	0.25	N	6.0 ft²	1 ft 6 in	0 ft 6 in	None	None
✓	6	N	3	Vinyl	Low-E Double	Yes	0.36	0.25	N	2.7 ft²	1 ft 6 in	0 ft 6 in	None	None

INFILTRATION

#	Scope	Method	SLA	CFM 50	ELA	EqLA	ACH	ACH 50
1	Wholehouse	Proposed ACH(50)	.000254	528.7	29	54.45	.098	5

HEATING SYSTEM

✓	#	System Type	Subtype	Speed	Efficiency	Capacity	Block	Ducts
✓	1	Electric Heat Pump/	None	Single	HSPF:8.2	14.22 kBtu/hr	1	sys#1

COOLING SYSTEM

✓	#	System Type	Subtype	Subtype	Efficiency	Capacity	Air Flow	SHR	Block	Ducts
✓	1	Central Unit/	None	Single	SEER: 14	10.8 kBtu/hr	330 cfm	0.7	1	sys#1

HOT WATER SYSTEM

✓	#	System Type	SubType	Location	EF	Cap	Use	SetPnt	Conservation
✓	1	Electric	None	Main	0.92	40 gal	40 gal	120 deg	None

INPUT SUMMARY CHECKLIST REPORT

SOLAR HOT WATER SYSTEM

✓	FSEC Cert #	Company Name	System Model#	Collector Model#	Collector Area	Storage Volume	FEF
_____	None	None			ft²		

DUCTS

✓	#	---- Supply ---- Location	R-Value	Area	---- Return ---- Location	Area	Leakage Type	Air Handler	CFM 25 TOT	CFM25 OUT	QN	RLF	HVAC # Heat	Cool
_____	1	Attic	6	198.25 f	Attic	39.65 ft²	Default Leakage	Attic	(Default)	c(Default) c			1	1

TEMPERATURES

Programable Thermostat: Y		Ceiling Fans:												
Cooling	<input type="checkbox"/> Jan	<input type="checkbox"/> Feb	<input type="checkbox"/> Mar	<input type="checkbox"/> Apr	<input type="checkbox"/> May	<input checked="" type="checkbox"/> Jun	<input checked="" type="checkbox"/> Jul	<input checked="" type="checkbox"/> Aug	<input checked="" type="checkbox"/> Sep	<input type="checkbox"/> Oct	<input type="checkbox"/> Nov	<input type="checkbox"/> Dec		
Heating	<input checked="" type="checkbox"/> Jan	<input checked="" type="checkbox"/> Feb	<input checked="" type="checkbox"/> Mar	<input checked="" type="checkbox"/> Apr	<input type="checkbox"/> May	<input type="checkbox"/> Jun	<input type="checkbox"/> Jul	<input type="checkbox"/> Aug	<input type="checkbox"/> Sep	<input type="checkbox"/> Oct	<input checked="" type="checkbox"/> Nov	<input checked="" type="checkbox"/> Dec		
Venting	<input type="checkbox"/> Jan	<input type="checkbox"/> Feb	<input checked="" type="checkbox"/> Mar	<input checked="" type="checkbox"/> Apr	<input type="checkbox"/> May	<input type="checkbox"/> Jun	<input type="checkbox"/> Jul	<input type="checkbox"/> Aug	<input type="checkbox"/> Sep	<input checked="" type="checkbox"/> Oct	<input checked="" type="checkbox"/> Nov	<input type="checkbox"/> Dec		
Thermostat Schedule: HERS 2006 Reference		Hours												
Schedule Type		1	2	3	4	5	6	7	8	9	10	11	12	
Cooling (WD)	AM	78	78	78	78	78	78	78	78	80	80	80	80	
	PM	80	80	78	78	78	78	78	78	78	78	78	78	
Cooling (WEH)	AM	78	78	78	78	78	78	78	78	78	78	78	78	
	PM	78	78	78	78	78	78	78	78	78	78	78	78	
Heating (WD)	AM	66	66	66	66	66	68	68	68	68	68	68	68	
	PM	68	68	68	68	68	68	68	68	68	68	68	66	66
Heating (WEH)	AM	66	66	66	66	66	68	68	68	68	68	68	68	
	PM	68	68	68	68	68	68	68	68	68	68	68	66	66

MASS

Mass Type	Area	Thickness	Furniture Fraction	Space
Default (8 lbs/sq. ft.)	0 ft²	0 ft	0.3	Main

ENERGY PERFORMANCE LEVEL (EPL) DISPLAY CARD

ESTIMATED ENERGY PERFORMANCE INDEX* = 98

The lower the EnergyPerformance Index, the more efficient the home.

Cnrn of SW CR 18 & Tustenuggee Ave, Lake City, FL, 32024

1. New construction or existing	New (From Plans)	10. Wall Type and Insulation	Insulation	Area
2. Single family or multiple family	Detached	a. Frame - Wood, Exterior	R=13.0	917.33 ft ²
3. Number of units, if multiple family	1	b. N/A	R=	ft ²
4. Number of Bedrooms	2	c. N/A	R=	ft ²
5. Is this a worst case?	No	d. N/A	R=	ft ²
6. Conditioned floor area (ft ²)	793	11. Ceiling Type and insulation level	Insulation	Area
7. Windows**	Description	a. Under Attic (Vented)	R=38.0	832.65 ft ²
a. U-Factor:	Dbl, U=0.36	b. N/A	R=	ft ²
SHGC:	SHGC=0.25	c. N/A	R=	ft ²
b. U-Factor:	N/A	12. Ducts, location & insulation level	R	ft ²
SHGC:		a. Sup: Attic, Ret: Attic, AH: Attic	6	198.25
c. U-Factor:	N/A	13. Cooling systems	kBtu/hr	Efficiency
SHGC:		a. Central Unit	10.8	SEER:14.00
d. U-Factor:	N/A	14. Heating systems	kBtu/hr	Efficiency
SHGC:		a. Electric Heat Pump	14.2	HSPF:8.20
Area Weighted Average Overhang Depth:	1.500 ft.	15. Hot water systems		Cap: 40 gallons
Area Weighted Average SHGC:	0.250	a. Electric		EF: 0.92
8. Skylights	Description	b. Conservation features		
a. U-Factor(AVG):	N/A	None		
SHGC(AVG):	N/A	Credits (Performance method)		CV, Pstat
9. Floor Types	Insulation			
a. Slab-On-Grade Edge Insulation	R=0.0			
b. N/A	R=			
c. N/A	R=			

I certify that this home has complied with the Florida Energy Efficiency Code for Building Construction through the above energy saving features which will be installed (or exceeded) in this home before final inspection. Otherwise, a new EPL Display Card will be completed based on installed Code compliant features.

Builder Signature: _____ Date: _____

Address of New Home: _____ City/FL Zip: _____



*Note: This is not a Building Energy Rating. If your Index is below 70, your home may qualify for energy efficient mortgage (EEM) incentives if you obtain a Florida Energy Rating. For information about the Florida Building Code, Energy Conservation, contact the Florida Building Commission's support staff.

**Label required by Section R303.1.3 of the Florida Building Code, Energy Conservation, if not DEFAULT.

Envelope Leakage Test Report (Blower Door Test)

Residential Prescriptive, Performance or ERI Method Compliance

2020 Florida Building Code, Energy Conservation, 7th Edition

Jurisdiction:	Permit #:
Job Information	
Builder: Sparks Construction, Inc. Community: Lot: NA	
Address: Cnr of SW CR 18 & Tustenuggee Ave	
City: Lake City	State: FL Zip: 32024
Air Leakage Test Results <i>Passing results must meet either the Performance, Prescriptive, or ERI Method</i>	
<div style="border: 1px solid black; padding: 5px; margin-bottom: 10px;"> <input type="radio"/> PRESCRIPTIVE METHOD-The building or dwelling unit shall be tested and verified as having an air leakage rate of not exceeding 7 air changes per hour at a pressure of 0.2 inch w.g. (50 Pascals) in Climate Zones 1 and 2. </div> <div style="border: 1px solid black; padding: 5px;"> <input type="radio"/> PERFORMANCE or ERI METHOD-The building or dwelling unit shall be tested and verified as having an air leakage rate of not exceeding the selected ACH(50) value, as shown on Form R405-2020 (Performance) or R406-2020 (ERI), section labeled as infiltration, sub-section ACH50. ACH(50) specified on Form R405-2020-Energy Calc (Performance) or R406-2020 (ERI): 5.000 </div>	
<div style="display: flex; justify-content: space-between; align-items: flex-start;"> <div style="width: 60%;"> $\frac{\text{CFM}(50)}{\text{Building Volume}} \times 60 \div 6344 = \text{ACH}(50)$ <div style="display: flex; align-items: center; margin-top: 10px;"> <div style="border: 1px solid black; width: 30px; height: 30px; margin-right: 10px;"></div> <div> PASS </div> </div> <div style="margin-top: 10px;"> <input type="checkbox"/> When ACH(50) is less than 3, Mechanical Ventilation installation must be verified by building department. </div> </div> <div style="width: 35%;"> <p>Method for calculating building volume:</p> <div style="margin-top: 10px;"> <input type="radio"/> Retrieved from architectural plans <input checked="" type="radio"/> Code software calculated <input type="radio"/> Field measured and calculated </div> </div> </div>	
<p>R402.4.1.2 Testing. Testing shall be conducted in accordance with ANSI/RESNET/ICC 380 and reported at a pressure of 0.2 inch w.g. (50 Pascals). Testing shall be conducted by either individuals as defined in Section 553.993(5) or <i>(7) Florida Statutes</i> or individuals licensed as set forth in Section 489.105(3)(f), (g), or (i) or an approved third party. A written report of the results of the test shall be signed by the party conducting the test and provided to the <i>code official</i>. Testing shall be performed at any time after creation of all penetrations of the <i>building thermal envelope</i>.</p> <p>During testing:</p> <ol style="list-style-type: none"> 1. Exterior windows and doors, fireplace and stove doors shall be closed, but not sealed, beyond the intended weatherstripping or other infiltration control measures. 2. Dampers including exhaust, intake, makeup air, back draft and flue dampers shall be closed, but not sealed beyond intended infiltration control measures. 3. Interior doors, if installed at the time of the test, shall be open. 4. Exterior doors for continuous ventilation systems and heat recovery ventilators shall be closed and sealed. 5. Heating and cooling systems, if installed at the time of the test, shall be turned off. 6. Supply and return registers, if installed at the time of the test, shall be fully open. 	
Testing Company	
Company Name: _____ Phone: _____ I hereby verify that the above Air Leakage results are in accordance with the 2020 7th Edition Florida Building Code Energy Conservation requirements according to the compliance method selected above.	
Signature of Tester: _____ Date of Test: _____	
Printed Name of Tester: _____	
License/Certification #: _____ Issuing Authority: _____	

Residential System Sizing Calculation

Summary

Jesse Hubbart
Crrn of SW CR 18 & Tustenuggee Ave
Lake City, FL 32024

Project Title:
Hubbart In-Law Suite


4/6/2021

Location for weather data: Gainesville, FL - Defaults: Latitude(29.7) Altitude(152 ft.) Temp Range(M)					
Humidity data: Interior RH (50%) Outdoor wet bulb (77F) Humidity difference(51gr.)					
Winter design temperature(TMY3 99%)	30	F	Summer design temperature(TMY3 99%)	94	F
Winter setpoint	70	F	Summer setpoint	75	F
Winter temperature difference	40	F	Summer temperature difference	19	F
Total heating load calculation	14218	Btuh	Total cooling load calculation	10812	Btuh
Submitted heating capacity	% of calc	Btuh	Submitted cooling capacity	% of calc	Btuh
Total (Electric Heat Pump)	100.0	14218	Sensible (SHR = 0.70)	84.3	7562
Heat Pump + Auxiliary(0.0kW)	100.0	14218	Latent	176.4	3241
			Total (Electric Heat Pump)	99.9	10803

WINTER CALCULATIONS

Winter Heating Load (for 793 sqft)


Load component			Load	
Window total	98	sqft	1406	Btuh
Wall total	780	sqft	2768	Btuh
Door total	40	sqft	736	Btuh
Ceiling total	833	sqft	845	Btuh
Floor total	793	sqft	5412	Btuh
Infiltration	17	cfm	726	Btuh
Duct loss			2325	Btuh
Subtotal			14218	Btuh
Ventilation	0	cfm	0	Btuh
TOTAL HEAT LOSS			14218	Btuh



SUMMER CALCULATIONS

Summer Cooling Load (for 793 sqft)

Load component			Load	
Window total	98	sqft	1559	Btuh
Wall total	780	sqft	1765	Btuh
Door total	40	sqft	552	Btuh
Ceiling total	833	sqft	719	Btuh
Floor total			0	Btuh
Infiltration	12	cfm	259	Btuh
Internal gain			2120	Btuh
Duct gain			2002	Btuh
Sens. Ventilation	0	cfm	0	Btuh
Blower Load			0	Btuh
Total sensible gain			8975	Btuh
Latent gain(ducts)			608	Btuh
Latent gain(infiltration)			429	Btuh
Latent gain(ventilation)			0	Btuh
Latent gain(internal/occupants/other)			800	Btuh
Total latent gain			1837	Btuh
TOTAL HEAT GAIN			10812	Btuh



8th Edition

EnergyGauge® System Sizing

PREPARED BY: _____

DATE: _____

4/6/2021

System Sizing Calculations - Winter

Residential Load - Whole House Component Details

Jesse Hubbart
Cnr of SW CR 18 & Tustenuggee Ave
Lake City, FL 32024

Project Title:
Hubbart In-Law Suite
Building Type: User

4/6/2021

Reference City: Gainesville, FL (Defaults) Winter Temperature Difference: 40.0 F (TMY3 99%)

Component Loads for Whole House								
Window	Panes/Type	Frame	U	Orientation	Area(sqft)	X	HTM=	Load
1	2, NFRC 0.25	Vinyl	0.36	S	45.0		14.4	648 Btuh
2	2, NFRC 0.25	Vinyl	0.36	E	9.0		14.4	130 Btuh
3	2, NFRC 0.25	Vinyl	0.36	E	15.0		14.4	216 Btuh
4	2, NFRC 0.25	Vinyl	0.36	N	20.0		14.4	288 Btuh
5	2, NFRC 0.25	Vinyl	0.36	N	6.0		14.4	86 Btuh
6	2, NFRC 0.25	Vinyl	0.36	N	2.7		14.4	38 Btuh
	Window Total					97.7(sqft)		1406 Btuh
Walls	Type	Ornt.	Ueff.	R-Value (Cav/Sh)	Area	X	HTM=	Load
1	Frame - Wood	- Ext	(0.089)	13.0/0.0	207		3.55	735 Btuh
2	Frame - Wood	- Ext	(0.089)	13.0/0.0	163		3.55	578 Btuh
3	Frame - Wood	- Ext	(0.089)	13.0/0.0	223		3.55	793 Btuh
4	Frame - Wood	- Ext	(0.089)	13.0/0.0	187		3.55	663 Btuh
	Wall Total					780(sqft)		2768 Btuh
Doors	Type	Storm	Ueff.		Area	X	HTM=	Load
1	Insulated - Exterior, n		(0.460)		20		18.4	368 Btuh
2	Insulated - Exterior, n		(0.460)		20		18.4	368 Btuh
	Door Total					40(sqft)		736Btuh
Ceilings	Type/Color/Surface		Ueff.	R-Value	Area	X	HTM=	Load
1	Vented Attic/L/Shing		(0.025)	38.0/0.0	833		1.0	845 Btuh
	Ceiling Total					833(sqft)		845Btuh
Floors	Type		Ueff.	R-Value	Size	X	HTM=	Load
1	Slab On Grade		(1.180)	0.0	114.7 ft(perim.)		47.2	5412 Btuh
	Floor Total					793 sqft		5412 Btuh
	Envelope Subtotal:							11168 Btuh
Infiltration	Type	Wholehouse	ACH	Volume(cuft)	Wall Ratio	CFM=		
	Natural		0.16	6344	1.00	16.6		726 Btuh
Duct load	Average sealed, R6.0, Supply(Att), Return(Att)					(DLM of 0.195)		2325 Btuh
All Zones	Sensible Subtotal All Zones							14218 Btuh

Manual J Winter Calculations

Residential Load - Component Details (continued)

Jesse Hubbard
Cnr of SW CR 18 & Tustenuggee Ave
Lake City, FL 32024

Project Title:
Hubbart In-Law Suite
Building Type: User

4/6/2021

WHOLE HOUSE TOTALS

Totals for Heating	Subtotal Sensible Heat Loss	14218 Btuh
	Ventilation Sensible Heat Loss	0 Btuh
	Total Heat Loss	14218 Btuh

EQUIPMENT

1. Electric Heat Pump	#	14218 Btuh
-----------------------	---	------------

Key: Window types - NFRC (Requires U-Factor and Shading coefficient(SHGC) of glass as numerical values)
or - Glass as 'Clear' or 'Tint' (Uses U-Factor and SHGC defaults)

U - (Window U-Factor)

HTM - (ManualJ Heat Transfer Multiplier)



Version 8

System Sizing Calculations - Summer

Residential Load - Whole House Component Details

Jesse Hubbart
Cnr of SW CR 18 & Tustenuggee Ave
Lake City, FL 32024

Project Title:
Hubbart In-Law Suite

4/6/2021

Reference City: Gainesville, FL

Temperature Difference: 19.0F(TMY3 99%) Humidity difference: 51gr.

Component Loads for Whole House

Window	Type*						Overhang		Window Area(sqft)			HTM		Load
	Panes	SHGC	U	InSh	IS	Ornt	Len	Hgt	Gross	Shaded	Unshaded	Shaded	Unshaded	
1	2 NFRC	0.25, 0.36	No	No	S		1.5ft.	0.5ft.	45.0	45.0	0.0	12	14	544 Btuh
2	2 NFRC	0.25, 0.36	No	No	E		1.5ft.	0.5ft.	9.0	2.2	6.8	12	31	236 Btuh
3	2 NFRC	0.25, 0.36	No	No	E		1.5ft.	0.5ft.	15.0	2.2	12.8	12	31	422 Btuh
4	2 NFRC	0.25, 0.36	No	No	N		1.5ft.	0.5ft.	20.0	0.0	20.0	12	12	242 Btuh
5	2 NFRC	0.25, 0.36	No	No	N		1.5ft.	0.5ft.	6.0	0.0	6.0	12	12	73 Btuh
6	2 NFRC	0.25, 0.36	No	No	N		1.5ft.	0.5ft.	2.7	0.0	2.7	12	12	32 Btuh
	Excursion													9 Btuh
	Window Total								98 (sqft)					1559 Btuh
Walls	Type	U-Value				R-Value		Area(sqft)			HTM		Load	
						Cav/Sheath								
1	Frame - Wood - Ext	0.09				13.0/0.0		207.0			2.3		469 Btuh	
2	Frame - Wood - Ext	0.09				13.0/0.0		162.7			2.3		368 Btuh	
3	Frame - Wood - Ext	0.09				13.0/0.0		223.3			2.3		505 Btuh	
4	Frame - Wood - Ext	0.09				13.0/0.0		186.7			2.3		422 Btuh	
	Wall Total								780 (sqft)					1765 Btuh
Doors	Type	U-Value				R-Value		Area (sqft)			HTM		Load	
1	Insulated - Exterior							20.0			13.8		276 Btuh	
2	Insulated - Exterior							20.0			13.8		276 Btuh	
	Door Total								40 (sqft)					552 Btuh
Ceilings	Type/Color/Surface	U-Value				R-Value		Area(sqft)			HTM		Load	
1	Vented Attic/Light/Shingle/RB	0.025				38.0/0.0		832.7			0.86		719 Btuh	
	Ceiling Total								833 (sqft)					719 Btuh
Floors	Type	U-Value				R-Value		Size			HTM		Load	
1	Slab On Grade					0.0		793 (ft-perimeter)			0.0		0 Btuh	
	Floor Total								793.0 (sqft)					0 Btuh
	Envelope Subtotal:													4594 Btuh
Infiltration	Type	Average ACH				Volume(cuft)			Wall Ratio		CFM=		Load	
	Natural	0.12				6344			1		12.4			259 Btuh
Internal gain	Occupants				Btuh/occupant			Appliance		Load				
	4				X 230			+		1200		2120 Btuh		
	Sensible Envelope Load:													6973 Btuh
Duct load	Average sealed,Supply(R6.0-Attic), Return(R6.0-Attic)										(DGM of 0.287)		2002 Btuh	
	Sensible Load All Zones													8975 Btuh

Manual J Summer Calculations

Residential Load - Component Details (continued)

Jesse Hubbart
Cnr of SW CR 18 & Tustenuggee Ave
Lake City, FL 32024

Project Title: Climate:FL_GAINESVILLE_REGIONAL_A
Hubbart In-Law Suite

4/6/2021

WHOLE HOUSE TOTALS

Whole House Totals for Cooling	Sensible Envelope Load All Zones	6973 Btuh
	Sensible Duct Load	2002 Btuh
	Total Sensible Zone Loads	8975 Btuh
	Sensible ventilation	0 Btuh
	Blower	0 Btuh
	Total sensible gain	8975 Btuh
	Latent infiltration gain (for 51 gr. humidity difference)	429 Btuh
	Latent ventilation gain	0 Btuh
	Latent duct gain	608 Btuh
	Latent occupant gain (4.0 people @ 200 Btuh per person)	800 Btuh
	Latent other gain	0 Btuh
	Latent total gain	1837 Btuh
	TOTAL GAIN	10812 Btuh

EQUIPMENT

1. Central Unit	#	10803 Btuh
-----------------	---	------------

*Key: Window types (Panels - Number and type of panes of glass)
(SHGC - Shading coefficient of glass as SHGC numerical value)
(U - Window U-Factor)
(InSh - Interior shading device: none(No), Blinds(B), Draperies(D) or Roller Shades(R))
- For Blinds: Assume medium color, half closed
For Draperies: Assume medium weave, half closed
For Roller shades: Assume translucent, half closed
(IS - Insect screen: none(N), Full(F) or Half(½))
(Ornt - compass orientation)



Version 8