


SOFTPLAN  
ARCHITECTURAL DESIGN SOFTWARE



GA FILE NO. WP 3605	GENERIC	1 HOUR FIRE	30 to 34 STC SOUND
GYPSUM WALLBOARD, WOOD STUDS			
<p>One layer 1/2" type X plain or predecorated gypsum wallboard, water-resistant gypsum backing board, or gypsum veneer base applied parallel or at right angle to each side of 2 x 4 wood studs 16" o.c. with 6d coated nails, 1 1/4" long, 0.0619" shank, "W" heads, 7" o.c. Joints of square edge, bevel edge or predecorated wallboard may be left exposed.</p> <p>Joints staggered 16" on opposite sides. (LOAD-BEARING)</p>			
		<p>Thickness: 4 1/4"</p> <p>Approx. Weight: 7 psf</p> <p>Fire Test: UL R1312-4, -6, 8-17-52; UL R2717-39, 1-20-66; UL R3501-52, 3-15-66; UL Design U1005; ULC Design W301</p> <p>Sound Test: OR 64-8, 2-4-64</p>	

WINDLOAD ENGINEER: Mark Discoway,  
P.E. No. 53915, POB 860, Lake City, FL  
32086, 386-754-5419

**DIMENSIONS:**  
Stated dimensions supersede scaled  
dimensions. Refer all questions to  
Mark Discoway, P.E. for resolution.  
Do not proceed without clarification.

**COPYRIGHTS AND PROPERTY RIGHTS:**  
Mark Discoway, P.E. hereby expressly reserves  
all common law copyrights and property rights  
in these instruments of service. This document is  
not to be reproduced, altered or copied in any  
form or manner without first the express written  
permission and consent of Mark Discoway.

**CERTIFICATION:** These plans and  
"Windload Engineering" Sheet S-1, attached,  
comply with Florida Building Code 2001,  
Section 1606 wind loads, to the best of my  
knowledge.

**LIMITATION:** This design is valid for one  
building at specified location. In case of conflict,  
structural requirements, scope of work, and  
builder responsibilities on sheet of S-1 control.

MARK DISCOWAY  
P.E. 53915

*Mark Discoway*  
SEAL

<div>EDGLEY CONSTRUCTION, INC.</div>	
Stephenson Residence	
ADDRESS: 231 SW Bonanza Glen Lake City, Florida 32025	
Mark Disoway P.E. P.O. Box 868 Lake City, Florida 32056 Phone: (386) 754 - 5419 Fax: (386) 754 - 6749 Email: mdpe@bellsouth.net	
PRINTED DATE: May 26, 2005	
DRAWN BY: David Disoway	CHECKED BY:
DESIGNED BY: <i>David Disoway</i>	
FINALS DATE: 02 / Mar / 05	
JOB NUMBER: 502044	
DRAWING NUMBER  A-3  OF 6 SHEETS	