DA 3 11/24/2008

INSPECTORS OFFICE

Columbia County Building Permit

This Permit Must Be Prominently Posted on Premises During Construction

PERMIT 000027495

APPLICANT STEVEN HARDEE	PHONE 752-5772
ADDRESS 278 SW KING ST	LAKE CITY FL 32024
OWNER RALPH HARDEE/STEVEN HARDEE	PHONE 752-5772
ADDRESS 278 SW KING ST	LAKE CITY FL 32025
CONTRACTOR CHESTER KNOWLES	PHONE 755-6441
LOCATION OF PROPERTY 47S, TR ON KING ST, 2ND DRI	VE ON LEFT
TYPE DEVELOPMENT MH,UTILITY ES	TIMATED COST OF CONSTRUCTION 0.00
HEATED FLOOR AREA TOTAL ARI	EA HEIGHT STORIES
FOUNDATION WALLS I	ROOF PITCH FLOOR
LAND USE & ZONING A-3	MAX. HEIGHT
Minimum Set Back Requirments: STREET-FRONT 30.00	REAR 25.00 SIDE 25.00
NO. EX.D.U. 0 FLOOD ZONE X	DEVELOPMENT PERMIT NO.
PARCEL ID 36-4S-16-03300-012 SUBDIVISIO	N .
LOT BLOCK PHASE UNIT	TOTAL ACRES 9.50
IH0000509	Landi Jadu
Culvert Permit No. Culvert Waiver Contractor's License Nur	mber / Applicant/Owner/Contractor RJ Y
PRIVATE 08-646 CS Driveway Connection Septic Tank Number LU & Zoni	
\$ 4000 (1000 (1000 (1000)	ng checked by Approved for issuance New Resident
COMMENTS: ONE FOOT ABOVE THE ROAD	
COMMENTS: ONE FOOT ABOVE THE ROAD	Charle # Carle 1200
COMMENTS: ONE FOOT ABOVE THE ROAD	Check # or Cash 1200
	Check # or Cash 1200 NG DEPARTMENT ONLY (footer/Slab)
	NG DEPARTMENT ONLY (footer/Slab) Monolithic
FOR BUILDING & ZONII	NG DEPARTMENT ONLY (footer/Slab)
Temporary Power Foundation date/app. by Under slab rough-in plumbing Slab	Monolithic date/app. by Sheathing/Nailing
FOR BUILDING & ZONIR Temporary Power Foundation date/app. by Under slab rough-in plumbing Slab date/app. by	Monolithic date/app. by (footer/Slab)
FOR BUILDING & ZONIR Temporary Power Foundation date/app. by Under slab rough-in plumbing Slab date/app. by Framing Rough-in plumbing a	Monolithic date/app. by Sheathing/Nailing date/app. by date/app. by bove slab and below wood floor
FOR BUILDING & ZONIR Temporary Power Foundation date/app. by Under slab rough-in plumbing Slab date/app. by Framing Rough-in plumbing a date/app. by	Monolithic date/app. by Sheathing/Nailing date/app. by date/app. by date/app. by bove slab and below wood floor date/app. by
FOR BUILDING & ZONIR Temporary Power Foundation date/app. by Under slab rough-in plumbing Slab date/app. by Framing Rough-in plumbing a date/app. by Electrical rough-in Heat & Air Duct	Monolithic date/app. by Sheathing/Nailing date/app. by date/app. by bove slab and below wood floor Peri. beam (Lintel)
FOR BUILDING & ZONIR Temporary Power Foundation date/app. by Under slab rough-in plumbing Slab date/app. by Framing Rough-in plumbing a date/app. by Electrical rough-in Heat & Air Duct date/app. by	Monolithic date/app. by Sheathing/Nailing date/app. by date/app. by bove slab and below wood floor Peri. beam (Lintel) date/app. by date/app. by
FOR BUILDING & ZONIR Temporary Power Foundation date/app. by Under slab rough-in plumbing Slab date/app. by Framing Rough-in plumbing a date/app. by Electrical rough-in Heat & Air Duct date/app. by Permanent power C.O. Final	Monolithic date/app. by Sheathing/Nailing date/app. by date/app. by bove slab and below wood floor Peri. beam (Lintel)
FOR BUILDING & ZONIR Temporary Power Foundation date/app. by Under slab rough-in plumbing date/app. by Framing Rough-in plumbing a date/app. by Electrical rough-in Heat & Air Duct date/app. by Permanent power C.O. Final date/app. by M/H tie downs, blocking, electricity and plumbing	Monolithic date/app. by Sheathing/Nailing date/app. by date/app. by bove slab and below wood floor date/app. by Peri. beam (Lintel) date/app. by Culvert date/app. by Pool
FOR BUILDING & ZONIR Temporary Power Foundation date/app. by Under slab rough-in plumbing date/app. by Framing Rough-in plumbing a date/app. by Electrical rough-in Heat & Air Duct date/app. by Permanent power C.O. Final date/app. by M/H tie downs, blocking, electricity and plumbing date/app.	Monolithic date/app. by date/app. by Sheathing/Nailing date/app. by date/app. by bove slab and below wood floor date/app. by Peri. beam (Lintel) date/app. by Culvert date/app. by Pool p. by date/app. by Dool Dool
FOR BUILDING & ZONIR Temporary Power Foundation date/app. by Under slab rough-in plumbing Slab date/app. by Framing Rough-in plumbing a date/app. by Electrical rough-in Heat & Air Duct date/app. by Permanent power C.O. Final date/app. by M/H tie downs, blocking, electricity and plumbing date/app. By Reconnection Pump pole date/app. by	MG DEPARTMENT ONLY Monolithic date/app. by date/app. by Sheathing/Nailing date/app. by date/app. by bove slab and below wood floor date/app. by Peri. beam (Lintel) date/app. by date/app. by Culvert date/app. by date/app. by Pool p. by Utility Pole date/app. by
FOR BUILDING & ZONING Temporary Power Foundation date/app. by Under slab rough-in plumbing Slab date/app. by Framing Rough-in plumbing a date/app. by Electrical rough-in Heat & Air Duct date/app. by Permanent power C.O. Final date/app. by M/H tie downs, blocking, electricity and plumbing date/app. By Reconnection Pump pole date/app. by M/H Pole date/app. by Total Total Total Section date	MG DEPARTMENT ONLY Monolithic date/app. by date/app. by Sheathing/Nailing date/app. by date/app. by bove slab and below wood floor date/app. by Peri. beam (Lintel) date/app. by date/app. by Culvert date/app. by Description Pool Pool Pool Dutility Pole Edapp. by Date/app. by
FOR BUILDING & ZONING Temporary Power Foundation date/app. by Under slab rough-in plumbing Slab date/app. by Framing Rough-in plumbing a date/app. by Electrical rough-in Heat & Air Duct date/app. by Permanent power C.O. Final date/app. by M/H tie downs, blocking, electricity and plumbing date/app. By Reconnection Pump pole date/app. by M/H Pole date/app. by Total Total Total Section date	MG DEPARTMENT ONLY Monolithic date/app. by date/app. by Sheathing/Nailing date/app. by date/app. by bove slab and below wood floor date/app. by Peri. beam (Lintel) date/app. by date/app. by Culvert date/app. by date/app. by Pool p. by Utility Pole date/app. by
FOR BUILDING & ZONING Temporary Power Foundation date/app. by Under slab rough-in plumbing Slab date/app. by Framing Rough-in plumbing a date/app. by Electrical rough-in Heat & Air Duct date/app. by Permanent power C.O. Final date/app. by M/H tie downs, blocking, electricity and plumbing date/app. By Reconnection Pump pole date/app. by M/H Pole date/app. by Total Total Total Section date	Monolithic date/app. by date/app. by
FOR BUILDING & ZONING Temporary Power Foundation date/app. by Under slab rough-in plumbing Slab date/app. by Framing Rough-in plumbing a date/app. by Electrical rough-in Heat & Air Duct date/app. by Permanent power C.O. Final date/app. by M/H tie downs, blocking, electricity and plumbing date/app. By Reconnection Pump pole date/app. by M/H Pole Travel Trailer date/app. by	Monolithic date/app. by date/app. by
FOR BUILDING & ZONIR Temporary Power Foundation date/app. by Under slab rough-in plumbing Slab date/app. by Framing Rough-in plumbing a date/app. by Electrical rough-in Heat & Air Duct date/app. by Permanent power C.O. Final date/app. by M/H tie downs, blocking, electricity and plumbing Reconnection Pump pole date/app. by M/H Pole Travel Trailer date/app. by BUILDING PERMIT FEE \$ 0.00 CERTIFICATION FE	Monolithic date/app. by date/app. by Sheathing/Nailing date/app. by bove slab and below wood floor date/app. by Peri. beam (Lintel) date/app. by Culvert date/app. by Pool p. by Utility Pole date/app. by Re-roof date/app. by SURCHARGE FEE \$ 0.00 FIRE FEE \$ 134.42 WASTE FEE \$ 184.25

NOTICE: IN ADDITION TO THE REQUIREMENTS OF THIS PERMIT, THERE MAY BE ADDITIONAL RESTRICTIONS APPLICABLE TO THIS PROPERTY THAT MAY BE FOUND IN THE PUBLIC RECORDS OF THIS COUNTY. AND THERE MAY BE ADDITIONAL PERMITS REQUIRED FROM OTHER GOVERNMENTAL ENTITIES SUCH AS WATER MANAGEMENT DISTRICTS, STATE AGENCIES, OR FEDERAL AGENCIES.

Alle 18dal

"WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT."

CLERKS OFFICE

EVERY PERMIT ISSUED SHALL BECOME INVALID UNLESS THE WORK AUTHORIZED BY SUCH PERMIT IS COMMENCED WITHIN 180 DAYS AFTER ITS ISSUANCE, OR IF THE WORK AUTHORIZED BY SUCH PERMIT IS SUSPENDED OR ABANDONED FOR A PERIOD OF 180 DAYS AFTER THE TIME THE WORK IS COMMENCED. A VALID PERMIT RECIEVES AN APPROVED INSPECTION EVERY 180 DAYS. WORK SHALL BE CONSIDERED TO BE IN ACTIVE PROGESS WHEN THE PERMIT HAS RECIEVED AN APPROVED INSPECTION WITHIN 180 DAYS.

PERMIT APPLICATION / MANUFACTURED HOME INSTALLATION APPLICATION

1 L 1119108
For Office Use Only (Revised 1-10-08) Zoning Official Building Official ///8/00
AP# 0811- 27 Date Received 11-17-08 By 9 Permit # 27495
Flood Zone Development Permit Zoning A - 3 Land Use Plan Map Category A -
Comments
Elevation / Finished Floor Bloom In Flooring
FEMA Map# Elevation Finished Floor River In Floodway
∜Site Plan with Setbacks Shown tr∕EH # □ EH Release □ Well letter □/Existing w
V Recorded Deed or Affidavit from land owner - ✓ Letter of Auth. from installer □ State Road Access
E: Parent Parcel #
INIPACT FEES: EMS 29.88 Fire 78.63 Corr 442.89 Road/Code 1046.00/2
School 1500.00 = TOTAL 3097.40
Property ID# 36-45-16 03300-012 Subdivision N/A
■ New Mobile Home X Used Mobile Home MH Size 14x48 Year 200
- Applicant Steven HARDEE Phone # 752-5772
· Address 278 S.W. King ST LAKE city FL 32024
Name of Property Owner RALPH S. HARDEE AND BURMA SUE HARDEE Phone# 386-752-5772
911 Address 525 SW. Tularosa LN. LAKE CITY, FL 32025
Circle the correct power company - FL Power & Light - Clay Electric
(Circle One) - Suwannee Valley Electric - Progress Energy
Name of Owner of Mobile Home Steven HARDEE Phone # 752-5172
Address Address S.w. King ST LAKE City FC 32024
■ Relationship to Property Owner DAD
Current Number of Dwellings on Property
0=(
■ Lot Size Total Acreage 9.5 (OWES)
■ Do you : Have Existing Drive (Currently using) Or Private Drive or need Culvert Permit (Putting in a Culvert) Or (Not existing but do not need a Culvert)
Is this Mobile Home Replacing an Existing Mobile Home
· Driving Directions to the Property 47 South T.R. ON King ST. 2nd DRiver
ON Left.
1 10
Name of Licensed Dealer/Installer Tessie L. Chester KNOW Phone # 755-6441
Installers Address 580 Sw. SR. 47 LAKe City FL 32024
License Number T Hoops 509 Installation Decal # 305 531
Spoke to RAIP
11/20/08

		Represents	Typical pier spacing	NOTE: if home is a single wide fill if home is a triple or quad volume is a single where the sidewall ties exceed 5 ft 4 in.	being installed Manufacturer H	Installer Jessie (Address of home 2:	PERMIT NUMBER
		Sy-Noil-6	lateral Show locat (use d	out on vide sk	HORTON 1	278 Sw. KNG ST.	
	marriage wall piers within 2' of end of home per Rule 150	Lan's Sum Of	Installer's initials Show locations of Longitudinal and Lateral Systems (use dark lines to show these locations)	half of the blocking pla tch in remainder of hon sed on any home (new or	Length x width /	Wexcense #	
	e per Rule 15C	we technology!		ne rusea)	XYB Box		
TIEDOWN COMPONENTS Longitudinal Stabilizing Device (LSD)	(required by the mfg.) Draw the approvate wall openings 4 symbol to show List all marriage wall opening Opening Opening	3000 psi 3500 psi interpolated I-beam pic Perimeter	Load Footer bearing size capacity (sq in) 1000 psf 1500 psf 2500 psf	Triple/Quad	Single wide Double wide	New Home Home installed to	į
TIEDOWN COMPONENTS	(required by the mfg.) Draw the approximate locations of marriage wall openings 4 foot or greater. Use this symbol to show the piers. List all marriage wall openings greater than 4 foot and their pier pad sizes below. Opening Pier pad size	AD SIZES // // // // // // // // // // // // //	16" x 16" 18 1/2" x 18 1/2" (256) (342) 3: 4' 4' 6" 6' 8' 7' 6" 8'	Serial # ORDERED PIER SPACING TABLE FOR USED HOMES	Single wide Wind Zone II Mount in accordance with Rule 15-C Single wide Installation Decal #	New Home X Used Home Home installed to the Manufacturer's Installation Manual	
within 2' spaced a		8: 8: POPUI	20" x 20" 22" x 22" 2 (400) (484)* 5' 6' 7' 8' 8' 8' 8' 8'	O RIERED FOR USED HOMES	e 15-C	allation Manual	Γ
within 2' of end of home spaced at 5' 4" oc OTHER TIES OTHER TIES Number	16 × 22.5 360 17 × 22 3 74 3 1/4 × 26 1/4 348 3 1/4 × 26 1/4 348 20 × 20 400 3/16 × 25 3/16 441 7 1/2 × 25 1/2 446 24 × 24 576 26 × 26 676 ANCHORS	PAD SIZ	24" X 24" 26" x 26" (576)* (676) 7' 8' 8' 8' 8' 8'			×	page 1 01 z

x(,0	× /.0	× 1.0
ent.	Using 500 lb increments, take the lowest reading and round down to that increment.	3. Using 500 lb reading and
oter.	2. Take the reading at the depth of the footer.	2. Take the rea
ations.	1. Test the perimeter of the home at 6 locations.	Test the peri
METHOD	POCKET PENETROMETER TESTING METHOD	POCKET PEN
× 1.0	× 1.0	₹10
psf ting.	are rounded down to b. soil without testing	The pocket penetrometer tests are rounded down to or check here to declare 1000 lb. soil without
ST	POCKET PENETROMETER TEST	POCK

TORQUE PROBE TEST

showing 275 inch pounds or less will require 4 foot anchors. here if you are declaring 5' anchors without testing The results of the torque probe test is N A war inch bounds or A tesi

Note: A state approved lateral arm system is being used and 4 ft. anchors are required at all centerline tie points where the torque test anchors are allowed at the sidewall locations. I understand 5 ft requires anchors with 4000 lb polding capacity reading is 275 or less and where the mobile home manufacturer may

Installer's initials

ALL TESTS MUST BE PERFORMED BY A LICENSED INSTALLER

Date Tested Installer Name

NOSTEN

KNOWIES

80-01-

Electrical

Connect electrical conductors between multi-wide units, but not to the main power This includes the bonding wire between mult-wide units. Pg. \sqrt{S}

Plumbing

Connect all sewer drains to an existing sewer tap or septic tank. Pg 150

		2	
		P	
	-	rena	I
1	SATISTICS.	7	١
ı	:	ś	I
ı			ı

Water drainage: Natural L Debris and organic material removed Swale

Pad

Other

Fastening multi wide units

Walls Floor will be centered over the peak of the roof and fastened with galv Type Fastener:

Length:
Spacing:
For used homes a min. 30 gauge, 8" wide, galvanized metal strip Type Fastener Type Fastener N/A Length: Length: N/A Spacing Spacing

Roof

Gasket (weatherproofing requirement)

roofing nails at 2" on center on both sides of the centerline

of tape will not serve as a gasket a result of a poorly installed or no gasket being installed. I understand a strip homes and that condensation, mold, meldew and buckled marriage walls are I understand a properly installed gasket is a requirement of all new and used

Type gasket N/A

Installer's initials (

installed

Bottom of ridgebeam Yes Between Walls Yes Between Floors Yes

Weatherproofing


Fireplace chimney installed so as not to allow intrusion of rain water. Yes \mathcal{N}/\mathcal{A} Siding on units is installed to manufacturer's specifications. The bottomboard will be repaired and/or taped. Yes Pq.

Miscellaneous

Range downflow vent installed outside of skirting. Yes Dryer vent installed outside of skirting. Yes Skirting to be installed. Other: Electrical crossovers protected Yes N/A Drain lines supported at 4 foot intervals. Yes Manuel COCO MAY Yes No or man Not

Installer verifies all-information given with this permit worksheet is accurate and true based on the

Installer Signature moule Date 11-10-08



NOTE ADDITIONAL PERS ARE REQUIRED AT EXTERUR WALL OPENINGS GREATER THAN 4"-0" IN WORTH CLE GLASS SLIDING DICIRS AND DBL. WINDOWS WITHOUT CENTER SUPPORT POST. >

THIS FOUNDATION DIAGRAN IS FOR 95 1/2"
1-BEAM SPACING CINLY,
MAXIMUM PIER SPACING - 8'-0" CLC.

COTON CHIENDATING CAN



STATE OF FLORIDA DEPARTMENT OF HEALTH ONSITE SEWAGE TREATMENT AND DISPOSAL SYSTEM APPLICATION FOR CONSTRUCTION PERMIT

PERMIT NO.	896973
DATE PAID:	9/25/08
FEE PAID:	315,160
RECEIPT #:	10108037

08-0646

APPLICATION FOR: [X] New System [] I [] Repair [] I	Existing Syst Abandonment	cem [Holdi	ng Tank rary	[]	Innovative
APPLICANT: Hardee, Ralph &	Burma					
AGENT: ROCKY FORD, A & B	CONSTRUCT	ION		TELE	EPHONE	: 386-497-2311
MAILING ADDRESS: P.O. BOX	39 FT. WHI	TE, FL, 3	2038			
TO BE COMPLETED BY APPLICANT A PERSON LICENSED PURSUANT S APPLICANT'S RESPONSIBILITY S (MM/DD/YY) IF REQUESTING COM	FO PROVIDE DO	(m) OR 489 OCUMENTATION	.552, FLO N OF THE	RIDA STAT	TUTES.	IT IS THE AS CREATED OR PLATTED
PROPERTY INFORMATION		13002040				
LOT: na BLOCK: na	SUB: na					PLATTED:
PROPERTY ID #: 36-45-16-0						
PROPERTY SIZE: 9.5 ACRES		_				
IS SEWER AVAILABLE AS PER 3	31.0065, FS?	[Y /N)		DISTAN	CE TO	SEWER:FT
PROPERTY ADDRESS: 278 SW F	ing Street	, Lake Ci	ty, 320	24		
DIRECTIONS TO PROPERTY: 47	South, TR	on King S	treet,	2 nd Driv	e on	left, look
address on right side of	f gate					
	naanna agus an ann an		TO THE RESIDENCE OF THE SECURITY OF THE SECURI			
BUILDING INFORMATION	[X] RESI	DENTIAL	[]	COMMERCIA	AL	
Unit Type of No Establishment		Building Area Sqft				nal System Design S, FAC
SW Mobile Home	2	640				
3						
[N] Floor/Equipment Drain	5_[M 0t]	her (Specif	у)			
SIGNATURE:	1-5				DATE:	9/24/2008
DH 4015, 10/97 (Previous Ed	itions May B	e Used)				Page 1 of 4

STATE OF FLORIDA DEPARTMENT OF HEALTH

A&B

A&B

APPLICATION FOR ONSITE SEWAGE DISPOSAL SYSTEM CONSTRUCTION PERMIT Permit Application Number PART II - SITEPLAN -----KING STREET Scale: 1 inch = 50 feet. WALL 148 6068 KING 150 103 & BM 210 694 9.5 ACRES Notes: Site Plan submitted by MASTER CONTRACTOR Plan Approved Not Approved Date 9/30/07 By_ County Health Department

ALL CHANGES MUST BE APPROVED BY THE COUNTY HEALTH DEPARTMENT

Columbia County Property Appraiser

DB Last Updated: 10/21/2008

2008 Certified Values

Tax Record

Property Card

Interactive GIS Map

Search Result: 1 of 1

Print


Parcel: 36-4S-16-03300-012

Owner & Property Info

Owner's Name	HARDEE RALPH S JR & BURMA SUE				
Site Address					
Mailing Address	525 SW TULAROSA LANE LAKE CITY, FL 32025				
Use Desc. (code)	PASTURELAN (006200)				
Neighborhood	36416.00 Tax District 3				
UD Codes	MKTA01 Market Area 01				
Total Land Area	9.500 ACRES				
Description		OR OF NE1/4, RUN S 92 L FT S 671.77 FT, W 69			

670.59 FT, E 300 FT TO POB. ORB 619-384 EX 1 AC DESC IN ORB 667-66-67.

GIS Aerial



Property & Assessment Values

Mkt Land Value	cnt: (0)	\$0.00
Ag Land Value	cnt: (1)	\$1,900.00
Building Value	cnt: (0)	\$0.00
XFOB Value	cnt: (3)	\$3,056.00
Total Appraised Value		\$4,956.00

Just Value	\$115,868.00	
Class Value	\$4,956.00	
Assessed Value	\$4,956.00	
Exempt Value	\$0.0	
Total Taxable Value	\$4,956.00	

Sales History

Description

Sale Date	Book/Page	Inst. Type	Sale VImp	Sale Qual	Sale RCode	Sale Price
1/1/1987	619/384	WD	V	U	01	\$20,900.00

Building Characteristics

Bldg Item	Bldg Desc	Year Blt	Ext. Walls	Heated S.F.	Actual S.F.	Bldg Value
NONE						

Extra Features & Out Buildings

Code	Desc	Year Blt	Value	Units	Dims	Condition (% Good)	
0020	BARN,FR	0	\$2,000.00	2.000	0 x 0 x 0	(.00)	
0040	BARN,POLE	1993	\$480.00	1.000	0 x 0 x 0	(.00)	
0296	SHED METAL	1993	\$576.00	192.000	12 x 16 x 0	AP (40.00)	

Land Breakdown

Lnd Code	Desc	Units	Adjustments	Eff Rate	Lnd Value
006200	PASTURE 3 (AG)	9.500 AC	1.00/1.00/1.00/1.00	\$200.00	\$1,900.00
009910	MKT.VAL.AG (MKT)	9.500 AC	1.00/1.00/1.00/1.00	\$0.00	\$112,812.00


Columbia County Property Appraiser

DB Last Updated: 10/21/2008


LIMITED POWER OF ATTORNEY

I, Jessie "Chester" Knowles, license il IH0000509 hereby authorize STeven HARDEE to be my representative an act on my behalf in all aspects of applying for a mobile home permit to be placed on the following described property located in Columbia County, Florida. Property Owner: RALPH S. AND BURMA SUE HARDEE 911 Address:
Parcel 10 4 36-45-16-03300-012
Sect: Twp: Rge:
Swern to and subscribed before me this 1/74 day of Nov., 20 0B. William P. CREWS MY COMMISSION # DD 703246 EXPIRES: August 8, 2011 Bonded Thru Budget Notary Services
My Commission expires: 8/8//(Commission Number: 00 703246 Personally known: Produced ID (type):

- 1. A PLAT, PLAN, OR DRAWING SHOWING THE PROPERTY LINES OF THE PARCEL.
- 2. LOCATION OF PLANNED RESIDENT OR BUSINESS STRUCTURE ON THE PROPERTY WITH DISTANCES FROM AT LEAST TWO OF THE PROPERTY LINES TO THE STRUCTURE (SEE SAMPLE BELOW).
- 3. LOCATION OF THE ACCESS POINT (DRIVEWAY, ETC.) ON THE ROADWAY FROM WHICH LOCATION IS TO BE ADDRESSED WITH A DISTANCE FROM A PARALLEL PROPERTY LINE AND OR PROPERTY CORNER (SEE SAMPLE BELOW).
- 4. TRAVEL OF THE DRIVEWAY FROM THE ACCESS POINT TO THE STRUCTURE (SEE SAMPLE BELOW).



SITE PLAN BOX:



Page 2 of 2

AFFIDAVIT

STATE OF FLORIDA COUNTY OF COLUMBIA

This is to certify that I, (We), Ralph Hardee owner of the below described property:	
Tax Parcel No. 36-45-16-03300-012	
Subdivision (name, lot, block, phase)	
Give my permission to STEWN HARDEE to place a mobile home/travel trailer/single family home (circle one) on the above mentione property.	:d
I (We) understand that this could result in an assessment for solid waste and fire protection services levied on this property.	
Owner Owner	
SWORN AND SUBSCRIBED before me this	,
GALE TEDDER MY COMMISSION # DD 80 EXPIRES: July 14, 201 Florded Thru Notary Public Under	0
Notary Signature	