



NON-IMPACT INSULATED WALL TO MASONRY/ ALUMINUM DETAIL CONNECTION SCALE: N.T.S.




ROOF PANEL TO BEAM OPTION #1 CONNETION DETAIL SCALE: N.T.S.




ROOF PANEL TO BEAM OPTION #2 CONNETION DETAIL SCALE: N.T.S.


This item has been electronically signed and sealed by Craig E. Gunderson, P.E. on date below using a Digital Signature. Printed copies of this document are not considered signed and sealed and the signature must be verified on any electronic copies.



DETAIL "C" - GIRT OR PURLIN TO BEAM OR POST DETAIL SCALE: NTS




2X3/ 2X4 COL. TO 2X3/ 2X4 EDGE BEAM CONNECTION SCALE: N.T.S.




DETAIL "B" - 2"x4" OR LARGER SELF MATING UPRIGHT TO DECK DETAILS SCALE: NTS

ANCHORING UPRIGHT TO FOUNDATION NOTES:
1.- IF PAVERS ARE PRESENT, CONCRETE ANCHORS SHALL PENETRATE INTO FOOTING 2-1/4" MIN. (TYP.)
2.- WHEN FASTENING TO WOOD USE 1/4" GALV. LAG SCREW IN LIEU OF CONC. ANCHORS AND ENSURE 2-1/4" MIN. PENETRATION INTO STRUCTURAL FRAMING BENEATH (TYP.)
3.- NO SECONDARY ANGLE REQUIRED FOR 2X3 UPRIGHTS OR DOOR JAMBS.



SCREEN ROOM END WALL DETAIL SCALE: N.T.S.

FLORIDA ENGINEERING LLC
4161 TAMAMI TRAIL, UNIT 101
PORT CHARLOTTE, FLORIDA 33952
(941) 391-5980
www.flengineeringllc.com



CA CERT. #30782

PROJECT NO. 2211644-2

CONTRACTOR:
AMERICAN GUTTER

PROJECT ADDRESS:
PRIESTER
515 SW OLD LAKE CITY TER,
HIGH SPRINGS FL 32655

DESIGN DATE: 04/28/2022

REVISION 1: 05/23/2022

REVISION 2: DATE

DRAWN BY: RJ

SCALE: NTS

SHEET:

04