



Tibbetts Lumber Ocala

6100 SE 68th St
 Ocala, FL 34472
 Phone: 352-347-7661
 www.tibbettslumber.com

Reaction Summary

Job Number: 6252820-R

Quoted On:

Ordered On: 11/14/2025

Scheduled Delivery On:

Product: **Roof**









Customer Information	
Adams Homes of NW FL - Gainesville	
Address & Phone	Contact
Phone:	

Job Information		
The Preserve at Laurel Lake 033		
Address	Lot	Sub-Division
483 SW Bellflower Dr Lake City FL 32024	033	The Preserve at Laurel Lake
	Sales Person	Customer P.O. No.
	Chris Adam	
Estimator	Designer	
Steven Roberts	Steven Roberts	

Loading				Building Code	Wind Design Method	Velocity	Exp Cat	Wind Max	
TCLL	TCDL	BCLL	BCDL					Occ Cat	TCDL
20	10	0	10	FBC2023/TPI2014	MWFRS (Directional)/C-C hybrid Wind ASCE 7-22	130 mph	B II	4.2	6

Roof Trusses									
Label	Profile	Qty	Span	TC Pitch	TC	Reactions			
		Ply	Height	BC Pitch	BC				
A01		1	43-11-00	6 /12	2 x 6	Joint 11	Joint 2		
		2-ply	4-05-15		2 x 6	3767	3568	-336	-283
A02		1	43-11-00	6 /12	2 x 4	Joint 10	Joint 2		
		1-ply	5-05-15		2 x 4	1743	1836	-81	-114
A03		1	43-11-00	6 /12	2 x 4	Joint 10	Joint 2		
		1-ply	6-01-03		2 x 4	1743	1836	-83	-112
A04		1	43-11-00	6 /12	2 x 4	Joint 12	Joint 2		
		1-ply	7-01-03		2 x 4	1751	1846	-71	-108
A05		1	43-11-00	6 /12	2 x 4	Joint 11	Joint 2		
		1-ply	8-01-03		2 x 4	1751	1846	-71	-108
A06		1	43-11-00	6 /12	2 x 4	Joint 11	Joint 2		
		1-ply	9-01-03		2 x 4	1945	2080	-71	-108
A07		1	43-11-00	6 /12	2 x 4	Joint 13	Joint 2		
		1-ply	10-01-03		2 x 4	1979	2071	-71	-107
A08		1	43-11-00	6 /12	2 x 4	Joint 12	Joint 2	Joint 23	
		1-ply	11-01-03		2 x 4	1704	304	2020	-146
A09		1	43-11-00	6 /12	2 x 4	Joint 12	Joint 2	Joint 23	
		1-ply	11-01-03		2 x 4	1704	321	2057	-97
A10		1	45-10-00	6 /12	2 x 4	Joint 12	Joint 2	Joint 22	
		1-ply	11-01-03		2 x 4	1843	300	2093	-127
A11		1	45-10-00	6 /12	2 x 4	Joint 11	Joint 2	Joint 21	
		1-ply	11-01-03		2 x 4	1751	275	2219	-149
A12		4	45-10-00	6 /12	2 x 4	Joint 11	Joint 2	Joint 21	
		1-ply	11-01-03		2 x 4	1679	277	2291	-163
A13		1	45-10-00	6 /12	2 x 4	Joint 10	Joint 11	Joint 2	Joint 20
		1-ply	11-05-15		2 x 4	761	840	295	2244
A14		1	45-10-00	6 /12	2 x 4	Joint 12	Joint 2	Joint 22	
		1-ply	10-05-15		2 x 4	1607	279	2284	-173
A15		1	45-10-00	6 /12	2 x 4	Joint 10	Joint 18	Joint 2	
		1-ply	9-05-15		2 x 4	1622	2232	307	-115
A16		1	45-10-00	6 /12	2 x 4	Joint 11	Joint 2	Joint 20	
		1-ply	8-05-15		2 x 4	1410	216	2127	-177
A17		1	49-10-00	6 /12	2 x 4	Joint 11	Joint 14	Joint 2	
		1-ply	7-05-15	-3 /12	2 x 4	219	2697	1591	-101
A18		1	49-10-00	6 /12	2 x 4	Joint 12	Joint 17	Joint 2	
		1-ply	6-05-15	-3 /12	2 x 4	286	2460	1442	-105
A19		1	49-10-00	6 /12	2 x 4	Joint 11	Joint 15	Joint 2	
		1-ply	5-05-15	-3 /12	2 x 4	325	2395	1449	-105

Roof Trusses								
Label	Profile	Qty	Span	TC Pitch	TC	Reactions		
		Ply	Height	BC Pitch	BC			
A20		1	49-10-00	6 /12	2 x 6	Joint 14	Joint 2	Joint 20
		2-ply	4-05-15	-3 /12	2 x 6	351	2745	5125
B01		1	23-10-00	6 /12	2 x 4	Joint 1	Joint 7	
		1-ply	4-05-15		2 x 4	1789	1892	
B02		1	23-10-00	6 /12	2 x 4	Joint 1	Joint 6	
		1-ply	5-05-15		2 x 4	941	1037	
B03		1	23-10-00	6 /12	2 x 4	Joint 1	Joint 6	
		1-ply	6-05-15		2 x 4	941	1037	
B04		4	23-10-00	6 /12	2 x 4	Joint 1	Joint 7	
		1-ply	6-11-07		2 x 4	1276	1385	
B05		1	23-09-08	6 /12	2 x 4	Joint 1	Joint 14	
		1-ply	6-03-11		2 x 4	1257	1193	
C1		7	1-00-00	6 /12	2 x 4	Joint 2	Joint 3	Joint 4
		1-ply	1-05-15		2 x 4	179	24	19
C1A		1	1-00-00	6 /12	2 x 4	Joint 2	Joint 3	Joint 4
		1-ply	1-05-15		2 x 4	179	24	19
C1E		4	11-08	6 /12	2 x 4	Joint 3	Joint 4	Joint 5
		1-ply	2-02-00		2 x 4	10	19	210
C1K		4	1-00-00	6 /12	2 x 4	Joint 2	Joint 3	Joint 4
		1-ply	1-05-15		2 x 4	179	24	19
C1V		2	1-00-00	6 /12	2 x 4	Joint 2	Joint 4	
		1-ply	1-05-15	3 /12	2 x 4	179	26	
C3		7	3-00-00	6 /12	2 x 4	Joint 2	Joint 3	Joint 4
		1-ply	2-05-15		2 x 4	225	59	55
C3A		1	3-00-00	6 /12	2 x 4	Joint 1	Joint 2	Joint 3
		1-ply	1-10-03		2 x 4	115	86	58
C3K		4	3-00-00	6 /12	2 x 4	Joint 2	Joint 3	Joint 4
		1-ply	2-05-15		2 x 4	225	59	55
C3V		2	3-00-00	6 /12	2 x 4	Joint 2	Joint 3	Joint 4
		1-ply	2-05-15	3 /12	2 x 4	225	59	55
C5		7	5-00-00	6 /12	2 x 4	Joint 2	Joint 3	Joint 4
		1-ply	3-05-15		2 x 4	295	129	95
C5A		1	5-00-00	6 /12	2 x 4	Joint 1	Joint 2	Joint 3
		1-ply	2-10-03		2 x 4	195	146	98
C5K		4	5-00-00	6 /12	2 x 4	Joint 2	Joint 3	Joint 4
		1-ply	3-05-15		2 x 4	295	129	95
C5V		2	5-00-00	6 /12	2 x 4	Joint 2	Joint 3	Joint 4
		1-ply	3-05-15	3 /12	2 x 4	295	129	95
E01		1	9-09-00	6 /12	2 x 4	Joint 13	Joint 9	
		1-ply	3-02-00		2 x 4	481	552	
E02		1	9-09-00	6 /12	2 x 4	Joint 7	Joint 9	
		1-ply	4-01-08		2 x 4	504	435	
E3E		3	2-11-08	6 /12	2 x 4	Joint 3	Joint 4	Joint 5
		1-ply	3-02-00		2 x 4	64	51	226
E7		40	7-00-00	6 /12	2 x 4	Joint 2	Joint 3	Joint 4
		1-ply	4-05-15		2 x 4	371	193	135
E7K		5	7-00-00	6 /12	2 x 4	Joint 2	Joint 3	Joint 4
		1-ply	4-05-15		2 x 4	371	193	135
E7V		4	7-00-00	6 /12	2 x 4	Joint 2	Joint 3	Joint 4
		1-ply	4-05-15	3 /12	2 x 4	371	193	135
H7		4	9-10-01	4.24 /12	2 x 4	Joint 2	Joint 4	Joint 5
		1-ply	4-05-07		2 x 4	441	161	277
H7K		2	9-10-01	4.24 /12	2 x 4	Joint 2	Joint 4	Joint 5
		1-ply	4-05-07		2 x 4	491	318	290

Roof Trusses								
Label	Profile	Qty	Span	TC Pitch	TC	Reactions		
		Ply	Height	BC Pitch	BC			
H7V		1	9-10-01	4.24 /12	2 x 4	Joint 2	Joint 4	Joint 5
		1-ply	4-05-07	2.12 /12	2 x 4	460	169	278
HJ3E		2	4-01-07	4.24 /12	2 x 4	Joint 4	Joint 5	Joint 7
		1-ply	3-01-12		2 x 4	185	8	254
K01		1	20-11-00	6 /12	2 x 4	Joint 2	Joint 8	
		1-ply	4-05-15		2 x 4	1855	1855	
K02		1	20-11-00	6 /12	2 x 4	Joint 1	Joint 6	
		1-ply	4-10-03		2 x 4	823	823	
K03		1	20-11-00	6 /12	2 x 4	Joint 1	Joint 8	
		2-ply	5-02-11		2 x 6	6795	4676	
PB1		1	9-05-00	6 /12	2 x 4	Joint 2	Joint 6	Joint 8
		1-ply	11-12		2 x 4	182	190	297
PB2		1	9-05-00	6 /12	2 x 4	Joint 2	Joint 6	Joint 8
		1-ply	1-04-08		2 x 4	209	209	252
PB3		4	9-05-00	6 /12	2 x 4	Joint 2	Joint 4	Joint 6
		1-ply	2-04-00		2 x 4	188	188	294
PB4		1	9-05-00	6 /12	2 x 4	Joint 2	Joint 6	Joint 8
		1-ply	1-11-12		2 x 4	203	203	264