

PERMIT APPLICATION / MANUFACTURED HOME INSTALLATION APPLICATION

For Office Use Only

(Revised 7-1-15)

Zoning Official BS

Building Official TM 11/6/17

AP# 1711-03

Date Received 11-1-17

By UH

Permit # 35975

Flood Zone X

Development Permit

Zoning A-3

Land Use Plan Map Category A

Comments Replacing Existing MH

FEMA Map#

Elevation

Finished Floor 1st floor

River

In Floodway

☒ Recorded Deed or ☒ Property Appraiser PO ☒ Site Plan ☒ EH # 17-0657 ☐ Well letter OR

☒ Existing well ☐ Land Owner Affidavit ☒ Installer Authorization ☐ FW Comp. letter ☒ App Fee Paid

☐ DOT Approval ☐ Parent Parcel # ☐ STUP-MH ☒ 911 App

☐ Ellisville Water Sys ☒ Assessment Paid on Property ☐ Out County ☐ In County ☒ Sub VF Form

Property ID # 31-45-16-03252-102 Subdivision Vellee Lot# 2

New Mobile Home ☒ Used Mobile Home ☐ MH Size 32x76 Year 2017

Applicant Wendy Grennell Phone # 386-288-2428

Address 3104 SW Old Wire Rd Fort White FL 32038

Name of Property Owner Gerald + Susan Roach Phone# 386-292-2376

911 Address 229 SW Mill Lane Lake City FL 32024

Circle the correct power company - FL Power & Light - Clay Electric

(Circle One) - Suwannee Valley Electric - Duke Energy

Name of Owner of Mobile Home Richard Deubler Phone # 386-292-2376
Kimberly Deubler

Address 229 SW Mill Lane Lake City FL 32024

Relationship to Property Owner son/daughter-in-law

Current Number of Dwellings on Property 3 (Paid on 3 units)

Lot Size 5.01 Total Acreage 5.01

Do you : Have Existing Drive or Private Drive or need Culvert Permit or Culvert Waiver (Circle one)
(Currently using) (Blue Road Sign) (Putting in a Culvert) (Not existing but do not need a Culvert)

Is this Mobile Home Replacing an Existing Mobile Home YES

Driving Directions to the Property 90 W, TL on Branford Hwy,
TR on SW Mill Lane approx 500' to drive on
(R) follow all the way to back

Name of Licensed Dealer/Installer William Price Phone # 407-448-0953

Installers Address 3360 150th Place Lake City FL 32024

License Number IT1041936 Installation Decal # 46168

Left a message for Wendy 11-7-17

\$375.00

COLUMBIA COUNTY PERMIT WORKSHEET

page 1 of 2

These worksheets must be completed and signed by the installer.
Submit the originals with the packet.

Installer William Price License # TH1041436



911 Address where home is being installed 229 SW Mill Lane
Lake city, FL 32024

Manufacturer Live oak Length x width 32 x 72

NOTE: if home is a single wide fill out one half of the blocking plan
if home is a triple or quad wide sketch in remainder of home

I understand Lateral Arm Systems cannot be used on any home (new or used)
where the sidewall ties exceed 5 ft 4 in.

Installer's initials wrp



651101 LV

New Home ☒ Used Home ☐
Home installed to the Manufacturer's Installation Manual ☒
Home is installed in accordance with Rule 15-C ☐
Single wide ☐ Wind Zone II ☒ Wind Zone III ☐
Double wide ☒ Installation Decal # 46168
Triple/Quad ☐ Serial # LOHGA2172378AB

PIER SPACING TABLE FOR USED HOMES

Load bearing capacity	Footer size (sq in)	16" x 16" (256)	18 1/2" x 18 1/2" (342)	20" x 20" (400)	22" x 22" (484)	24" x 24" (576)	26" x 26" (676)
1000 psf	3'	4'	5'	6'	7'	8'	8'
1500 psf	4'	6'	7'	8'	9'	10'	11'
2000 psf	6'	8'	9'	10'	11'	12'	13'
2500 psf	7'	9'	10'	11'	12'	13'	14'
3000 psf	8'	10'	11'	12'	13'	14'	15'
3500 psf	8'	10'	11'	12'	13'	14'	15'

* interpolated from Rule 15C-1 pier spacing table.

PIER PAD SIZES

I-beam pier pad size 17 x 25
Perimeter pier pad size 16 x 16
Other pier pad sizes (required by the mfg.) _____

Draw the approximate locations of marriage wall openings 4 foot or greater. Use this symbol to show the piers.

List all marriage wall openings greater than 4 foot and their pier pad sizes below.

Opening _____ Pier pad size _____

ANCHORS

4 ft ☒ 5 ft ☐

FRAME TIES

within 2' of end of home spaced at 5' 4" oc ☒

OTHER TIES

Number _____

TIEDOWN COMPONENTS

Longitudinal Stabilizing Device (LSD)
Manufacturer Longitudinal Stabilizing Device w/ Lateral Arms
Manufacturer Freek

Sidewall _____
Longitudinal _____
Marriage wall _____
Shearwall _____

COLUMBIA COUNTY PERMIT WORKSHEET

page 2 of 2

POCKET PENETROMETER TEST

The pocket penetrometer tests are rounded down to 1500 psi or check here to declare 1000 lb. soil without testing.

x 1500 x 1500 x 1500

POCKET PENETROMETER TESTING METHOD

1. Test the perimeter of the home at 6 locations.
2. Take the reading at the depth of the footer.
3. Using 500 lb. increments, take the lowest reading and round down to that increment.

x 1000 x 1500 x 1500

TORQUE PROBE TEST

The results of the torque probe test is 285 inch pounds or check here if you are declaring 5' anchors without testing. A test showing 275 inch pounds or less will require 5 foot anchors.

Note: A state approved lateral arm system is being used and 4 ft. anchors are allowed at the sidewall locations. I understand 5 ft anchors are required at all centerline tie points where the torque test reading is 275 or less and where the mobile home manufacturer may requires anchors with 4000 lb holding capacity.

WRP installer's initials

ALL TESTS MUST BE PERFORMED BY A LICENSED INSTALLER

Installer Name

William Price

Date Tested

10-5-17

Electrical

Connect electrical conductors between multi-wide units, but not to the major power source. This includes the bonding wire between multi-wide units. Pg. 1

Plumbing

Connect all sewer drains to an existing sewer tap or septic tank. Pg. 1

Connect all potable water supply piping to an existing water meter, water tap, or other independent water supply systems. Pg. 1

Site Preparation

Debris and organic material removed 90% yes
Water drainage: Natural ✓ Swale ✓ Pad ✓ Other ✓

Fastening multi wide units

Floor: Type Fastener: Self Length: 18" Spacing: 18"
Walls: Type Fastener: Screw Length: 18" Spacing: 18"
Roof: Type Fastener: 905 Length: 18" Spacing: 18"
For used homes a min. 30 gauge, 8" wide, galvanized metal strip will be centered over the peak of the roof and fastened with galv. roofing nails at 2" on center on both sides of the centerline.

Gasket (weatherproofing requirement)

I understand a properly installed gasket is a requirement of all new and used homes and that condensation, mold, mildew and buckled marriage walls are a result of a poorly installed or no gasket being installed. I understand a strip of tape will not serve as a gasket.

Installer's initials WRP

Type gasket Foam

Installed:
Between Floors Yes ✓
Between Walls Yes ✓
Bottom of ridgebeam Yes ✓

Weatherproofing

The bottomboard will be repaired and/or taped. Yes ✓ Pg. 1
Siding on units is installed to manufacturer's specifications. Yes ✓
Fireplace chimney installed so as not to allow intrusion of rain water. Yes ✓


Miscellaneous

Skirting to be installed. Yes ✓ No ✓
Dryer vent installed outside of skirting. Yes ✓ N/A ✓
Range downflow vent installed outside of skirting. Yes ✓ N/A ✓
Drain lines supported at 4 foot intervals. Yes ✓
Electrical crossovers protected. Yes ✓
Other: ✓

Installer verifies all information given with this permit worksheet is accurate and true based on the

Installer Signature William Price

Date 10-5-17



Tie down - 5/4 o/c w/ 48" anchor
 17x25 w/ 8x8x16 50c
 17x25 w/ 8x8x16 50c
 - THIS DRAWING IS DESIGNED FOR THE STANDARD WIND ZONE AND IS TO BE USED IN CONJUNCTION WITH THE INSTALLATION MANUAL AND ITS SUPPLEMENTS.
 - FOOTINGS ARE SHOWN FOR EXAMPLE ONLY. QUANTITY AND SPACING MUST BE DETERMINED BY A PROFESSIONAL ENGINEER BASED ON FND TYPE, SOIL CONDITION, ETC.
 - FOOTINGS ARE REQUIRED AT SUPPORT POSTS. SEE INSTALLATION MANUAL FOR REQUIREMENTS.

Live Oak Homes
MODEL: L-3725B - 32 X 76

- ① MAIN ELECTRICAL
- ② ELECTRICAL CROSSOVER
- ③ WATER INLET
- ④ WATER CROSSOVER (IF ANY)
- ⑤ GAS INLET (IF ANY)
- ⑥ GAS CROSSOVER (IF ANY)
- ⑦ DUCT CROSSOVER
- ⑧ SEWER DROPS
- ⑨ RETURN AIR (WOPT., HEAT PUMP ON DUCT)
- ⑩ SUPPLY AIR (WOPT., HEAT PUMP ON DUCT)


- ☒ Oliver System
- ✂ Double frame tie w/ 48" anchor 5' from end then 12' o/c
- * All Centerline 60" anchor
- * All Perimeter / Name 11x15 w/ 8x8x16



32 X 76 - Approx. 2140 Sq. Ft.

* Determining shown is confidential

District No. 1 - Ronald Williams
District No. 2 - Rusty DePratter
District No. 3 - Bucky Nash
District No. 4 - Everett Phillips
District No. 5 - Tim Murphy



BOARD OF COUNTY COMMISSIONERS • COLUMBIA COUNTY

Address Assignment and Maintenance Document

To maintain the county wide Addressing Policy you must make application for a 9-1-1 Address at the time you apply for a building permit. The established standards for addressing and posting numbers to all principal buildings, dwellings, businesses and industries are contained in Columbia County Ordinance 2001-9. The addressing system is to enable Emergency Services Agencies to locate you in an emergency, and to assist the United States Postal Service and the public in the timely and efficient provision of services to residents and businesses of Columbia County

Date/Time Issued: **9/27/2016 2:59:38 PM**

Address: **229 SW MILL Ln**

City: **LAKE CITY**

State: **FL**

Zip Code **32024**

Pracel ID **03252-102**

REMARKS: Address Verification.

NOTICE: THIS ADDRESS WAS ISSUED BASED ON LOCATION AND ACCESS INFORMATION RECEIVED FROM THE REQUESTER. SHOULD, AT A LATER DATE, THE LOCATION AND/OR ACCESS INFORMATION BE FOUND TO BE IN ERROR OR CHANGED, THIS ADDRESS IS SUBJECT TO CHANGE.

Address Issued By: **Signed:/ Matt Crews**

Columbia County GIS/911 Addressing Coordinator

**COLUMBIA COUNTY
911 ADDRESSING / GIS DEPARTMENT**

**263 NW Lake City Ave., Lake City, FL 32055 Telephone: (386) 758-1125
Email: gis@columbiacountyfla.com**

Form No. 60 (Revised 11-1-80)

GREEN TREE FINANCIAL SERV. CORP.
9250 DAYMEADOWS RD, STE. 120
JACKSONVILLE, FL 32256

This Document Prepared By: GENERAL AMERICAN CORP.

2290 10TH AVE N. STE. 501
LAKE WORTH, FL 33461

Copy Agent's Seal Indicate

File No. 000000

Contract No. 000000

PROPERTY DEED
COLUMBIA COUNTY

RECORDED

FILED AS INSTRUMENT
RECORDS OF COLUMBIA COUNTY

1997 SEP 12 PM 3:35

97-13028

RECORDED
COLUMBIA COUNTY
BY *MLK* D.C.

Documentary Stamp
Intangible Tax
P. DeWitt Cason
Clerk of Court
By *MLK* J.C.

This Warranty Deed, Made the 25th day of AUGUST, 1997, by
DARWIN L. PERRY, JR. 4 BOX 200, LAKE CITY, FL 32024
hereinafter called the Grantor, to GERALD ROACH AND HIS WIFE, EUGEN ROACH FKA BROWN DEBORG
whose post office address is BOX 5 BOX 132 HILL ROAD, LAKE CITY, FL 32024
hereinafter called the Grantee.

Witnesseth, That the Grantor, for and in consideration of the sum of \$ 10.00 and other
valuable considerations, receipt whereof is hereby acknowledged, hereby grants, bargains, sells, assigns, releases,
conveys and confirms unto the Grantee all that certain land, situate in COLUMBIA
County, State of FLORIDA, viz:

LOT #2, VILLAGE SUBDIVISION, A SUBDIVISION ACCORDING TO THE PLAT THEREOF
RECORDED IN PLAT BOOK 6, PAGES 93-94A, PUBLIC RECORDS OF COLUMBIA COUNTY,
FLORIDA.

SUBJECT TO: UTILITY EASEMENTS RECORDED IN PUBLIC RECORDS
SUBJECT TO: A 15 FEET UTILITY EASEMENT ALONG EACH LOT LINE
SUBJECT TO: OUTSTANDING MINERAL INTEREST RECORDED IN PUBLIC RECORDS

THE ABOVE DESCRIBED PROPERTY IS NOT THE HOMESTEAD OF DARWIN L. PERRY.

Together, with all the tenements, hereditaments and appurtenances thereto belonging or in anywise
appertaining. To Have and to Hold, the same in fee simple forever.

And the Grantor hereby covenants with said grantee that the grantor is lawfully seized of said land in fee
simple; that the grantor has good right and lawful authority to sell and convey said land, and hereby warrants
the title in said land and will defend the same against the lawful claims of all persons whomsoever; and that said
land is free of all encumbrances, except taxes accruing subsequent to December 31, 1996.

In Witness Whereof, the said Grantor has signed and sealed these presents the day and year first above
written.

Signed, sealed and delivered in the presence of:

Darwin L. Perry
Witness Signature for and on behalf of
DARWIN L. PERRY
Witness Signature for and on behalf of
JEAN A. HUNNAP
Witness Signature for and on behalf of
JEAN A. HUNNAP

Darwin L. Perry
Witness Signature
DARWIN L. PERRY
Witness Signature
Rt 4 Box 200 Lake City FL 32024
For Grantor Address

Witness Signature for Co-Grantor, if any
Witness Signature for Co-Grantor, if any
Witness Signature for Co-Grantor, if any

Co-Grantor Signature, if any
97-13028-1362
For filing Address

State of FLORIDA
County of COLUMBIA
DARWIN L. PERRY

OFFICIAL RECORDS
I hereby certify that on this day, before me, an official duly authorized
to administer oaths and take acknowledgments, personally appeared

known to me to be the person described in and who executed the foregoing instrument, who acknowledged before me that
executed the same, and so each was not taken. (Check one) ☒ This instrument is a self-authenticating instrument. ☐ Said person(s) provided the following
type of identification: FLORIDA DRIVER LICENSE

Notary Public in and for the State of Florida
Susan Taylor
MY COMMISSION & COPIES EXPIRES
November 30, 2000
ADMONISH THEM FROM ANY INSURANCE CO.

Witness my hand and official seal to this County and State last aforesaid
this 14th day of September, A.D. 1997
Susan Taylor
Notary Public

TOTAL FEE: \$22.00



Ronnie Brannon, Tax Collector
Proudly Serving The People of Columbia County

Tax Record

Last Update: 9/30/2017 12:45:32 PM EDT

Details

Tax Record

» Print View

Legal Desc.

Tax Payment

Payment History

Print Tax Bill NEW!

Change of Address

Register for eBill

Ad Valorem Taxes and Non-Ad Valorem Assessments

The information contained herein does not constitute a title search and should not be relied on as such.

Searches

Account Number

GEO Number

Owner Name

Property Address

Mailing Address

Site Functions

Tax Search

Local Business Tax

Contact Us

County Login

Home

Account Number	Tax Type	Tax Year
R03252-102	REAL ESTATE	2016
Mailing Address	Property Address	
ROACH GERALD & SUSAN D 195 SW MILL LANE LAKE CITY FL 32024	195 MILL SW LAKE CITY GEO Number 314S16-03252-102	
Exempt Amount	Taxable Value	
See Below	See Below	
Exemption Detail	Millage Code	Escrow Code
H3 8846	003	
HX 25000		
Legal Description (click for full description)		
31-4S-16 0200/0200 5.01 Acres LOT 2 VELLE S/D. ORB AD 799-2124, WD 845-1362,		

Ad Valorem Taxes

Taxing Authority	Rate	Assessed Value	Exemption Amount	Taxable Value	Taxes Levied
BOARD OF COUNTY COMMISSIONERS	8.0150	58,846	33,846	\$25,000	\$200.38
COLUMBIA COUNTY SCHOOL BOARD					
DISCRETIONARY	0.7480	58,846	25,000	\$33,846	\$25.32
LOCAL	4.5040	58,846	25,000	\$33,846	\$152.44
CAPITAL OUTLAY	1.5000	58,846	25,000	\$33,846	\$50.77
SUNWATNEE RIVER WATER MGT DIST	0.4093	58,846	33,846	\$25,000	\$10.23
LAKE SHORE HOSPITAL AUTHORITY	0.9620	58,846	33,846	\$25,000	\$24.05
Total Millage	16.1383		Total Taxes		\$463.19


Non-Ad Valorem Assessments

Code	Levying Authority	Amount
FFIR	FIRE ASSESSMENTS	\$549.96
GGAR	SOLID WASTE - ANNUAL	\$579.00

Total Assessments \$1,128.96
Taxes & Assessments \$1,592.15

Charged for 3 units

Roach/Deubler
229 SW Mill Lane
MH Replacement
Lot 2 Vellee S/D





Columbia County Property Appraiser

Jeff Hampton | Lake City, Florida | 386-758-1083

PARCEL: 31-4S-16-03252-102 HX H3 | MOBILE HOM (000200) | 5.01 AC
 LOT 2 VELLE S/D. ORB AD 799-2124, WD 845-1362.

ROACH GERALD & SUSAN D

Owner: 195 SW MILL LANE
 LAKE CITY, FL 32024
 Site: 195 MILL LN, LAKE CITY

Sales 10/5/1994 \$19,400 V (U)
 Info 7/23/1993 \$22,000 V (U)

2017 Certified Values

Mkt Lnd	\$32,000	Appraised	\$58,544
Ag Lnd	\$0	Exempt	\$33,544
Bldg	\$23,044	Assessed	\$58,544
XFOB	\$3,500		
Just	\$58,544	Total	county:\$25,000
Class	\$0	Taxable	city:\$25,000
			other:\$25,000
			school:\$33,544

NOTES:



This information, updated: 10/27/2017, was derived from data which was compiled by the Columbia County Property Appraiser Office solely for the governmental purpose of property assessment. This information should not be relied upon by anyone as a determination of the ownership of property or market value. No warranties, expressed or implied, are provided for the accuracy of the data herein, its use, or its interpretation. Although it is periodically updated, this information may not reflect the data currently on file in the Property Appraiser's office.

by:
 GrizzlyLogic.com

**STATE OF FLORIDA
DEPARTMENT OF HEALTH
APPLICATION FOR ONSITE SEWAGE DISPOSAL SYSTEM CONSTRUCTION PERMIT**


Permit Application Number

27-0657Ranch/Durbin

PART II - SITEPLAN

210'

Scale: 1 inch = 40 feet.



Notes:

1 of 5.01 Areas
See AttachedNo prominent representations
within 75' of line
start

Site Plan submitted by:

Rocky D F

MASTER CONTRACTOR

Plan Approved X

Not Approved _____

Date _____

By

Celestine

County Health Department

ALL CHANGES MUST BE APPROVED BY THE COUNTY HEALTH DEPARTMENT



STATE OF FLORIDA
DEPARTMENT OF HEALTH
ONSITE SEWAGE TREATMENT AND DISPOSAL
SYSTEM
CONSTRUCTION PERMIT

PERMIT #: **12-SC-1795646**
APPLICATION #: **AP1310947**
DATE PAID: **10/13/17**
FEE PAID: **205.00**
RECEIPT #: **3412981**
DOCUMENT #: **PR1079534**

CONSTRUCTION PERMIT FOR: OSTDS Existing Modification

APPLICANT: SUSAN**17-0657 ROACH

PROPERTY ADDRESS: 229 SW MILL Ln Lake City, FL 32024

LOT: 2 BLOCK: _____ SUBDIVISION: Velley

PROPERTY ID #: 03252-102 [SECTION, TOWNSHIP, RANGE, PARCEL NUMBER]
[OR TAX ID NUMBER]

SYSTEM MUST BE CONSTRUCTED IN ACCORDANCE WITH SPECIFICATIONS AND STANDARDS OF SECTION 381.0065, F.S., AND CHAPTER 64E-6, F.A.C. DEPARTMENT APPROVAL OF SYSTEM DOES NOT GUARANTEE SATISFACTORY PERFORMANCE FOR ANY SPECIFIC PERIOD OF TIME. ANY CHANGE IN MATERIAL FACTS, WHICH SERVED AS A BASIS FOR ISSUANCE OF THIS PERMIT, REQUIRE THE APPLICANT TO MODIFY THE PERMIT APPLICATION. SUCH MODIFICATIONS MAY RESULT IN THIS PERMIT BEING MADE NULL AND VOID. ISSUANCE OF THIS PERMIT DOES NOT EXEMPT THE APPLICANT FROM COMPLIANCE WITH OTHER FEDERAL, STATE, OR LOCAL PERMITTING REQUIRED FOR DEVELOPMENT OF THIS PROPERTY.

SYSTEM DESIGN AND SPECIFICATIONS

T [900] GALLONS / GPD Existing Septic Tank CAPACITY
A [] GALLONS / GPD N/A CAPACITY
N [] GALLONS GREASE INTERCEPTOR CAPACITY [MAXIMUM CAPACITY SINGLE TANK:1250 GALLONS]
K [] GALLONS DOSING TANK CAPACITY [] GALLONS @ [] DOSES PER 24 HRS #Pumps []

D [500] SQUARE FEET Drainfield SYSTEM
R [] SQUARE FEET N/A SYSTEM

A TYPE SYSTEM: [X] STANDARD [] FILLED [] MOUND []

I CONFIGURATION: [X] TRENCH [] BED []

N
F LOCATION OF BENCHMARK: Top of septic lid, outlet end.

I ELEVATION OF PROPOSED SYSTEM SITE [4.00] [INCHES] FT [ABOVE] BELOW] BENCHMARK/REFERENCE POINT

E BOTTOM OF DRAINFIELD TO BE [24.00] [INCHES] FT [ABOVE] BELOW] BENCHMARK/REFERENCE POINT

L
D FILL REQUIRED: [0.00] INCHES EXCAVATION REQUIRED: [0.00] INCHES

- O 1.) The system is sized for 4 bedrooms with a maximum occupancy of 8 persons (2 per bedroom), for a total estimated
T flow of 400 gpd.
H 2.) Contractor proposes installation of a new drainfield to achieve the required area per rule.
E 3.) An approved outlet filter must be added.
R 4.) The existing home must be disconnected prior to final approval of permit.

SPECIFICATIONS BY: Rocky D Ford

TITLE: Master Contract

APPROVED BY: Jeremy K Gifford

TITLE: Environmental Specialist I

Columbia CHD

DATE ISSUED: 10/23/2017

EXPIRATION DATE: 04/23/2019

DH 4016, 08/09 (Obsoletes all previous editions which may not be used)

Incorporated: 64E-6.003, FAC

Page 1 of 3



STATE OF FLORIDA
DEPARTMENT OF HEALTH
ONSITE SEWAGE TREATMENT AND DISPOSAL
SYSTEM
APPLICATION FOR CONSTRUCTION PERMIT

PERMIT NO. 17-0657MDATE PAID: 10/12/17FEE PAID: 20500RECEIPT #: 1318944

APPLICATION FOR:

[] New System [] Existing System [] Holding Tank [] Innovative
[] Repair [] Abandonment [] Temporary ☒ MODIFICATION

APPLICANT: Susan RoachAGENT: ROCKY FORD, A & B CONSTRUCTIONTELEPHONE: 386-497-2311MAILING ADDRESS: 546 SW Dortch Street, FT. WHITE, FL, 32038

TO BE COMPLETED BY APPLICANT OR APPLICANT'S AUTHORIZED AGENT. SYSTEMS MUST BE CONSTRUCTED BY A PERSON LICENSED PURSUANT TO 489.105(3) (m) OR 489.552, FLORIDA STATUTES. IT IS THE APPLICANT'S RESPONSIBILITY TO PROVIDE DOCUMENTATION OF THE DATE THE LOT WAS CREATED OR PLATTED (MM/DD/YY) IF REQUESTING CONSIDERATION OF STATUTORY GRANDFATHER PROVISIONS.

PROPERTY INFORMATION

LOT: 2 BLOCK: na SUB: Vallee S/D PLATTED: 5/7/93PROPERTY ID #: 31-4S-16-03252-102 ZONING: Res. I/M OR EQUIVALENT: [Y / ☒ N]PROPERTY SIZE: 5.01 ACRES WATER SUPPLY: [☒] PRIVATE PUBLIC [] <=2000GPD [] >2000GPDIS SEWER AVAILABLE AS PER 381.0065, FS? [Y / ☒ N] DISTANCE TO SEWER: FTPROPERTY ADDRESS: 229 SW Mill Lane, LC, FL

DIRECTIONS TO PROPERTY: 247 South, TR Mill Lane, #rd lot on right, To last house
in back of property

BUILDING INFORMATION

☒ RESIDENTIAL [] COMMERCIAL

Unit No	Type of Establishment	No. of Bedrooms	Building Area Sqft	Commercial/Institutional System Design Table 1, Chapter 64E-6, FAC
1	SF Residential	4	2140	
2				
3				

[☒] Floor/Equipment Drains [☒] Other (Specify) SIGNATURE: Rocky D Ford DATE: 10/12/2017

MOBILE HOME INSTALLATION SUBCONTRACTOR VERIFICATION FORM

APPLICATION NUMBER 1711-03 CONTRACTOR William Price PHONE 407-448-0953

THIS FORM MUST BE SUBMITTED PRIOR TO THE ISSUANCE OF A PERMIT

In Columbia County one permit will cover all trades doing work at the permitted site. It is **REQUIRED** that we have records of the subcontractors who actually did the trade specific work under the permit. Per Florida Statute 440 and Ordinance 89-6, a contractor shall require all subcontractors to provide evidence of workers' compensation or exemption, general liability insurance and a valid Certificate of Competency license in Columbia County.

Any changes, the permitted contractor is responsible for the corrected form being submitted to this office prior to the start of that subcontractor beginning any work. Violations will result in stop work orders and/or fines.

ELECTRICAL 1074 ✓	Print Name <u>Glenn Whittington</u> License #: <u>EC13002957</u> Qualifier Form Attached ☐	Signature <u>Glenn Whittington</u> Phone #: <u>386-972-1700</u>
MECHANICAL/ A/C 1069 ✓	Print Name <u>Ronald Bonds</u> License #: <u>CAC1817658</u> Qualifier Form Attached ☐	Signature <u>Ronald Bonds</u> Phone #: <u>800-259-3470</u>

Qualifier Forms cannot be submitted for any Specialty License.

Specialty License	License Number	Sub-Contractors Printed Name	Sub-Contractors Signature
MASON			
CONCRETE FINISHER			

F. S. 440.103 Building permits; identification of minimum premium policy.--Every employer shall, as a condition to applying for and receiving a building permit, show proof and certify to the permit issuer that it has secured compensation for its employees under this chapter as provided in ss. 440.10 and 440.38, and shall be presented each time the employer applies for a building permit.

Revised 10/30/2015