

Prepared by and return to:

Kyle Polansky  
Alachua Title Services, LLC  
16407 Northwest 174th Drive  
Suite C  
Alachua, FL 32615  
(386) 418-8183  
File No 22-368

Parcel Identification No 31-7S-17-10070-116

[Space Above This Line For Recording Data]

## WARRANTY DEED

(STATUTORY FORM – SECTION 689.02, F.S.)

This indenture made the 10th day of November, 2022 between Edward S. McIntyre and Barbara J. McIntyre, a married couple, whose post office address is 23 West Danbury Lane, Brevard, NC 28712, of the County of Transylvania, State of North Carolina, Grantors, to Mark Timken and Melissa Timken, a married couple, as tenants by the entirety, whose post office address is 3131 Northwest 13th Street, Ste 41, Gainesville, FL 32609, of the County of Alachua, State of Florida, Grantees:

Witnesseth, that said Grantors, for and in consideration of the sum of TEN DOLLARS (U.S.\$10.00) and other good and valuable considerations to said Grantors in hand paid by said Grantees, the receipt whereof is hereby acknowledged, has granted, bargained, and sold to the said Grantees, and Grantees' heirs and assigns forever, the following described land, situate, lying and being in Columbia, Florida, to-wit:

**PARCEL 16**

A PART OF THE W 1/2 OF SECTION 31, TOWNSHIP 7 SOUTH, RANGE 17 EAST, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCE AT THE NW CORNER OF SAID SECTION 31, AND RUN THENCE S 01°41'10" E, ALONG THE WEST LINE OF SAID SECTION 31, A DISTANCE OF 1804.99 FEET; THENCE N 88°18'50" E, A DISTANCE OF 814.42 FEET; THENCE S 01°45'20" E, A DISTANCE OF 311.37 FEET; THENCE 86°23'44" E, A DISTANCE OF 561.79 FEET TO THE POINT OF BEGINNING; THENCE N 02°07'36"W, A DISTANCE OF 775.52 FEET TO A POINT ON A CURVE TO THE RIGHT, HAVING A RADIUS OF 330.00 FEET, A CENTRAL ANGLE OF 26°53'38", A TANGENT LENGTH OF 78.90 FEET, A CHORD BEARING OF S 79°53'33" E, AND A CHORD LENGTH OF 153.48 FEET; THENCE ALONG THE ARC OF SAID CURVE, AN ARC LENGTH OF 154.90 FEET TO THE POINT OF TANGENCY OF SAID CURVE; THENCE S 66°26'45" E, A DISTANCE OF 156.72 FEET TO THE POINT OF CURVATURE OF A CURVE TO THE LEFT, HAVING A RADIUS OF 300.00 FEET, A CENTRAL ANGLE OF 29°28'54", A TANGENT LENGTH OF 78.93 FEET, A CHORD BEARING OF S 81°11'11" E, AND A CHORD LENGTH OF 152.67 FEET; THENCE ALONG THE ARC OF SAID CURVE, AN ARC LENGTH OF 154.37 FEET TO THE POINT OF TANGENCY OF SAID CURVE; THENCE N 84°04'22" E, A DISTANCE OF 140.14 FEET; THENCE S 04°50'37" W, A DISTANCE OF 58.27 FEET TO THE POINT OF CURVATURE OF A CURVE TO THE LEFT, HAVING A RADIUS OF 80.00 FEET, A CENTRAL ANGLE OF 25°22'17", A TANGENT LENGTH OF 18.01 FEET, A CHORD BEARING OF S 07°50'32" E, AND A CHORD LENGTH OF 35.14 FEET; THENCE ALONG THE ARC OF SAID CURVE, AN ARC LENGTH OF 35.43 FEET TO THE POINT OF TANGENCY OF SAID CURVE; THENCE S 20°31'41" E, A DISTANCE OF 284.45 FEET TO THE POINT OF CURVATURE OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 300.00 FEET, A CENTRAL ANGLE OF 19°54'39", A TANGENT LENGTH OF 52.66 FEET, A CHORD BEARING OF S 10°34'21" E, AND A CHORD LENGTH OF 103.73 FEET; THENCE ALONG THE ARC OF SAID CURVE, AN ARC LENGTH OF 104.25 FEET TO THE POINT OF TANGENCY OF SAID CURVE; THENCE S 00°37'02" E, A DISTANCE OF 172.66 FEET; THENCE S 86°23'44" W, A DISTANCE OF 678.09 FEET TO THE POINT OF BEGINNING. COLUMBIA COUNTY, FLORIDA

**EASEMENT**

AN EASEMENT FOR INGRESS AND EGRESS, BEING 60 FEET IN WIDTH AND LYING 30 FEET TO THE LEFT AND 30 FEET TO THE RIGHT, AS MEASURED PERPENDICULAR TO THE FOLLOWING DESCRIBED CENTERLINE: COMMENCE AT THE NE CORNER OF THE NW 1/4 OF SECTION 31, TOWNSHIP 7 SOUTH, RANGE 17 EAST, COLUMBIA COUNTY, FLORIDA AND RUN THENCE S.87°14'55" W., ALONG THE NORTH LINE OF SAID SECTION 31, A DISTANCE OF 737.64 FEET TO A POINT ON THE SOUTHERLY RIGHT-OF-WAY LINE OF A COUNTY MAINTAINED GRADE ROAD, SAID POINT BEING THE POINT OF BEGINNING; THENCE S.01° 47'48"E., A DISTANCE OF 114.27 FEET TO THE POINT OF CURVATURE OF A CURVE TO THE LEFT

HAVING: A RADIUS OF 230.00 FEET, A CENTRAL ANGLE OF 55°09'08", A TANGENT LENGTH OF 120.12 FEET, A CHORD BEARING OF S.29°22'22"E., AND A CHORD LENGTH OF 212.95 FEET; THENCE ALONG THE ARC OF SAID CURVE, AN ARC DISTANCE OF 221.39 FEET TO A POINT OF REVERSE CURVE OF A CURVE TO THE RIGHT, HAVING: A RADIUS OF 170.00 FEET, A CENTRAL ANGLE OF 72°58'42", A TANGENT LENGTH OF 125.74 FEET, A CHORD BEARING OF S.20°27'35"E., AND A CHORD LENGTH OF 202.19 FEET; THENCE ALONG THE ARC OF SAID CURVE, AN ARC DISTANCE OF 216.53 FEET; THENCE S.16°01'48"W., A DISTANCE OF 282.20 FEET TO A POINT HEREINAFTER REFERRED TO THE LEFT, HAVING: A RADIUS OF 300.00 FEET, A CENTRAL ANGLE OF 16°57'20", A TANGENT LENGTH OF 44.72 FEET, A CHORD BEARING OF S.07°33'06"W., AND A CHORD LENGTH OF 88.46 FEET; THENCE ALONG THE ARC OF SAID CURVE, AN ARC DISTANCE OF 88.78 FEET; THENCE S.00°55'34"E., A DISTANCE OF 223.29 FEET TO THE POINT OF CURVATURE OF A CURVE TO THE LEFT HAVING: RADIUS OF 270.00 FEET, A CENTRAL ANGLE OF 09°29'10", A TANGENT LENGTH OF 22.40 FEET, A CHORD BEARING OF S.05°40'09"E., AND A CHORD LENGTH OF 44.65 FEET; THENCE ALONG THE ARC OF SAID CURVE, AN ARC DISTANCE OF 44.70 FEET; THENCE S.10°24'44"E., A DISTANCE OF 143.54 FEET TO THE POINT OF CURVATURE OF A CURVE TO THE RIGHT, HAVING: A RADIUS OF 330.00 FEET, A CENTRAL ANGLE OF 15°15'21", A TANGENT LENGTH OF 44.19 FEET, A CHORD BEARING OF S02°47'03"E., AND A CHORD LENGTH OF 87.61 FEET; THENCE ALONG THE ARC OF SAID CURVE, AN ARC DISTANCE OF 87.87 FEET; THENCE S.04°50'37"W., A DISTANCE OF 125.00 FEET TO A POINT HEREINAFTER REFERRED TO AS POINT "B"; THENCE CONTINUE S.04°50'37"W., A DISTANCE OF 58.27 FEET TO THE POINT OF CURVATURE OF A CURVE TO THE LEFT, HAVING: A RADIUS OF 80.00 FEET, A CENTRAL ANGLE OF 25°22'17", A TANGENT LENGTH OF 18.01 FEET, A CHORD BEARING OF S.07°50'32"E., AND A CHORD LENGTH OF 35.14 FEET; THENCE ALONG THE ARC OF SAID CURVE, AN ARC DISTANCE OF 35.43 FEET; THENCE S.20°31'41"E., A DISTANCE OF 284.45 FEET TO THE POINT OF CURVATURE OF A CURVE TO THE RIGHT, HAVING: A RADIUS OF 300.00 FEET, A CENTRAL ANGLE OF 19°54'39", A TANGENT LENGTH OF 52.66 FEET, A CHORD BEARING OF S.10°34'21"E., AND A CHORD LENGTH OF 103.73 FEET; THENCE ALONG THE ARC OF SAID CURVE, AN ARC DISTANCE OF 104.25 FEET; THENCE S.00°37'02"E., A DISTANCE OF 172.66 FEET TO A POINT HEREINAFTER REFERRED TO AS POINT "C"; THENCE CONTINUE S.00°37'02"E., A DISTANCE OF 266.23 FEET TO THE POINT OF CURVATURE OF A CURVE, HAVING: A RADIUS OF 150.00 FEET, A CENTRAL ANGLE OF 47°58'58", A TANGENT LENGTH OF 66.78 FEET, A CHORD BEARING OF S.23°22'27"W., AND A CHORD LENGTH OF 121.98 FEET; THENCE ALONG THE ARC OF SAID CURVE AN ARC DISTANCE OF 125.62 FEET; THENCE S.47°21'56"W., A DISTANCE OF 70.00 FEET TO THE POINT OF CURVATURE OF A CURVE TO THE LEFT, HAVING: A RADIUS OF 150.00 FEET, A CENTRAL ANGLE OF 58°35'13", A TANGENT LENGTH OF 84.15 FEET, A CHORD BEARING OF S.18°04'19"W., AND A CHORD LENGTH OF 146.78 FEET; THENCE ALONG THE ARC OF SAID CURVE, AN ARC DISTANCE OF 153.38 FEET; THENCE S.11°13'17"E., A DISTANCE OF 205.89 FEET TO THE POINT OF CURVATURE OF A CURVE TO THE RIGHT, HAVING: A RADIUS OF 150.00 FEET, A CENTRAL ANGLE OF 43°09'40", A TANGENT LENGTH OF 59.33 FEET, A CHORD BEARING OF S.10°21'33"W., AND A CHORD LENGTH OF 110.34 FEET; THENCE ALONG THE ARC OF SAID CURVE, AN ARC DISTANCE OF 113.00 FEET; THENCE S.31°56'23"W., A DISTANCE OF 183.67 FEET TO THE POINT OF CURVATURE OF A CURVE TO THE LEFT, HAVING: A RADIUS OF 330.00 FEET, A CENTRAL ANGLE OF 12°59'20", A TANGENT LENGTH OF 37.57 FEET, A CHORD BEARING OF S.25°26'43"W., AND A CHORD LENGTH OF 74.65 FEET; THENCE ALONG THE ARC OF SAID CURVE, AN ARC DISTANCE OF 74.81 FEET TO A POINT HEREINAFTER REFERRED TO AS POINT "D", SAID POINT BEING A POINT OF TERMINATION OF SAID CENTERLINE. THENCE BEGIN AT THE AFOREMENTIONED POINT "A", AND RUN THENCE N.81°32'45"E., A DISTANCE OF 701.09 FEET; THENCE N.87°14'29"E., A DISTANCE OF 627.20 FEET TO THE RADIUS POINT OF A 25 FOOT CUL-DE-SAC, SAID POINT BEING A POINT OF TERMINATION OF SAID CENTERLINE THENCE BEGIN AT A FOREMENTIONED POINT "B", AND RUN THENCE S.84°04'22"W., A DISTANCE OF 140.14 FEET TO THE POINT OF CURVATURE OF A CURVE TO THE RIGHT, HAVING: A RADIUS OF 300.00 FEET, A CENTRAL ANGLE OF 29°28'54", A TANGENT LENGTH OF 78.93 FEET, A CHORD BEARING OF N.81°11'11"W., AND A CHORD LENGTH OF 152.67 FEET; THENCE ALONG THE ARC OF SAID CURVE, AN ARC DISTANCE OF 154.37 FEET; THENCE N.66°26'45"W., A DISTANCE OF 156.72 FEET TO THE POINT OF CURVATURE OF A CURVE TO THE LEFT, HAVING: A RADIUS OF 330.00 FEET, A CENTRAL ANGLE OF 26°53'38", A TANGENT LENGTH OF 78.90 FEET, A CHORD BEARING OF N.79°53'33"W., AND A CHORD LENGTH OF 153.48 FEET; THENCE ALONG THE ARC OF SAID CURVE, AN ARC DISTANCE OF 154.90 FEET; THENCE S.86°39'38"W., A DISTANCE OF 616.14 FEET TO A POINT HEREINAFTER REFERRED TO AS POINT "E"; THENCE N.44°18'47"W., A DISTANCE OF 17.12 FEET TO THE POINT OF CURVATURE OF A CURVE TO THE RIGHT, HAVING: A RADIUS OF 200.00 FEET, A CENTRAL ANGLE OF 42°37'37", A TANGENT LENGTH OF 78.03 FEET, A CHORD BEARING OF N.22°59'59"W., AND A CHORD LENGTH OF 145.39 FEET; THENCE ALONG THE ARC OF SAID CURVE, AN ARC DISTANCE OF 148.80 FEET; THENCE N.01°41'10"W., A DISTANCE OF 565.91 FEET TO THE RADIUS POINT OF A 25 FOOT CUL-DE-SAC, SAID POINT BEING A POINT OF TERMINATION OF SAID CENTERLINE; THENCE RETURNING TO THE AFOREMENTIONED POINT "E", RUN THENCE S.44°18'47"E., A DISTANCE OF 46.97 FEET TO THE POINT OF CURVATURE OF A CURVE TO THE RIGHT, HAVING: A RADIUS OF 105.00 FEET, A CENTRAL ANGLE OF 42°33'27", A TANGENT LENGTH OF 40.89 FEET, A CHORD BEARING OF S.23°02'04"E., AND A CHORD LENGTH

OF 76.21 FEET; THENCE ALONG THE ARC OF SAID CURVE, AN ARC DISTANCE OF 77.99 FEET; THENCE S.01°45'20"E., A DISTANCE OF 1970.74 FEET TO THE RADIUS POINT OF A 25 FOOT CUL-DE-SAC, SAID POINT BEING A POINT OF TERMINATION OF SAID CENTERLINE. THENCE BEGIN AT THE AFOREMENTIONED POINT "C", AND RUN THENCE N.85°13'54"E., A DISTANCE OF 93.53 FEET TO THE POINT OF CURVATURE OF A CURVE TO THE LEFT, HAVING: A RADIUS OF 300.00 FEET, A CENTRAL ANGLE OF 13°51'33", A TANGENT LENGTH OF 36.46 FEET, A CHORD BEARING OF N.78°18'07"E., AND A CHORD LENGTH OF 72.39 FEET; THENCE ALONG THE ARC OF SAID CURVE, AN ARC LENGTH OF 72.57 FEET; THENCE N.71°22'21"E., A DISTANCE OF 354.70 FEET; THENCE N.77° 56'34"E., 62.17 FEET; THENCE S.66°25'47"E., A DISTANCE OF 207.86 FEET; THENCE S.89°03'47"E., 142.06 FEET; THENCE N. 87°13'37"E., A DISTANCE OF 301.36 FEET TO THE RADIUS POINT OF A 25 FOOT CUL-DE-SAC, SAID POINT BEING A POINT OF TERMINATION OF SAID CENTERLINE. THENCE BEGIN AT THE AFOREMENTIONED POINT "D" AND RUN THENCE N. 71°02'57"W., A DISTANCE OF 6.24 FEET; THENCE S.19°16'58"W., A DISTANCE OF 21.70 FEET; THENCE S.72°18'51"E., A DISTANCE OF 780.47 FEET TO THE POINT OF CURVATURE OF A CURVE TO THE LEFT, HAVING: A RADIUS OF 500.00 FEET, A CENTRAL ANGLE OF 20°27'26", AND A TANGENT LENGTH OF 90.22 FEET, A CHORD BEARING OF S.82°32'34"E., AND A CHORD LENGTH OF 177.58 FEET; THENCE ALONG THE ARC OF SAID CURVE, AN ARC DISTANCE OF 178.52 FEET; THENCE N.87°13'43"E., A DISTANCE OF 541.28 FEET TO THE RADIUS POINT OF A 25 FOOT CUL-DE-SAC, SAID POINT BEING THE POINT OF TERMINATION OF SAID CENTERLINE.

ALSO;

AN EASEMENT OVER AND ACROSS THE FOLLOWING DESCRIBED PARCEL:

BEGIN AT THE AFOREMENTIONED POINT "D" AND RUN THENCE N.71°02'57"W., A DISTANCE OF 26.24 FEET; THENCE S.19°16'56"W., A DISTANCE OF 1823.87 FEET; THENCE S.70°43'02"E., A DISTANCE OF 64.05 FEET; THENCE N.27°25'42"E., A DISTANCE OF 40.56 FEET; THENCE N.18°54'40"E., A DISTANCE OF 631.89 FEET; THENCE N.70°43'02"W., A DISTANCE OF 25.70 FEET; THENCE N. 19°16'58"E., A DISTANCE OF 1152.07 FEET; THENCE N.71°02'57"W., A DISTANCE OF 13.76 FEET TO THE POINT OF BEGINNING.

**Together with** all the tenements, hereditaments and appurtenances thereto belonging or in anywise appertaining.

**Subject to** taxes for 2022 and subsequent years, not yet due and payable; covenants, restrictions, easements, reservations and limitations of record, if any.

**TO HAVE AND TO HOLD** the same in fee simple forever.

**And** Grantors hereby covenant with the Grantees that the Grantors are lawfully seized of said land in fee simple, that Grantors have good right and lawful authority to sell and convey said land and that the Grantors hereby fully warrant the title to said land and will defend the same against the lawful claims of all persons whomsoever.

**In Witness Whereof**, Grantors have hereunto set Grantors' hand and seal the day and year first above written.

*Signed, sealed and delivered in our presence:*

WITNESS #1

PRINT NAME: Christina Opett

WITNESS #2

PRINT NAME: Todd C Lewis

Edward S. McIntyre

Barbara J. McIntyre

STATE OF FLORIDA  
COUNTY OF COLUMBIA

The foregoing instrument was acknowledged before me by means of ☒ physical presence or ( ) online notarization this 4 day of November 2022, by Edward S McIntyre and Barbara J McIntyre.

Christina Maria Opett  
Signature of Notary Public

Print, Type/Stamp Name of Notary

Personally Known: \_\_\_\_\_ OR Produced Identification: X

Type of Identification

Produced: Drivers License

