

**Columbia County Building Department
Culvert Permit**

**Culvert Permit No.
000002632**

DATE 07/06/2018 PARCEL ID # 16-2S-16-01631-027

APPLICANT MIKE TODD PHONE 755-4387

ADDRESS 129 NE COLBURN AVE LAKE CITY FL 32055

OWNER SHATOURIA MCCLELLAN PHONE 386-365-0319

ADDRESS 4987 NW LASSIE BLACK ST WHITE SPRINGS FL 32096

CONTRACTOR MIKE TODD PHONE 755-4387

LOCATION OF PROPERTY 41 N, R LASSIE BLACK ST. 8TH ON LEFT

SUBDIVISION/LOT/BLOCK/PHASE/UNIT SUWANNEE HIGHLANDS D 27

INSTALLATION INFORMATION

SIGNATURE 

(A) A culvert shall be required to be installed as part of any newly constructed private driveway or road, or public road, which connects to a county road in Columbia County. Culvert installation for residential use shall require a permit issued by the Building and Zoning Department. Prior to any culvert permit being issued, an inspection by the Public Works Department shall be required to determine the proper size, length, and location for installation. Culvert installation for commercial, industrial, and other uses shall conform to the approved site plan or to the specifications of a registered engineer. Joint use culverts will comply with Florida Department of Transportation specifications.

(B) The culvert shall comply and be installed in accordance with Columbia County Land Development Regulation, Access Control: Section 4.2.3 standards. Proper installation of the culvert shall be verified by a final inspection performed by the Public Works Department.

(C) All culverts required by this policy shall be installed prior to the Building Department granting permission to connect permanent electrical service to the facility or facilities being serviced by newly constructed private driveway or road. In cases where no electrical service exists, installation shall be completed prior to final inspection approval.

(D) Mitered-end culverts shall be used in the following applications:
(1) When the culvert is to be placed giving access to a paved street.; (2) When the road is contained within a subdivision (recorded or unrecorded) that has not reached a "build out" of fifty percent (50%) or more.; (3) In all new subdivisions for residential use. New subdivisions shall be required as part of the final plat to specify culvert diameter and length.; (4) When the predominant use already established by the use of mitered-end culverts period.

Culvert installation shall conform to the approved site plan standards.

Department of Transportation Permit installation approved standards.

Shall conform to Public Works Determinations as Stated Below:

INSTALL min 32" x 18" CORR. METAL culvert, w/ CONCRETE MITRED ENDS,
w/ 6" x 6" WELDED WIRE, REBAR or CULVERT BOLTS IN MITRED ENDS.

P W Inspectors Name: David M. Scaramella Date: 7/13/18

Final Inspection Date: _____ P W Inspectors Name: _____ Signature: _____

CONTACT FOR REQUIREMENTS AND INSPECTIONS:

PUBLIC WORKS DEPARTMENT Phone: 386-758-1019

Amount Paid 25.00

SCHEDULE INPSECTIONS ONLINE

www.columbiacountyfla.com/PermitSearch/InspectionCalendar.aspx

Check No. 18487

All Proper Safety Requirements Should Be Followed During The Installation Of The Culvert

**Columbia County Building Department
Culvert Permit**

**Culvert Permit No.
000002633**

DATE 07/06/2018 PARCEL ID # 36-4S-17-09042-002

APPLICANT MIKE TODD PHONE 755-4387

ADDRESS 129 NE COLBURN AVE LAKE CITY FL 32055

OWNER MATTHEW & TRISTA DYKES PHONE 352-221-0011

ADDRESS 928 SE EBENEZER RD LAKE CITY FL 32025

CONTRACTOR MIKE TODD PHONE 755-4387

LOCATION OF PROPERTY TAKE CR-245. L EBENEZER RD. LOT IS ON RIGHT AFTER THE CREEK

SUBDIVISION/LOT/BLOCK/PHASE/UNIT

INSTALLATION INFORMATION

SIGNATURE X 

(A) A culvert shall be required to be installed as part of any newly constructed private driveway or road, or public road, which connects to a county road in Columbia County. Culvert installation for residential use shall require a permit issued by the Building and Zoning Department. Prior to any culvert permit being issued, an inspection by the Public Works Department shall be required to determine the proper size, length, and location for installation. Culvert installation for commercial, industrial, and other uses shall conform to the approved site plan or to the specifications of a registered engineer. Joint use culverts will comply with Florida Department of Transportation specifications.

(B) The culvert shall comply and be installed in accordance with Columbia County Land Development Regulation, Access Control: Section 4.2.3 standards. Proper installation of the culvert shall be verified by a final inspection performed by the Public Works Department.

(C) All culverts required by this policy shall be installed prior to the Building Department granting permission to connect permanent electrical service to the facility or facilities being serviced by newly constructed private driveway or road. In cases where no electrical service exists, installation shall be completed prior to final inspection approval.

(D) Mitered-end culverts shall be used in the following applications:
(1) When the culvert is to be placed giving access to a paved street.; (2) When the road is contained within a subdivision (recorded or unrecorded) that has not reached a "build out" of fifty percent (50%) or more.; (3) In all new subdivisions for residential use. New subdivisions shall be required as part of the final plat to specify culvert diameter and length.; (4) When the predominant use already established by the use of mitered-end culverts period.

Culvert installation shall conform to the approved site plan standards.

Department of Transportation Permit installation approved standards.

Shall conform to Public Works Determinations as Stated Below:

INSTALL min 32'X18" CORR METAL CULVERT, w/CONCRETE MITRED ENDS,
w/6"X6" WELDED WIRE, REBAR OR CULVERT BOLTS IN MITRED ENDS.

P W Inspectors Name:

DAVID M SCARMICK

Date:

7/13/18

Final Inspection Date:

P W Inspectors Name:

Signature:

CONTACT FOR REQUIREMENTS AND INSPECTIONS:

PUBLIC WORKS DEPARTMENT Phone: 386-758-1019

Amount Paid 25.00

SCHEDULE INPSECTIONS ONLINE

www.columbiacountyfla.com/PermitSearch/InspectionCalendar.aspx

Check No. 18486

All Proper Safety Requirements Should Be Followed During The Installation Of The Culvert

Columbia County Building Department Culvert Permit

(w) APP

Culvert Permit No.
000002635

DATE 07/06/2018 PARCEL ID # 32-2S-16-01809-107
APPLICANT KIMBERLY HUDSON PHONE 386-454-0871
ADDRESS 3310 NE 76TH AVE HIGH SPRINGS FL 32643
OWNER WESTRIDGE INC/CHARLES & KIMBERLY HUDSON PHONE 386-454-0871
ADDRESS 3310 NE 76TH AVENUE HIGH SPRNGS FL 32643
CONTRACTOR CHARLES & KIMBERLY HUDSON PHONE 386-454-0871
LOCATION OF PROPERTY 90 W. R LAKE JEFFERY RD. R INDIAN RIDGE. L TOMOKA CT.
2ND ON LEFT
SUBDIVISION/LOT/BLOCK/PHASE/UNIT INDIAN RIDGE 7 1

INSTALLATION INFORMATION

SIGNATURE Kimberly Hudson

(A) A culvert shall be required to be installed as part of any newly constructed private driveway or road, or public road, which connects to a county road in Columbia County. Culvert installation for residential use shall require a permit issued by the Building and Zoning Department. Prior to any culvert permit being issued, an inspection by the Public Works Department shall be required to determine the proper size, length, and location for installation. Culvert installation for commercial, industrial, and other uses shall conform to the approved site plan or to the specifications of a registered engineer. Joint use culverts will comply with Florida Department of Transportation specifications.

(B) The culvert shall comply and be installed in accordance with Columbia County Land Development Regulation, Access Control: Section 4.2.3 standards. Proper installation of the culvert shall be verified by a final inspection performed by the Public Works Department.

(C) All culverts required by this policy shall be installed prior to the Building Department granting permission to connect permanent electrical service to the facility or facilities being serviced by newly constructed private driveway or road. In cases where no electrical service exists, installation shall be completed prior to final inspection approval.

(D) Mitered-end culverts shall be used in the following applications:
(1) When the culvert is to be placed giving access to a paved street.; (2) When the road is contained within a subdivision (recorded or unrecorded) that has not reached a "build out" of fifty percent (50%) or more.; (3) In all new subdivisions for residential use. New subdivisions shall be required as part of the final plat to specify culvert diameter and length.; (4) When the predominant use already established by the use of mitered-end culverts period.

Culvert installation shall conform to the approved site plan standards.

Department of Transportation Permit installation approved standards.

Shall conform to Public Works Determinations as Stated Below:

INSTALL min 32' X 15" CORR METAL culvert, w/CONCRETE MITRED ENDS
w/6" X 6" WELDED WIRE, REBAR OR CULVENT BOLTS IN MITRED ENDS.

P W Inspectors Name:

DAVID M. GORMICK

Date:

7/13/18

Final Inspection Date:

P W Inspectors Name:

Signature:

CONTACT FOR REQUIREMENTS AND INSPECTIONS:

PUBLIC WORKS DEPARTMENT Phone: 386-758-1019

Amount Paid 25.00

SCHEDULE INPSECTIONS ONLINE

www.columbiacountyfla.com/PermitSearch/InspectionCalendar.aspx

Check No. 1560

All Proper Safety Requirements Should Be Followed During The Installation Of The Culvert

**Columbia County Building Department
Culvert Permit**

**Culvert Permit No.
000002637**

DATE 07/10/2018 PARCEL ID # 34-4S-17-08970-001
APPLICANT KIMBERLY ZUCCOLA PHONE 386.867.1106
ADDRESS 151 SE ALFRED MARKHAM ST LAKE CITY FL 32025
OWNER KIMBERLY ZUCCOLA PHONE 386.867.1106
ADDRESS 151 SE ALFRED MARKHAM ST LAKE CITY FL 32025
CONTRACTOR KIMBERLY ZUCCOLA PHONE 386.867.1106
LOCATION OF PROPERTY 41/441-S TO CORNER OF 441-S & ALFRED MARKHAM.

SUBDIVISION/LOT/BLOCK/PHASE/UNIT

INSTALLATION INFORMATION

SIGNATURE:

(A) A culvert shall be required to be installed as part of any newly constructed private driveway or road, or public road, which connects to a county road in Columbia County. Culvert installation for residential use shall require a permit issued by the Building and Zoning Department. Prior to any culvert permit being issued, an inspection by the Public Works Department shall be required to determine the proper size, length, and location for installation. Culvert installation for commercial, industrial, and other uses shall conform to the approved site plan or to the specifications of a registered engineer. Joint use culverts will comply with Florida Department of Transportation specifications.

(B) The culvert shall comply and be installed in accordance with Columbia County Land Development Regulation, Access Control: Section 4.2.3 standards. Proper installation of the culvert shall be verified by a final inspection performed by the Public Works Department.

(C) All culverts required by this policy shall be installed prior to the Building Department granting permission to connect permanent electrical service to the facility or facilities being serviced by newly constructed private driveway or road. In cases where no electrical service exists, installation shall be completed prior to final inspection approval.

(D) Mitered-end culverts shall be used in the following applications:
(1) When the culvert is to be placed giving access to a paved street.; (2) When the road is contained within a subdivision (recorded or unrecorded) that has not reached a "build out" of fifty percent (50%) or more.; (3) In all new subdivisions for residential use. New subdivisions shall be required as part of the final plat to specify culvert diameter and length.; (4) When the predominant use already established by the use of mitered-end culverts period.

Culvert installation shall conform to the approved site plan standards.

Department of Transportation Permit installation approved standards.

Shall conform to Public Works Determinations as Stated Below:

INSTALL min 32' x 18" CORR METAL CULVERT, w/ CONCRETE MITRED ENDS,
w/ 6" x 6" WELDED WIRE, REBAR OR CULVERT BOLTS IN MITRED ENDS.

P W Inspectors Name:

DAVID M SCORMICK

Date:

7/10/18

Final Inspection Date:

P W Inspectors Name:

Signature:

CONTACT FOR REQUIREMENTS AND INSPECTIONS:

PUBLIC WORKS DEPARTMENT Phone: 386-758-1019

Amount Paid 25.00

SCHEDULE INPSECTIONS ONLINE

www.columbiacountyfla.com/PermitSearch/InspectionCalendar.aspx

Check No. CASH REC'D.

All Proper Safety Requirements Should Be Followed During The Installation Of The Culvert

*Rec'd
7/10/18
C.B.*

**Columbia County Building Department
Culvert Permit**

**Culvert Permit No.
000002552**

36399

DATE 03/02/2018 PARCEL ID # 31-4S-17-08920-107
APPLICANT MARK BAUER PHONE 352-283-2002
ADDRESS 20267 NW 248TH WAY HIGH SPRINGS FL 32643
OWNER MF BUTLER HOMES LLC PHONE 770-639-3904
ADDRESS 363 SW PADDOCK CT LAKE CITY FL 32024
CONTRACTOR MARK BAUER PHONE 352-283-2002
LOCATION OF PROPERTY 47 S. L. WESTER RD. R PADDOCK CT. LAST ON LEFT

SUBDIVISION/LOT/BLOCK/PHASE/UNIT BRIARWOOD 7

INSTALLATION INFORMATION

SIGNATURE 

(A) A culvert shall be required to be installed as part of any newly constructed private driveway or road, or public road, which connects to a county road in Columbia County. Culvert installation for residential use shall require a permit issued by the Building and Zoning Department. Prior to any culvert permit being issued, an inspection by the Public Works Department shall be required to determine the proper size, length, and location for installation. Culvert installation for commercial, industrial, and other uses shall conform to the approved site plan or to the specifications of a registered engineer. Joint use culverts will comply with Florida Department of Transportation specifications.

(B) The culvert shall comply and be installed in accordance with Columbia County Land Development Regulation, Access Control: Section 4.2.3 standards. Proper installation of the culvert shall be verified by a final inspection performed by the Public Works Department.

(C) All culverts required by this policy shall be installed prior to the Building Department granting permission to connect permanent electrical service to the facility or facilities being serviced by newly constructed private driveway or road. In cases where no electrical service exists, installation shall be completed prior to final inspection approval.

(D) Mitered-end culverts shall be used in the following applications:
(1) When the culvert is to be placed giving access to a paved street.; (2) When the road is contained within a subdivision (recorded or unrecorded) that has not reached a "build out" of fifty percent (50%) or more.; (3) In all new subdivisions for residential use. New subdivisions shall be required as part of the final plat to specify culvert diameter and length.; (4) When the predominant use already established by the use of mitered-end culverts period.

Culvert installation shall conform to the approved site plan standards.

Department of Transportation Permit installation approved standards.

Shall conform to Public Works Determinations as Stated Below:

*INSTALL min 32'x18" CORR METAL CULVERT w/CONCRETE MITRED
ENDS, w/6"x6" WELDED WIRE, REBARS OR CULVERT BOLTS.*

P W Inspectors Name: DAVID M CORNICK Date: 7/13/18

Final Inspection Date: 7/13/18 P W Inspectors Name: DAVID M CORNICK Signature: David M Cornick

CONTACT FOR REQUIREMENTS AND INSPECTIONS:

PUBLIC WORKS DEPARTMENT Phone: 386-758-1019

Amount Paid 25.00

SCHEDULE INPSECTIONS ONLINE

Check No. 5455

www.columbiacountyfla.com/PermitSearch/InspectionCalendar.aspx

All Proper Safety Requirements Should Be Followed During The Installation Of The Culvert