


**POOL BARRIERS
BY OWNER**
PER CODE
* PRIOR TO FILLING
POOL WITH WATER,
* GATE IS TO OPEN
AWAY FROM POOL,
* LATCH TO BE 54"
MIN FROM GROUND,
* OPENINGS ON ANY
BARRIER OR GATE
MUST BE LESS
THAN 3.99 INCHES.
* FOR MORE COMPLIANCE
INFO SEE CITY ORDINANCE
HANDOUTS.



ELEVATIONS TO
BE SET AT TIME
OF EXCAVATION

ELECTRIC TO LIGHTS
TO BE RUN THROUGH
PLASTIC CONDUIT
BURIED 12" MIN

**POOL BARRIERS
BY OWNER**
PER CODE
* PRIOR TO FILLING
POOL WITH WATER,
* GATE IS TO OPEN
AWAY FROM POOL,
* LATCH TO BE 54"
MIN. FROM GROUND
* OPENINGS ON ANY
BARRIER OR GATE
MUST BE LESS THAN
3.99 INCHES.
* FOR MORE COMPLIANCE
INFO SEE CITY ORDINANCE
HANDOUTS.

LEGEND	
	INFLOOR ACTUATOR
	BASKETBALL SLEEVE
	VOLLEYBALL SLEEVE
	UMBRELLA SLEEVE
	BUBBLER or DECK JET
	SURFACE RETURN
	FLOOR RETURN
	ECOCLEAN RETURN
	SPA JET (THERAPY)
	VACUUM PORT
	CLEANER PORT
	AUXILLARY SUCTION
	SIDE SUCTION

ISSUE DATE:
1-20-23
JOB # 1034

JACKSONVILLE-SOUTH
PHONE: (757) 220-5877



NAME: JISBEL, STEVEN & STEPHANIE
ADDRESS: 282 SW BREEZY DRIVE
CITY: LAKE CITY, FL 32025
PHONE 1: 386-795-2103
PHONE 2:
CONSULTANT: MILLISA BODKIN
PHONE: 904-676-5171
SUPERVISOR: JOE GEEGBA
PHONE: 904-652-7744
DRAFTSMAN: T.B.
CONTRACT DATE: 1-2-23
CUSTOMER SIGNATURE: