

CL# 444
AE INSTALL

- The left message on calendar to call.

PERMIT WORKSHEET

page 1 of 2

PERMIT NUMBER

Installer Jessie L. "Chester" Knowles License # IH 0000 509

Address of home being installed Back Way

FL White FL


Manufacturer Fleetwood Length x width 32 x 76

NOTE: if home is a single wide fill out one half of the blocking plan if home is a triple or quad wide sketch in remainder of home.



I understand Lateral Arm Systems cannot be used on any home (new or used) where the sidewall ties exceed 5 ft 4 in.

Installer's initials J-L-K.

Typical pier spacing



Show locations of Longitudinal and Lateral Systems (use dark lines to show these locations)



New Home ☒ Used Home ☐

Home installed to the Manufacturer's Installation Manual ☒

Home is installed in accordance with Rule 15-C ☐

Single wide ☐ Wind Zone II ☒ Wind Zone III ☐

Double wide ☒ Installation Decal # 271248

Triple/Quad ☐ Serial # 78002

PIER SPACING TABLE FOR USED HOMES

Load bearing capacity	Footer size (sq. in.)	16" x 16" (256)	18 1/2" x 18 1/2" (342)	20" x 20" (400)	22" x 22" (484)*	24" x 24" (576)*	26" x 26" (676)
1000 psf	3'	4'	4'	5'	6'	7'	8'
1500 psf	4' 6"	6'	6'	7'	8'	8'	8'
2000 psf	6'	8'	8'	8'	8'	8'	8'
2500 psf	7' 6"	8'	8'	8'	8'	8'	8'
3000 psf	8'	8'	8'	8'	8'	8'	8'
3500 psf	8'	8'	8'	8'	8'	8'	8'

* Interpolated from Rule 15C-1 pier spacing table.

PIER PAD SIZES

I-beam pier pad size 23 1/2" x 31 1/2"

Perimeter pier pad size N/A

Other pier pad sizes (required by the mfg.) 16" x 16"

Draw the approximate locations of marriage wall openings 4 foot or greater. Use this symbol to show the piers.

List all marriage wall openings greater than 4 foot and their pier pad sizes below.

Opening Pier pad size
12' 23 1/2" x 31 1/2"
17' 23 1/2" x 31 1/2"

ANCHORS

4 ft ☒ 5 ft ☐

FRAME TIES

within 2' of end of home spaced at 5' 4" oc ☒

TIEDOWN COMPONENTS

Longitudinal Stabilizing Device (LSD)

Manufacturer

Longitudinal Stabilizing Device w/ Lateral Arms

Manufacturer

Oliver Technology

OTHER TIES

Number

Sidewall

Longitudinal

Marriage wall

Shearwall

26

N/A

10

2

PERMIT WORKSHEET

PERMIT NUMBER

POCKET PENETROMETER TEST

The pocket penetrometer tests are rounded down to _____ psf or check here to declare 1000 lb. soil ☒ without testing.

x 1.0 x 1.0 x 1.0

POCKET PENETROMETER TESTING METHOD

1. Test the perimeter of the home at 6 locations.
2. Take the reading at the depth of the footer.
3. Using 500 lb. increments, take the lowest reading and round down to that increment.

x 1.0 x 1.0 x 1.0

TORQUE PROBE TEST

The results of the torque probe test is 1100 inch pounds or check here if you are declaring 5' anchors without testing 1100 A test showing 275 inch pounds or less will require 4 foot anchors.

Note: A state approved lateral arm system is being used and 4 ft. anchors are allowed at the sidewall locations. I understand 5 ft anchors are required at all centerline tie points where the torque test reading is 275 or less and where the mobile home manufacturer may requires anchors with 4000 lb holding capacity.

ALL TESTS MUST BE PERFORMED BY A LICENSED INSTALLER

Installer Name Jessie L. "Chester" Knowles

Date Tested 6-26-06

Electrical

Connect electrical conductors between multi-wide units, but not to the main power source. This includes the bonding wire between multi-wide units. Pg. 15C-1

Plumbing

Connect all sewer drains to an existing sewer tap or septic tank. Pg. 15C-1

Connect all potable water supply piping to an existing water meter, water tap, or other independent water supply systems. Pg. 15C-1

Site Preparation

Debris and organic material removed ☒ Pad ☐ Other ☐
Water drainage: Natural ☒ Swale ☐

Fastening multi wide units

Floor: Type Fastener: LAGS Length: 6' Spacing: 24"
Walls: Type Fastener: STRIPS Length: 4' Spacing: 24"
Roof: Type Fastener: STRIPS Length: 4' Spacing: 24"
For used homes a min. 30 gauge, 8" wide, galvanized metal strip will be centered over the peak of the roof and fastened with galv. roofing nails at 2' on center on both sides of the centerline.

Gasket (weatherproofing requirement)

I understand a properly installed gasket is a requirement of all new and used homes and that condensation, mold, mildew and buckled marriage walls are a result of a poorly installed or no gasket being installed. I understand a strip of tape will not serve as a gasket.

Installer's Initials J.L.K.

Type gasket Roll foam
Pg. Factory Installed

Installed: Between Floors Yes ☒
Between Walls Yes ☒
Bottom of ridgebeam Yes ☒

Weatherproofing


The bottomboard will be repaired and/or laped. Yes ☒ Pg. 15C-1
Siding on units is installed to manufacturer's specifications. Yes ☒
Fireplace chimney installed so as not to allow intrusion of rain water. Yes ☒

Miscellaneous


Skirting to be installed. Yes ☒ No ☐ N/A ☒
Dryer vent installed outside of skirting. Yes ☒
Range downflow vent installed outside of skirting. Yes ☒
Drain lines supported at 4 foot intervals. Yes ☒
Electrical crossovers protected. Yes ☒
Other: 15C-1 MAY OR MAY NOT HAVE PAGE #
15C-1 ON MANUFACT

Installer verifies all information given with this permit worksheet is accurate and true based on the manufacturer's installation instructions and of Rule 15C-1 & 2


Installer Signature Jessie L. Chester Knowles Date 6-26-06



SITE PLAN EXAMPLE / WORKSHEET



Use this example to draw your own site plan. Show all existing buildings and any other homes on this property and show the distances between them. Also show where the roads or roads are around the property. This site plan can also be used for the 911 Addressing department if you include the distance from the driveway to the nearest property line.



Permit Me Services

3104 S W Old Wire Rd

Ft White, FL 32038

Wendy Grennell Owner

386-288-2428 Cell

386-466-1866 Office / Fax

MOBILE HOME INSTALLER LIMIT POWER OF ATTORNEY

I/We, Jessie L. Chester Knowles license number IF40000509 authorize Wendy Grennell or Tisa Therrell to be my representative and act on my behalf in all aspects of applying for a mobile home permit to be placed on the following described property. Property located in Columbia County, State of Florida.

Mobile Home Owner Name: Richard & Xene NelsonProperty Owner Name: Richard & Xene Nelson911 Address: Rock Way City Ft WhiteSec: 07 Twp: 75 Rge: 17 Tax Parcel # 09932-000

Signed: Jessie L Chester Knowles
Mobile Home Installer

Sworn to and described before me this 27 day of June 2006

Susan Todd
Notary public

Susan Todd
Notary Name

Personally known ☒

DL ID _____

**Susan Todd**

Commission # DD449132

Expires July 10, 2009

Bonded Troy Farm - Insurance, Inc. 800-385-7019

MOBILE HOME INSTALLER AFFIDAVIT

As per Florida Statutes Section 320.8249 Mobile Home Installers License:

Any person who engages in mobile home installation shall obtain a mobile home installer's license from the Bureau of Mobile Home and Recreational Vehicle Construction of the Department of Highway Safety and Motor Vehicles pursuant to this section. Said license shall be renewed annually, and each licensee shall pay a fee of \$150.

I, Jessie L. Chester Knowles, license number IH 0000509
Please Print
do hereby state that the installation of the manufactured home for Woody Grennell
or Tisa Therrell at Rock Way Ft White
Applicant
911 Address
will be done under my supervision.

Jessie L. Chester Knowles
Signature

Sworn to and subscribed before me this 27 day of June,
2006.

Notary Public: Susan Todd
Signature

My Commission Expires: July 10, 2009
Date



Susan Todd

Commission # DD449132

Expires July 10, 2009

Bonded Troy Fain - Insurance Inc. 800-385-7019

Permit Me Services
Wendy Grennell Owner
Constance Murphy Associate
3104 SW Old Wire Rd
Ft White, Florida 32038
386-288-2428 Cell
386-466-1866 Office/Fax

CONSENT FOR MOBILE HOME PERMIT APPLICATIONS

I/We Richard x Xene Nelson, authorize Wendy Grennell or ~~Constance Murphy~~ to act on my/our behalf while applying for all necessary permits, and further authorize mobile home installer, Chester Knowles, license # IH0000509 to place the mobile home described below, on the property described below in Columbia County, State of Florida.

Property Owner Name: Richard + Xene Nelson

911 Address: Rock Way Ft White FL

Sec: 07 Twp: 75 Rge: 17 Tax Parcel #: 09932-000

Mobile Home Make Fleetwood Year 06

Size 32 x 76 ft. Serial Number _____

Signed

Owner(1):

Owner(2):

Witness:

Witness:

Sworn to and described before me this 11 day of July, 2006

Notary Public

Notary's Name

Personally known _____ Presented ID ☒ DL # _____



Susan Todd

Commission # DD449132

Expires July 10, 2009

Bonded Troy Firm - Insurance Inc 800-385-7019

Previous Owner

**Columbia County Property
Appraiser**

DB Last Updated: 6/19/2006

2006 Proposed Values

Parcel: 07-7S-17-09932-000

[Tax Record](#)

[Property Card](#)

[Interactive GIS Map](#)

[Print](#)

Owner & Property Info

<< Prev

Search Result: 3 of 5

Next >>

Owner's Name	LUMPKIN ELOUISE &
Site Address	
Mailing Address	SCOTT BETTY G 2739SW CR 778 (JTWRS) FORT WHITE, FL 32038
Description	SE1/4 OF NW1/4, EX COMM SW COR OF SE1/4 OF NW1/4, RUN E 20 FT FOR POB, RUN N 361.5 FT, E 52.63 FT, N 258.8 FT, E 172.5 FT, S 410.3 FT, E 169.5 FT, S 210 FT, W 400 FT TO POB. JTWRS ORB 536-568, DC W NIBLACK 888-1167, EX THAT PART LYING WEST OF COUNTY MAINTAINED RD DESC ORB 1044-2395

Use Desc. (code)	PASTURELAN (006200)
Neighborhood	7717.00
Tax District	3
UD Codes	MKTA02
Market Area	02
Total Land Area	31.420 ACRES

Property & Assessment Values

Mkt Land Value	cnt: (2)	\$14,339.00
Ag Land Value	cnt: (1)	\$5,475.00
Building Value	cnt: (0)	\$0.00
XFOB Value	cnt: (1)	\$200.00
Total Appraised Value		\$20,014.00

Just Value	\$136,219.00
Class Value	\$20,014.00
Assessed Value	\$20,014.00
Exempt Value	\$0.00
Total Taxable Value	\$20,014.00

Sales History

Sale Date	Book/Page	Inst. Type	Sale VImp	Sale Qual	Sale RCode	Sale Price
NONE						

Building Characteristics

Bldg Item	Bldg Desc	Year Blt	Ext. Walls	Heated S.F.	Actual S.F.	Bldg Value
NONE						

Extra Features & Out Buildings

Code	Desc	Year Blt	Value	Units	Dims	Condition (% Good)
0020	BARN,FR	0	\$200.00	1.000	0 x 0 x 0	(.00)

Land Breakdown

Lnd Code	Desc	Units	Adjustments	Eff Rate	Lnd Value
006200	PASTURE 3 (AG)	30.420 AC	1.00/1.00/1.00/1.00	\$180.00	\$5,475.00
009900	AC NON-AG (MKT)	1.000 AC	1.00/1.00/1.00/1.00	\$12,339.60	\$12,339.00
009910	MKT.VAL.AG (MKT)	30.420 AC	1.00/1.00/1.00/1.00	\$0.00	\$121,680.00
009945	WELL/SEPT (MKT)	1.000 UT - (.000AC)	1.00/1.00/1.00/1.00	\$2,000.00	\$2,000.00

Columbia County Property Appraiser

DB Last Updated: 6/19/2006

<< Prev

3 of 5

Next >>

07-7S-17-09932-000

Previous Owner

SE1/4 OF NW1/4, EX COMM SW COR
 OF SE1/4 OF NW1/4, RUN E 20
 FT FOR POB, RUN N 361.5 FT, E
 52.63 FT, N 258.8 FT, E 172.5

LUMPKIN ELOUISE &
 SCOTT BETTY G
 2739SW CR 778
 FORT WHITE, FL 32038

07-7S-17-09932-000

Columbia County

PRINTED 5/05/2006 8:43
 APPR 4/06/2004 DF

BUSE	AE?	HTD AREA	.000 INDEX	7717.00 DIST 3	PUSE 006
MOD	BATH	EFF AREA	25.974 E-RATE	.000 INDX	STR 7- 7S- 17
EXW	FIXT	RCN	%GOOD	AYB	MKT AREA 02
%	BDRM		BLDG VAL	EYB	(PUD1
RSTR	RMS				AC 31.420
RCVR	UNTS	3 FIELD CK:		3	NTCD
%	C-W%	3 LOC: CC		3	APPR CD
INT	HGHT	3		3	CNDO
%	PMTR	3		3	SUBD
FLR	STYS	3		3	BLK
%	ECON	3		3	LOT
HTTP	FUNC	3		3	MAP#
A/C	SPCD	3		3	
QUAL	DEPR	3		3	TXDT 003
FNDN	UD-1	3		3	
SIZE	UD-2	3		3	----- BLDG TRA
CEIL	UD-3	3		3	
ARCH	UD-4	3		3	
FRME	UD-5	3		3	
KTCH	UD-6	3		3	
WNDO	UD-7	3		3	
CLAS	UD-8	3		3	
OCC	UD-9	3		3	
COND	%	3		3	----- PERMIT:
SUB	A-AREA % E-AREA	SUB VALUE	3	3	NUMBER DESC
			3	3	
			3	3	
			3	3	----- SALE
			3	3	BOOK PAGE DATE
			3	3	
			3	3	GRANTOR
			3	3	GRANTEE
			3	3	
			3	3	GRANTOR
			3	3	GRANTEE


TOTAL

-----EXTRA FEATURES-----										FIELD CK:									
AE BN	CODE	DESC	LEN	WID	HGHT	QTY	QL	YR	ADJ	UNITS	UT	PRICE	ADJ	UT	PR	SPCD	%		
N	0020	BARN,FR				1		0000	1.00	1.000	UT	200.000			200.000		10		

LAND	DESC	ZONE	ROAD	{UD1	{UD3	FRONT	DEPTH	FIELD CK:								
AE	CODE	TOPO	UTIL	{UD2	{UD4	BACK	DT	ADJUSTMENTS		UNITS	UT	PRICE	ADJ	UT	PR	
N	006200	PASTURE 3	A-1	0002				1.00	1.00	1.00	1.00	30.420	AC		170.000	170.0
				0002	0003											
Y	009900	AC NON-AG	A-1	0002				1.00	1.00	1.00	1.00	1.000	AC		12339.600	12339.6
				0002	0003											
N	009910	MKT.VAL.AG	A-1	0002				1.00	1.00	1.00	1.00	30.420	AC			
				0002	0003											
Y	009945	WELL/SEPT	A-1	0002				1.00	1.00	1.00	1.00	1.000	UT		4000.000	4000.0
				0002	0003										2000.000	2000.0

2006

Previous Owner -



Columbia County Property Appraiser

J. Doyle Crews, CFA - Lake City, Florida - 386-758-1083

PARCEL: 07-7S-17-09932-000 - PASTURELAN (006200)

Name: LUMPKIN ELOUISE &	LandVal	\$14,339.00
Site:	BldgVal	\$0.00
SCOTT BETTY G	ApprVal	\$20,014.00
2739SW CR 778	JustVal	\$136,219.00
Mail: (JTWRS)	Assd	\$20,014.00
FORT WHITE, FL 32038	Exmpt	\$0.00
Sales	Taxable	\$20,014.00
Info		

0 220 440 660 ft



This information, GIS Map Updated: 6/19/2006, was derived from data which was compiled by the Columbia County Property Appraiser Office solely for the governmental purpose of property assessment. This information should not be relied upon by anyone as a determination of the ownership of property or market value. No warranties, expressed or implied, are provided for the accuracy of the data herein, it's use, or it's interpretation. Although it is periodically updated, this information may not reflect the data currently on file in the Property Appraiser's office. The assessed values are NOT certified values and therefore are subject to change before being finalized for ad valorem assessment purposes.

A diagram of a cell with a nucleus. A line points from the text 'ZONE A' to the nucleus.

Diagram illustrating the location of Zone A, which is the zone of active growth, situated at the posterior end of the embryo.

Diagram illustrating the location of Zone A, showing a vertical line with a shaded area at the top and a shaded area at the bottom, connected by a line.

Diagram illustrating the structure of Zone A, showing two types of cells: a large cell with a nucleus and a smaller cell with a nucleus.

A diagram showing a cross-section of the posterior horn of the spinal cord. A shaded region is labeled "ZONE A". This region is located in the posterior horn, lateral to the central sulcus and dorsal to the dorsal root ganglion. It is bounded by the dorsal root ganglion and the dorsal root entry point.

Diagram illustrating the anatomical zones of the hand. The thumb is labeled **ZONE A**.



Diagram of a circular cross-section of a pipe. A central shaded area is labeled "ZONE A".

OAK

778

0607-20

Nelson
app# 0607-20

HALL'S PUMP & WELL SERVICE, INC.

SPECIALIZING IN 4"-6" WELLS



DONALD AND MARY HALL
OWNERS

PHONE (904) 752-1854
FAX (904) 755-7022
~~XXXXXX~~
LAKE CITY, FLORIDA 32055
904 NW Main Blvd.


June 12, 2002

NOTICE TO ALL CONTRACTORS

Please be advised that due to the new building codes we will use a large capacity diaphragm tank on all new wells. This will insure a minimum of one (1) minute draw down or one (1) minute refill. If a smaller diaphragm tank is used then we will install a cycle stop valve which will produce the same results.

If you have any questions please feel free to call our office anytime.

Thank you,


Donald D. Hall
DDH/jk




STATE OF FLORIDA
DEPARTMENT OF HEALTH

APPLICATION FOR ONSITE SEWAGE DISPOSAL SYSTEM CONSTRUCTION PERMIT

Permit Application Number 06-0625N

PART II - SITE PLAN

Scale: Each block represents 5 feet and 1 inch = 50 feet.



Notes: 1 acre shown out 31.42

Temporary access off Private Road (Bulldex)

Site Plan submitted by: Wendy Lunnell
Signature

Agent
Title

Not Approved _____

Date 7/25/6

APPROVED
[Signature]

Columbia CHD County Health Department

ALL CHANGES MUST BE APPROVED BY THE COUNTY HEALTH DEPARTMENT

CHESTERKNOWLES
OF

M/H O C C U P A N C Y

COLUMBIA COUNTY, FLORIDA

Department of Building and Zoning Inspection

This Certificate of Occupancy is issued to the below named permit holder for the building and premises at the below named location, and certifies that the work has been completed in accordance with the Columbia County Building Code.

Parcel Number 07-7S-17-09932-000

Building permit No. 000024788

Permit Holder CHESTER KNOWLES

Owner of Building RICHARD & ZENE NELSON

Location: 199 SW BOULDER GLEN, FT. WHITE, FL

Date: 08/07/2006

Harry Dickel

Building Inspector

POST IN A CONSPICUOUS PLACE
(Business Places Only)

