



STATE OF FLORIDA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
ONSITE SEWAGE TREATMENT AND DISPOSAL  
SYSTEM (OSTDS)

PERMIT NO. 24-0902  
DATE PAID: 2/16/04  
FEE PAID: 30.00  
RECEIPT #: 2182834

APPLICATION FOR CONSTRUCTION PERMIT

APPLICATION FOR:

- New System     Existing System     Holding Tank     Innovative  
 Repair     Abandonment     Temporary

APPLICANT: Victor Powell (254)833-2937 EMAIL: \_\_\_\_\_  
AGENT: Adam Lundy - Lundy's Septic TELEPHONE: 386-364-5485  
MAILING ADDRESS: 8596 US 90 East, Live Oak, FL 32060

TO BE COMPLETED BY APPLICANT OR APPLICANT'S AUTHORIZED AGENT. SYSTEMS MUST BE CONSTRUCTED BY A PERSON LICENSED PURSUANT TO 489.105(3) (m) OR 489.552, FLORIDA STATUTES. IT IS THE APPLICANT'S RESPONSIBILITY TO PROVIDE DOCUMENTATION OF THE DATE THE LOT WAS CREATED OR PLATTED (MM/DD/YY) IF REQUESTING CONSIDERATION OF STATUTORY GRANDFATHER PROVISIONS.

PROPERTY INFORMATION

LOT: 4 BLOCK: \_\_\_\_\_ SUBDIVISION: Falling Creek Farms Un. PLATTED: \_\_\_\_\_  
PROPERTY ID #: 30-25-17-04804-104 ZONING: \_\_\_\_\_ I/M OR EQUIVALENT: [ Y /  ]  
PROPERTY SIZE: 10.77 ACRES WATER SUPPLY: [  PRIVATE PUBLIC [ ] ] <=2000GPD [ ] >2000GPD  
IS SEWER AVAILABLE AS PER 381.0065, FS? [ Y /  ] DISTANCE TO SEWER: \_\_\_\_\_ FT  
PROPERTY ADDRESS: \_\_\_\_\_  
DIRECTIONS TO PROPERTY: Take 41 N, TR on Falling Creek, property on R.

BUILDING INFORMATION


Unit No	Type of Establishment	[ <input checked="" type="checkbox"/> ] RESIDENTIAL		[ ] COMMERCIAL	
		No. of Bedrooms	Building Area Sqft	Commercial/Institutional System Design Table I, Chapter 62-6, FAC	
1	<u>SFR-MH</u>	<u>4</u>	<u>2400</u>		
2					
3					
4					

[ ] Floor/Equipment Drains    [ ] Other (Specify) \_\_\_\_\_  
SIGNATURE: Adam Lundy DATE: 12-11-24

DEP 4015, 06-21-2022 (Obsoletes previous editions which may not be used)  
Incorporated 62-6.004, FAC

Victor Powell (254) 833-2937  
Lot 4 Falling Creek Farms  
NW Falling Creek rd.  
Lake City

24-0902



Adam Lundy  
12-11-24

Kameon Keen  
23-2064  
12-11-24

Approved by   
ES2 Columbia 12/19/24



STATE OF FLORIDA  
DEPARTMENT OF HEALTH  
ONSITE SEWAGE TREATMENT AND DISPOSAL  
SYSTEM

PERMIT #: 12-SC-3054464  
APPLICATION #: AP2182036  
DATE PAID: 12/16/24  
FEE PAID: 310.00  
RECEIPT #: \_\_\_\_\_  
DOCUMENT #: PR2200781

CONSTRUCTION PERMIT FOR: OSTDS New  
APPLICANT: VICTOR\*\*24-0902 POWELL  
PROPERTY ADDRESS: NW FALLING CREEK Rd Lake City, FL 32055  
LOT: 4 BLOCK: \_\_\_\_\_ SUBDIVISION: Falling Creek Farms Unrec  
PROPERTY ID #: 04804-104 [SECTION, TOWNSHIP, RANGE, PARCEL NUMBER]  
[OR TAX ID NUMBER]

SYSTEM MUST BE CONSTRUCTED IN ACCORDANCE WITH SPECIFICATIONS AND STANDARDS OF SECTION 381.0065, F.S., AND CHAPTER 64E-6, F.A.C. DEPARTMENT APPROVAL OF SYSTEM DOES NOT GUARANTEE SATISFACTORY PERFORMANCE FOR ANY SPECIFIC PERIOD OF TIME. ANY CHANGE IN MATERIAL FACTS, WHICH SERVED AS A BASIS FOR ISSUANCE OF THIS PERMIT, REQUIRE THE APPLICANT TO MODIFY THE PERMIT APPLICATION. SUCH MODIFICATIONS MAY RESULT IN THIS PERMIT BEING MADE NULL AND VOID. ISSUANCE OF THIS PERMIT DOES NOT EXEMPT THE APPLICANT FROM COMPLIANCE WITH OTHER FEDERAL, STATE, OR LOCAL PERMITTING REQUIRED FOR DEVELOPMENT OF THIS PROPERTY.

SYSTEM DESIGN AND SPECIFICATIONS

T [ 1,050 ] GALLONS / GPD New Multi-Chambered Septic CAPACITY  
A [ ] GALLONS / GPD N/A CAPACITY  
N [ ] GALLONS GREASE INTERCEPTOR CAPACITY [MAXIMUM CAPACITY SINGLE TANK:1250 GALLONS]  
K [ ] GALLONS DOSING TANK CAPACITY [ ] GALLONS @ [ ] DOSES PER 24 HRS #Pumps [ ]

D [ 500 ] SQUARE FEET Drainfield SYSTEM  
R [ ] SQUARE FEET N/A SYSTEM  
A TYPE SYSTEM: [ ] STANDARD [ ] FILLED [x] MOUND [ ]  
I CONFIGURATION: [x] TRENCH [ ] BED [ ]

F LOCATION OF BENCHMARK: Nail with orange ribbon in oak near site  
I ELEVATION OF PROPOSED SYSTEM SITE [ 46.00 ] [ INCHES / FT ] [ ABOVE / BELOW ] BENCHMARK/REFERENCE POINT  
E BOTTOM OF DRAINFIELD TO BE [ 26.00 ] [ INCHES / FT ] [ ABOVE / BELOW ] BENCHMARK/REFERENCE POINT  
L  
D FILL REQUIRED: [ 38.00 ] INCHES EXCAVATION REQUIRED: [ ] INCHES

O  
T  
H  
E  
R  
The system is sized for 4 bedrooms with a maximum occupancy of 8 persons (2 per bedroom), for a total estimated flow of 400 gpd.

SPECIFICATIONS BY: (Joshua) Kameron Keen TITLE: CEHP  
APPROVED BY: Sean P Havens TITLE: Environmental Specialist I Columbia CHD  
DATE ISSUED: 12/19/2024 EXPIRATION DATE: 06/19/2026

DEP 4015, 06-21-2022 (Obsoletes previous editions which may not be used)  
Incorporated 62-6.004, FAC

KK