PERMIT APPLICATION / MANUFACTURED HOME INSTALLATION APPLICATION

1 !	For Office Use Only (Revised 7-1-15) Zoning Official JUA Building Official
1	AP# 1968- 42 Date Received 8/13/19 By MG Permit # 38475 Flood Zone X Development Permit Zoning MH-2 Land Use Plan Map Category NCD
'	Flood Zone Development Permit Zoning WH-2 Land Use Plan Map Category 100
1 '	Comments Replacing M/H in existing W/H Park, fire one
-	foot above the road
	FEMA Map# Elevation Finished Floor River In Floodway
	Recorded Deed or Property Appraiser PO 8the Plan EH# 19-0611 Uwell letter OR
1 ^	Existing well Land Owner Affidavit Installer Authorization FW Comp. letter App Fee Paid
- 1	DOT Approval Parent Parcel # STUP-MH 511 App
[□ Ellisville Water Sys Assessment Paid on Property □ Out County □ In County □ Sub VF Form
Pro	operty ID #34-3S-16-02509-001
	New Mobile Home MH Size 16 x 76 Year 2020
•	Applicant Dale Burd Phone # 386-365-7674
•	Address 20619 CR 137, Lake City, FL, 32024
_	CCF Properties LLC Name of Property Owner Steve Stewart Phone# 904-334-9115
	911 Address 120 Helen Dr, Lake City, FL, 3265
	Circle the correct power company - (FL Power & Light) - Clay Electric
	(Circle One) - Suwannee Valley Electric - Duke Energy
	Name of Owner of Mobile Home Same Phone # Same
	Address 11169 Cedar Creek Farms Road, Glen St, Mary, FL, 32040
	Relationship to Property Owner Same
•	Relationship to Property Owner Same
	Current Number of Dwellings on Property 14
	Current Number of Dwellings on Property 14 Lot Size 312 x 385 Total Acreage 3 Do you : Have Existing Drive or Private Drive or need Culvert Permit or Culvert Waiver (Circle one)
	Current Number of Dwellings on Property 14 Lot Size 312 x 385 Total Acreage 3 Do you: Have Existing Drive or Private Drive or need Culvert Permit (Currently using) or Private Drive or need Culvert Permit (Putting in a Culvert) or Culvert Walver (Circle one) (Not existing but do not need a Culvert)
	Current Number of Dwellings on Property 14 Lot Size 312 x 385 Total Acreage 3 Do you: Have Existing Drive or Private Drive or need Culvert Permit (Putting in a Culvert) (Not existing but do not need a Culvert) Is this Mobile Home Replacing an Existing Mobile Home Yes
	Current Number of Dwellings on Property 14 Lot Size 312 x 385 Total Acreage 3 Do you: Have Existing Drive or Private Drive or need Culvert Permit (Currently using) or Private Drive or need Culvert Permit (Putting in a Culvert) or Culvert Waiver (Circle one) (Not existing but do not need a Culvert) Is this Mobile Home Replacing an Existing Mobile Home Yes Driving Directions to the Property US 90 West, TR Lake City Ave, TR NW Apple Lane, TL
	Current Number of Dwellings on Property 14 Lot Size 312 x 385 Total Acreage 3 Do you: Have Existing Drive or Private Drive or need Culvert Permit (Putting in a Culvert) (Not existing but do not need a Culvert) Is this Mobile Home Replacing an Existing Mobile Home Yes
	Current Number of Dwellings on Property 14 Lot Size 312 x 385 Total Acreage 3 Do you: Have Existing Drive or Private Drive or need Culvert Permit (Currently using) or Private Drive or need Culvert Permit (Putting in a Culvert) or Culvert Waiver (Circle one) (Not existing but do not need a Culvert) Is this Mobile Home Replacing an Existing Mobile Home Yes Driving Directions to the Property US 90 West, TR Lake City Ave, TR NW Apple Lane, TL
	Current Number of Dwellings on Property
	Current Number of Dwellings on Property
	Current Number of Dwellings on Property

Legend

Parcels

2018Aerials

20187

Addresses

SRWMD Wetlands

2018 Flood Zones

0.2 PCT ANNUAL CHANGE

O A

□ AE

■ AH

LidarElevations



Printed: Thu Aug 15 2019 15:27:04 GMT-0400 (Eastern Daylight Time)



Parcel Information

Parcel No: 34-3S-16-02509-001 Owner: CCF PROPERTIES LLC Subdivision: WEST LAKE CITY HILLS

Lot:

Acres: 2.670703 Deed Acres: 3 Ac

District: District 3 Bucky Nash Future Land Uses: Residential - Low

Flood Zones:

Official Zoning Atlas: RSF/MH-2



34-3S-16-02509-001 Parcel:

Owner & Pr	operty Info	Res	Result: 2 of 2			
Owner		TIES LLC CREEK FARMS MARY, FL 32040				
Site	134 HELEN DR,					
Description*	LOTS 18, 19, 20-A & 20-B BLOCK A WEST LAKE CITY HILLS S/D. 627-331, 658-700, 692-825, 716 -815, 759-1189, 823-2334, 1005 -2113, WD 1018-2305, WD 1041- 781, WD 1058-1921, WD 1059- 1380, WD 1236-1018, WD 1363- 396,					
Area	3 AC	S/T/R	34-3S-16			
Use Code**	MH PARK (002802)	Tax District	2			

^{*}The Description above is not to be used as the Legal Description for this

Property & Assessment Values


2018 Cert	tified Values	2019 Working Values				
Mkt Land (3)	\$38,104	Mkt Land (3)	\$39,35			
Ag Land (0)	\$0	Ag Land (0)	\$0			
Building (9)	\$47,151	Building (8)	\$48,564			
XFOB (2)	\$56,400	XFOB (2)	\$56,100			
Just	\$141,655	Just	\$144,018			
Class	\$0	Class	\$0			
Appraised	\$141,655	Appraised	\$144,018			
SOH Cap [?]	\$0	SOH Cap [?]	\$0			
Assessed	\$141,655	Assessed	\$144,018			
Exempt	\$0	Exempt	\$0			
Total Taxable	county:\$141,655 city:\$141,655 other:\$141,655		county:\$144,018 city:\$144,018 other:\$144,018			
	school:\$141,655		school:\$144,018			

parcel in any legal transaction.


**The <u>Use Code</u> is a FL Dept. of Revenue (DOR) code and is not maintained by the Property Appraiser's office. Please contact your city or county Planning & Zoning office for specific zoning information.

MOBILE HOME INSTALLATION SUBCONTRACTOR VERIFICATION FORM

APPLICATION NUMBER			CONTRACTOR _	Brent Strickland	PHONE 386-365-7043			
		THIS FORM MUST B	E SUBMITTED PRIO	R TO THE ISSUANCE OF A P	ERMIT			
					CCF Properties LLC			
In Columbia County one permit will cover all trades doing work at the permitted site. It is <u>KEQUIKED</u> that we have records of the subcontractors who actually did the trade specific work under the permit. Per Florida Statute 440 and Ordinance 89-6, a contractor shall require all subcontractors to provide evidence of workers' compensation or exemption, general liability insurance and a valid Certificate of Competency license in Columbia County. Any changes, the permitted contractor is responsible for the corrected form being submitted to this office prior to the start of that subcontractor beginning any work. Violations will result in stop work orders and/or fines.								
start of that s	ubcontracto	r beginning any wor	k. Violations wil	l result in stop work o	rders and/or fines.			
ELECTRICAL	Print Name	Steve Stewart		Signature Show	Shuest			
LLECTRICAL	License #:			Phone #: 904-	334-9115			
	License #.		 alifier Form Attach					
MECHANICAL/		Steve Stewart		Signature Sta				
A/C	License #:	Owner	alifier Form Attach		334-9115			
		Qu	Attaci	ieu				
Qualifier Forms cannot be submitted for any Specialty License. Specialty License License Number Sub-Contractors Printed Name Sub-Contractors Signature MASON								
CONCRETE FI	NISHER							
F. S. 440.103 Building permits; identification of minimum premium policy.—Every employer shall, as a condition to applying for and receiving a building permit, show proof and certify to the permit issuer that it has secured compensation for its employees under this chapter as provided in ss. 440.10 and 440.38, and shall be presented each time the employer applies for a building permit.								
Revised 10/30	Revised 10/30/2015							



1 of 2 8/12/2019, 12:19 PM



7/08/8

						marriage wall piers within 2' of ond of home per Rule 15C				Show locations of Longitudinal and Lateral Systems longitudinal (use dark lines to show these locations)	Typical pier spacing	I understand Lateral Arm Systems cannot be used on any home (new or used) where the sidewall ties exceed 5 ft 4 in. Installer's initials	NOTE: if home is a single wide fill out one half of the blocking plan if home is a triple or quad wide sketch in remainder of home	Manufacturer Elayter Length x width 76X/6	being installed LAKR CM, FL, 520	Installer Mobile Phone # $386-365-7043$ Address of home $\frac{120 \text{ N/U} + \text{K}}{\text{M}}$	Installer Brent Strickland License # JH 1104218
Manufacturer Device (LSD) Manufacturer Longitudinal Stabilizing Device w/ Lateral Arms Manufacturer Device w/ Lateral Arms Marmage wall Shearwall	TIEDOWN COMPONENTS OTHER TIES	within 2' of end of home spaced at 5' 4" or 5	FRAME TIES	Opening Pier pad size 4 ft 5 ft	List all marriage wall openings greater than 4 foot 26 x 26 576 and their pier pad sizes below.	Draw the approximate locations of marriage 20 x 20 400 wall openings 4 foot or greater. Use this symbol to show the piers.	0.0	PIER PAD SIZES PO	8' 8' 8' 8' 8' 8' 8' 8' 8' 8' 8' 8' 8' 8	ლ დ დ √	bearing size capacity (sq in) (256) 1/2" (342) (400) (484)* (576)* (676)	_ ~~~	Serial # SRR 033	Installation Decal #	Single wide Wind Zone II Wind Zone III	Home installed to the Manufacturer's Installation Manual	New Home Used Home

Installer verifies all information given with this permit worksheet is accurate and true based on the	nnect all sewer drains to an existing sewer lap or septic tank. Pg. 28
	onnect electrical conductors between multi-wide units, but not to the main power urce. This includes the bonding wire between mult-wide units. Pq. \mathcal{N}
	Electrical
Dryer vent installed outside of skirting. Yes N/A Range downflow vent installed outside of skirting. Yes N/A	Date Tested B-12-19
Miscellaneous	ALL TESTS MUST BE PERFORMED BY A LICENSED INSTALLER Installer Name
The bottomboard will be repaired and/or taped. Yes Pg. Siding on units is installed to manufacturer's specifications. Yes Fireplace chimney installed so as not to allow intrusion of rain water.	reading is 275 or less and where the mobile home manufacturer may requires anchors with 4000 lg holding capacity. Installer's initials
Weatherproofing	Note: A state approved lateral arm system is being used and 4 ft. anchors are allowed at the sidewall locations. I understand 5 ft anchors are required at all centerline tie points where the torque test
Type gasket Pg	
Installer's initials	TORQUE PROBE TEST
a result of a poorly installed or no gasket being installed. I understand a strip of tape will not serve as a gasket.	×1600 × 1600 × 1500
Gasket (weatherproofing requirement) I understand a properly installed gasket is a requirement of all new and used	 Using 500 lb. increments, take the lowest reading and round down to that increment.
Walls: Type Fastener: Length: Spacing: Roof: Type Fastener: Length: Spacing: Spacing	POCKET PENETROMETER TESTING METHOD 1. Test the perimeter of the home at 6 locations. 2. Take the reading at the depth of the footer.
Fastening multi wide units	×1700 ×1700 ×1000
Debris and organic material removed Water drainage: Natural Swale Pad Cother	er tests are rounded down to ISOOO without testing.
Site Preparation	POCKET PENETROMETER TEST

manufacturer's installation instructions and or Rule 15C-1 & 2 accurate and true based on the I information given with this permit worksheet


Installer Signature DADM Date 8-12-19

independent water supply systems. Pg. _

Connec

source. Connec

Connect all potable water supply piping to an existing water meter, water tap, or other



G = CASIMLET	DI * DWV PILLIMBING DROP	W = WATER INLET	E = ELECTRICAL DROP	SERVICE DROP LEGEND
	М			
PIER HEIG	REFER TO	PERMETE	TABLES 7	FORLOAD

NOTES:

= PERMANBENA PIER LEGEND

DAS - PHERIPERMETER

III = PIER PORCHRECESSED ENTRY

TREFER TO TABLES 6 AND 6a IN THE INSTALLATION MANUAL FOR LOAD ON FRAME PIER FOOTINGS FOR HOMES THAT DO NOT REQUIRE PERIMETER BLOCKING. REFER TO TABLES 7 AND 7a IN THE INSTALLATION MANUAL FOR LOAD ON FRAME PIER FOOTINGS FOR HOMES THAT REQUIRE PERIMETER BLOCKING. REFER TO TABLES 10 AND 10a TO DETERMINE FOOTING SIZE FOR ALL PIERS.

REFER TO TABLE 9 FOR PIER CONFIGURATION AND MAXIMUM ALLOWABLE HEIGHTS. CROSS REFERENCE THE PIER HEIGHT WITH THE MAXIMUM ALLOWABLE FLOOR. STED IN THE FRAME TIEDOWN CHARTS (TABLE

Çh

18, 19, AND 20).

THE MAXIMUM SPACING FOR FRAME SUPPORT PIERS FOR BY HEEANS IS 8 FEET, 10" & 12" HEEANS IS 10 FEET.

SERVICE DROP LOCATIONS IDENTIFIED ARE

APPROXIMATE.

FLOOR WIDTH SHOWN IS FOR STANDARD PRODUCT ONLY.

CONTACT THE MFG FACILITY FOR SPECIFICATIONS OF OPTIONS ORDERED.

1,165 SQ.FT. (STO PLAN "CONDITIONED" N/A SQ.FT. (W/OPT. PORCH/RECESS "CONDITIONED"

16' x 76' TRI1+ 3cale: N.T.S. Model #: TRU16763A TRU-5007-76-3

Product Designer: Huiting,i



STATE OF FLORIDA DEPARTMENT OF HEALTH ONSITE SEWAGE TREATMENT AND DISPOSAL System

PERMIT NO.	19-0611
DATE PAID =	8/13/19
FEE PAID:	160,00
RECEIPT #:	1428493

	APPLI	CATION	for constr	UCTION P	ERM	IT			1700415
	ATION FOR: New System Repair	[kisting Syst Dandonment	em []	Holding Tank]]	Innovative
APPLICA	ANT: CCF Proper	ties LLC							
AGENT:	Dale Burd / Dale E	Burd LLC				Ti	ELEPHO	ONE :	386-365-7674
MAILING	G ADDRESS: 200	619 County R							
BY A PR APPLICA PLATTER	COMPLETED BY A ERSON LICENSED ANT'S RESPONSI D (MM/DD/YY) I	PURSUANT BILITY TO F REQUEST	T TO 489.105 PROVIDE DO	(3)(m) OR CUMENTATIO	489. N OI	.552, FLORIDA F THE DATE TH	STATE LOT	UTE:	S CREATED OR
	TY INFORMATION							•	
LOT: 18	B-20B BLOCK:	<u>A</u>	SUBDIVISION:	West Lake C	ity H	fills S/D		_ P	LATTED: na
PROPER'I	ry ID #: 34-3S-	16-02509-00	1	ZONIN	3: _	I/M (OR EQ	UIVA	LENT: [No]
PROPERT	ry size: 3	ACRES	WATER SUPPL	Y: [] PR	IVA'	TE PUBLIC [,	/]<=2	2000	GPD []>2000GPD
IS SEWE	R AVAILABLE A	S PER 381	.0065, FS?	[No]		DIST	ANCE	TO S	EWER: na FT
PROPERI	TY ADDRESS: 12	0 Helen Dr,	Lake City, FL, 32	055					
DIRECTI	ONS TO PROPER	US 90	West, TR Lake (City Ave, TR N	W A	pple Lane, TL NW	Helen	Dr, 2	nd lot on left
BUILDIN	IG INFORMATION		[/] pperm	PMT AT		f 1 COMPRISO	T. 7.		
	Type of	ı							
	stablishment		Bedrooms	Area Sqft	Tak	ole 1, Chapte	r 64E	ona. -6,	l System Design FAC
1 5	SF Residential		3	1165	sw	for SW Mobile ho	me par	k rep	acement
2 _		······································			Flo	or plans and existing	ng pern	nits at	tached
3 _						· · · · · · · · · · · · · · · · · · ·			
4 _									
[] E	loor/Equipmen	t Drains	[] Othe	er (Specify	r) _				
SIGNATU	JRE:	W.					DATI	E: <u>8</u>	/12/2019

3867582187 16:04:37 08-13-2019 2/3

STATE OF FLORIDA DEPARTMENT OF HEALTH

APPLICATION FOR ONSITE SEWAGE DISPOSAL SYSTEM CONSTRUCTION PERMIT

Permit Application Number

CCF		
	PART II - SITEPLAN	
Scale: 1 inch = 40 feet.		
	A	
	Plasa Ampehrol	
Notes:		
	NA OIL	
Site Plan submitted by:	8/12/18	CONTRACTOR
Plan Approved	Not Approved	Date
BV	Calmbia	County Health Department

