



Custom Residence for:

MR. & MRS. ABRAM HUBER

Columbia County, Florida

Drawing Index

CS.1	COVER SHEET, DRAWING INDEX	A.1	FOUNDATION PLAN
A.1	BUILDING ELEVATIONS	A.8	STRUCTURAL DETAILS
A.2	BUILDING ELEVATIONS	A.9	STRUCTURAL DETAILS
A.3	1st FLOOR PLAN, DIMENSIONS & NOTES	A.10	ROOF PLAN, NOTES
A.4	2nd FLOOR PLAN, DIMENSIONS & NOTES	A.11	1st FLOOR ELECTRICAL PLAN, CALC'S, FNL "L", NOTES & SYMBOLS
A.5	ARCHITECTURAL DETAILS	A.12	2nd FLOOR ELECTRICAL PLAN, RISER, FNL "L", NOTES & SYMBOLS
A.6	WALL SECTIONS & STRUCTURAL DETAILS	A.13	GENERAL NOTES

ALL WIND LOADS ARE IN ACCORDANCE WITH SECTION 1606, FLORIDA BUILDING CODE, 2004 EDITION.	
BASIC WIND SPEED:	110 MPH
WIND IMPORTANCE FACTOR (I):	1 = 1.00
BUILDING CATEGORY:	CATEGORY II
WIND EXPOSURE:	"B"
INTERNAL PRESSURE COEFFICIENT:	+/- 0.18
MUFRS PER TABLE 1606.2A (FBC 2001) DESIGN WIND PRESSURES:	ROOF: - 23.1 PSF WALLS: + 26.6 PSF EAVES: - 32.3 PSF
COMPONENTS & CLADDING PER TABLES 1606.2B & 1606.2C (FBC 2001) DESIGN WIND PRESSURES:	OPNGS: + 21.8 / - 29.1 PSF EAVES: - 68.3 PSF ROOF: + 19.9 / - 25.5 PSF

NOTICE
Construction: These plans should not be interpreted without the assistance of a professional engineer or architect. The owner and the contractor shall not rely on the building and engineering codes for the purpose of building without the design of a professional engineer or architect. Any discrepancy or error in these drawings, details or their interpretation shall be the responsibility of the architect. These plans are copyrighted and may not be copied or reproduced in any form without the written consent of the architect. Kevin Gray, Inc.

10751 Deerwood Park Blvd.
Suite #120
Jacksonville, Florida 32256

PHONE: (904) 384-3285
FAX: (904) 388-1550
www.kevingray.com

RESIDENTIAL DESIGNS BY KEVIN GRAY, INC.

A Joint Venture
Partnership

NICHOLAS PAUL
GESLER
ARCHITECT
N.C.A.R.S. Certified

1758 NW Brown Rd.
Lake City, FL 32055
386-755-9021

HUBER RESIDENCE
THE NW 1/4 OF NE 1/4, SECTION 1
T 5 - S, R 16 - E
COLUMBIA COUNTY, FLORIDA

DRAWN BY: *pg*
CHECKED BY:
DATE: 7/13/05
SCALE: 1/4" = 1'-0"
JOB NUMBER: 4800
REVISED:
DWG NO: CS.1 1

M
APL 7005
2.1 OCT 2005