DATE <u>08/24/2009</u>	Columbia County Bu		struction	PERMIT 000028027
ADDITION WADER				000028027
APPLICANT WADE V	PO BOX 1546	PHONE LAKE CITY	623-3331	FL 32056
	FO BOX 1346 TH HARDEN	PHONE		<u> 32030 </u>
ADDRESS 308	SE DAMITA GLEN	LAKE CITY		FL 32025
19	ADE WILLIS	PHONE	623-3331	32023
LOCATION OF PROPEI				
TYPE DEVELOPMENT	RENOVATION SFD EST	TIMATED COST OF COM	NSTRUCTION	11500.00
HEATED FLOOR AREA	TOTAL ARE	A	HEIGHT 15.	.00 STORIES 1
FOUNDATION	WALLS R	OOF PITCH 4/12	FLC	OOR
LAND USE & ZONING		MAX.	HEIGHT 35	
Minimum Set Back Requ	irments: STREET-FRONT	REAR		SIDE
NO. EX.D.U. 1	FLOOD ZONE NA NA	DEVELOPMENT PERM	IIT NO.	
PARCEL ID 34-4S-17	7-08961-000 SUBDIVISION	N ROSE CREEK HEI	GHTS PLAT	
LOT 14-15 BLOCK	PHASE UNIT	TOTA	L ACRES 1.00	0
	CBC1252491	7 1/4	- 1/1	
Culvert Permit No.	Culvert Waiver Contractor's License Num		pplicant/Owner/C	Contractor
EXISTING	X09-235 LH	LH	1	N
Driveway Connection	Septic Tank Number LU & Zonin	ng checked by Appr	oved for Issuance	New Resident
COLOR CONTROL NOCON	TELLE			
COMMENTS: NOC ON	FILE			
COMMENTS: NOC OF	VILE			
COMMENTS: NOC OF	VILE		Check # or Ca	sh 108
COMMENTS: NOC OF	FOR BUILDING & ZONIN		- Was was	
Temporary Power		IG DEPARTMENT	ONLY	sh 108 (footer/Slab)
Temporary Power	FOR BUILDING & ZONIN Foundation date/app. by	IG DEPARTMENT	ONLY	
	FOR BUILDING & ZONIN Foundation date/app. by bing Slab	date/app. by	ONLY Monolithic	(footer/Slab) date/app. by
Temporary Power Under slab rough-in plum	FOR BUILDING & ZONIN Foundation date/app. by bing date/app. by	date/app. by	ONLY Monolithic	(footer/Slab) date/app. by
Temporary Power Under slab rough-in plum	FOR BUILDING & ZONIN Foundation date/app. by bing Slab date/app. by Insulation	date/app. by	ONLY Monolithic	(footer/Slab) date/app. by
Temporary Power Under slab rough-in plum Framing	FOR BUILDING & ZONIN Foundation date/app. by bing Slab date/app. by Insulation	date/app. by date/app. by	ONLY Monolithic	(footer/Slab) date/app. by
Temporary Power Under slab rough-in plum Framing	FOR BUILDING & ZONIN Foundation date/app. by bing date/app. by Insulation pp. by date slab and below wood floor	date/app. by date/app. by e/app. by Ele ate/app. by	Monolithic Sheathing/N	(footer/Slab) date/app. by
Temporary Power Under slab rough-in plum Framing date/a Rough-in plumbing above Heat & Air Duct	FOR BUILDING & ZONIN Foundation date/app. by bing date/app. by Insulation pp. by date slab and below wood floor date Peri. beam (Linte)	date/app. by date/app. by e/app. by Ele ate/app. by	ONLY Monolithic Sheathing/N	(footer/Slab) date/app. by date/app. by date/app. by
Temporary Power Under slab rough-in plum Framing date/a Rough-in plumbing above Heat & Air Duct	FOR BUILDING & ZONIN Foundation date/app. by bing Slab date/app. by Insulation pp. by date slab and below wood floor Peri. beam (Linter date/app. by C.O. Final	date/app. by date/app. by e/app. by Ele ate/app. by date/app. by	Monolithic Sheathing/N	(footer/Slab) date/app. by lailing date/app. by
Temporary Power Under slab rough-in plum Framing date/a Rough-in plumbing above Heat & Air Duct Permanent power	FOR BUILDING & ZONIN Foundation date/app. by bing date/app. by Insulation pp. by date Peri. beam (Linter date/app. by C.O. Final ate/app. by	date/app. by date/app. by e/app. by Ele ate/app. by date/app. by	ONLY Monolithic Sheathing/N ctrical rough-in Pool Culvert	(footer/Slab) date/app. by date/app. by date/app. by
Temporary Power Under slab rough-in plum Framing date/a Rough-in plumbing above Heat & Air Duct	FOR BUILDING & ZONIN Foundation date/app. by bing date/app. by Insulation pp. by date Peri. beam (Linter date/app. by C.O. Final ate/app. by Utility Pole M/H tie do	date/app. by date/app. by e/app. by Ele ate/app. by date/app. by	ONLY Monolithic Sheathing/N ctrical rough-in Pool Culvert	date/app. by date/app. by date/app. by date/app. by date/app. by date/app. by
Temporary Power Under slab rough-in plum Framing date/a Rough-in plumbing above Heat & Air Duct Permanent power dute/app. by Reconnection	FOR BUILDING & ZONIN Foundation date/app. by bing date/app. by Insulation pp. by date slab and below wood floor date/app. by C.O. Final ate/app. by Utility Pole M/H tie do RV	date/app. by date/app. by e/app. by Eleate/app. by date/app. by date/app. by late/app. by late/app. by www. blocking, electricity	ONLY Monolithic Sheathing/N ctrical rough-in Pool Culvert	date/app. by
Temporary Power Under slab rough-in plum Framing date/a Rough-in plumbing above Heat & Air Duct Permanent power dute/app. by Reconnection	FOR BUILDING & ZONIN Foundation date/app. by bing Slab date/app. by Insulation pp. by date slab and below wood floor date/app. by C.O. Final ate/app. by Utility Pole M/H tie do	date/app. by date/app. by e/app. by Ele ate/app. by date/app. by	ONLY Monolithic Sheathing/N ctrical rough-in Pool Culvert and plumbing	date/app. by date/app. by date/app. by date/app. by date/app. by date/app. by
Temporary Power Under slab rough-in plum Framing date/a Rough-in plumbing above Heat & Air Duct Permanent power dute/app. by Reconnection	FOR BUILDING & ZONIN Foundation date/app. by bing date/app. by Insulation pp. by date Peri. beam (Linter date/app. by C.O. Final ate/app. by Utility Pole date/app. by RV date/app. by	date/app. by date/app. by e/app. by Ele ate/app. by date/app. by date/app. by date/app. by date/app. by date/app. by	ONLY Monolithic Sheathing/N ctrical rough-in Pool Culvert and plumbing	date/app. by
Temporary Power Under slab rough-in plum Framing date/a Rough-in plumbing above Heat & Air Duct Permanent power d Pump pole date/app. by Reconnection BUILDING PERMIT FEE	FOR BUILDING & ZONIN Foundation date/app. by bing date/app. by Insulation pp. by date Peri. beam (Linter date/app. by C.O. Final ate/app. by Utility Pole date/app. by RV date/app. by	date/app. by date/app. by Eleate/app. by date/app. by date/app. by date/app. by date/app. by date/app. by cowns, blocking, electricity date/app. by Eleate/app. by date/app. by cowns, blocking, electricity	ONLY Monolithic Sheathing/Nuctrical rough-in Pool Culvert and plumbing Re-roof SURCHARGE I	date/app. by
Temporary Power Under slab rough-in plum Framing	FOR BUILDING & ZONIN Foundation date/app. by bing date/app. by Insulation pp. by date Peri. beam (Linter date/app. by C.O. Final ate/app. by Utility Pole date/app. by RV date/app. by c.\$ 60.00 CERTIFICATION FEE	date/app. by date/app. by Eleate/app. by date/app. by date/app. by date/app. by date/app. by bwns, blocking, electricity date/app. by FIRE FEE \$ 0.00	ONLY Monolithic Sheathing/Nuctrical rough-in Pool Culvert and plumbing Re-roof SURCHARGE N	date/app. by FEE \$ 0.00

PERMIT

NOTICE: IN ADDITION TO THE REQUIREMENTS OF THIS PERMIT, THERE MAY BE ADDITIONAL RESTRICTIONS APPLICABLE TO THIS PROPERTY THAT MAY BE FOUND IN THE PUBLIC RECORDS OF THIS COUNTY. AND THERE MAY BE ADDITIONAL PERMITS REQUIRED FROM OTHER GOVERNMENTAL ENTITIES SUCH AS WATER MANAGEMENT DISTRICTS, STATE AGENCIES, OR FEDERAL AGENCIES.

"WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT."

EVERY PERMIT ISSUED SHALL BECOME INVALID UNLESS THE WORK AUTHORIZED BY SUCH PERMIT IS COMMENCED WITHIN 180 DAYS AFTER ITS ISSUANCE, OR IF THE WORK AUTHORIZED BY SUCH PERMIT IS SUSPENDED OR ABANDONED FOR A PERIOD OF 180 DAYS AFTER THE TIME THE WORK IS COMMENCED. A VALID PERMIT RECIEVES AN APPROVED INSPECTION EVERY 180 DAYS. WORK SHALL BE CONSIDERED NOT SUSPENDED, ABANDONED OR INVALID WHEN THE PERMIT HAS RECIEVED AN APPROVED INSPECTION WITHIN 180 DAYS OT THE PREVIOUS INSPECTION.

Columbia County Building Permit Application

The second secon					Permit # 28027
					Zoning
FEMA Map #	Elevation	MFE	River	Plans Examiner_	Date
Comments					
□ NOC □ EH □ De	eed or PA 🗆 Site Pla	n 🛘 State Road I	nfo 🗆 Parent P	arcel #	
□ Dev Permit #	o In	Floodway 🗆 Le	tter of Auth. fro	om Contractor 🗆 F	W Comp. letter
IMPACT FEES: EI	MS	Fire	Corr	Road/Cod	le
Sc	chool	= TOTAL			
Septic Permit No	X09-235				
Name Authorized I	Person Signing Permi	Wade	Willis	Phone	623 - 333 /
Address Pol	300 1546	LC FL	32056		
Owners Name _/	Kenneth Ha	rden		Phone	
911 Address	308 SE [amita 61	len LC	FL 32025	
Contractors Name	Wade W	1/13		Phone	
Address	Sunc				
Fee Simple Owner	Name & Address				
Bonding Co. Name	e & Address				
Architect/Enginee	r Name & Address_				
	Name & Address				
Circle the correct p	oower company – F	L Power & Light	- Clay Elec.	– Suwannee Valley	Elec. – Progress Energy
	34-45-17-		Estimate	ed Cost of Construction	on 11500,00
Subdivision Name	Rose Creek ,	Hicyhts		Lot 1445Block_	Unit Phase
Driving Directions	South on	441 , +	irn L	on Domita	Blen, Rat
308 (last	- house on	right)			
			Number	of Existing Dwellings	on Property/
Construction of _	Renovation	SFD		Total Acreage _	Lot Size / AC
Do you need a - <u>C</u> ı	ulvert Permit or Culv	<u>vert Waiver</u> or <u>H</u>	ave an Existing	g Drive Total Buil	ding Height <u>15</u>
Actual Distance of	Structure from Prope	rty Lines - Front_	30 Side	_50side (50 Rear 120
Number of Stories	Heated Floor	Area 1848	Total Flo	or Area 21 86	Roof Pitch 4/17
Application is herel	by made to obtain a	permit to do wor	k and installat	ions as indicated. I ce	ertify that no work or

installation has commenced prior to the issuance of a permit and that all work be performed to meet the standards of all laws regulating construction in this jurisdiction.

Columbia County Building Permit Application

<u>TIME LIMITATIONS OF APPLICATION</u>: An application for a permit for any proposed work shall be deemed to have been abandoned 180 days after the date of filing, unless such application has been pursued in good faith or a permit has been issued; except that the building official is authorized to grant one or more extensions of time for additional periods not exceeding 90 days each. The extension shall be requested in writing and justifiable cause demonstrated.

<u>TIME LIMITATIONS OF PERMITS:</u> Every permit issued shall become invalid unless the work authorized by such permit is commenced within 180 days after its issuance, or if the work authorized by such permit is suspended or abandoned for a period of 180 days after the time work is commenced. A valid permit receives an approved inspection every 180 days. Work shall be considered not suspended, abandoned or invalid when the permit has received an approved inspection within 180 days of the previous approved inspection.

FLORIDA'S CONSTRUCTION LIEN LAW: Protect Yourself and Your Investment: According to Florida Law, those who work on your property or provide materials, and are not paid-in-full, have a right to enforce their claim for payment against your property. This claim is known as a construction lien. If your contractor fails to pay subcontractors or material suppliers or neglects to make other legally required payments, the people who are owed money may look to your property for payment, even if you have paid your contractor in full. This means if a lien is filed against your property, it could be sold against your will to pay for labor, materials or other services which your contractor may have failed to pay.

NOTICE OF RESPONSIBILITY TO BUILDING PERMITEE: YOU ARE HEREBY NOTIFIED as the recipient of a building permit from Columbia County, Florida, you will be held responsible to the County for any damage to sidewalks and/or road curbs and gutters, concrete features and structures, together with damage to drainage facilities, removal of sod, major changes to lot grades that result in ponding of water, or other damage to roadway and other public infrastructure facilities caused by you or your contractor, subcontractors, agents or representatives in the construction and/or improvement of the building and lot for which this permit is issued. No certificate of occupancy will be issued until all corrective work to these public infrastructures and facilities has been corrected.

<u>WARNING TO OWNER:</u> YOUR FAILURE TO RECORD A NOTICE OF COMMENCMENT MAY RESULT IN YOU PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. A NOTICE OF COMMENCEMENT MUST BE RECORDED AND POSTED ON THE JOB SITE BEFORE THE FIRST INSPECTION. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT.

OWNERS CERTIFICATION: I CERTIFY THAT ALL THE FOREGOING INFORMATION IS ACCURATE AND THAT ALL WORK WILL BE DONE IN COMPLIANCE WITH ALL APPLICABLE LAWS REGULATING CONSTRUCTION AND ZONING.

<u>NOTICE TO OWNER:</u> There are some properties that may have deed restrictions recorded upon them. These restrictions may limit or prohibit the work applied for in your building permit. It may be to your advantage to check and see if your property is encumbered by any restrictions.

Page 2 of 2 (Both Pages must be submitted together.) ** Revised 6-19-09

Columbia County Property Appraiser DB Last Updated: 7/22/2009

2009 Preliminary Values

Tax Record

Property Card

Interactive GIS Map

Search Result: 1 of 1

Print

Parcel: 34-4S-17-08961-000 HX

Owner & Property Info

Owner's Name	HARDEN KEN	HARDEN KENNETH R &		
Site Address	DAMITA	DAMITA		
Mailing Address		SANDRA R 308 SE DAMITA GLEN LAKE CITY, FL 32025		
Use Desc. (code)	SINGLE FAM (000100)			
Neighborhood	034417.02	034417.02 Tax District 3		
UD Codes	MKTA02 Market Area 02			
Total Land Area	0.000 ACRES			
Description	LOTS 14 & 15 455-223	ROSE CREEK HEIGH	TS PLAT. ORB	

GIS Aerial



Property & Assessment Values

Total Appraised Value		\$53,143.00
XFOB Value	cnt: (3)	\$1,980.00
Building Value	cnt: (1)	\$44,661.00
Ag Land Value	cnt: (0)	\$0.00
Mkt Land Value	cnt: (1)	\$6,502.00

Just Value		\$53,143.00			
Class Value		\$0.00			
Assessed Value		\$45,551.00			
Exemptions	(code: HX) \$25,000.0				
Total Taxable Value	Other	0,551.00 City: \$20,551.00 r: \$20,551.00 pol: \$20,551.00			

Sales History

Sale Date	Book/Page	Inst. Type	Sale VImp	Sale Qual	Sale RCode	Sale Price
		-	NONE		dir	

Building Characteristics


Bldg Item	Bldg Desc	Year Blt	Ext. Walls	Heated S.F.	Actual S.F.	Bldg Value
1	SINGLE FAM (000100)	1980	WD or PLY (08)	1848	2188	\$44,661.00
	Note: All S.F. calculation	ons are base	ed on exterior bu	uilding dimension	ns.	

Extra Features & Out Buildings

Code	Desc	Year Blt	Value	Units	Dims	Condition (% Good)
0021	BARN,FR AE	1993	\$1,500.00	0000001.000	30 x 30 x 0	(000.00)
0031	BARN,MT AE	1993	\$180.00	0000400.000	20 x 20 x 0	(000.00)
0120	CLFENCE 4	1993	\$300.00	0000001.000	0 x 0 x 0	(000.00)

Land Breakdown

Lnd Code	Desc	Units	Adjustments	Eff Rate	Lnd Value
000100	SFR (MKT)	0000002.000 LT - (0000000.000AC)	1.00/1.00/0.85/1.00	\$3,251.00	\$6,502.00



This information, GIS Map Updated: 7/22/2009, was derived from data which was compiled by the Columbia County Property Appraiser Office solely for the governmental purpose of property assessment. This information should not be relied upon by anyone as a determination of the ownership of property or market value. No warranties, expressed or implied, are provided for the accuracy of the data herein, it's use, or it's interpretation. Although it is periodically updated, this information may not reflect the data currently on file in the Property Appraiser's office. The assessed values are NOT certified values and therefore are subject to change before being finalized for ad valorem assessment purposes.

__Location:

Project Name:

As required by Florida Statute 553.842 and Florida Administrative Code 9B-72, please provide the information and the product approval number(s) on the building components listed below if they will be utilized on the construction project for which you are applying for a building permit on or after April 1, 2004. We recommend you can act your local product supplier should you not know the product approval number for any of the applicable listed products. More information about statewide product approval can be obtained at www.iion.appulging.go.

Category/Subcategory	Manufacturer	Product Description	Approval Number
A. EXTERIOR DOORS			FL 4242-K
1. Swinging		 	
2. Sliding			
3. Sectional			
4. Roll up	<u> </u>		
5. Automatic 6. Other	 		
· TOTAL TENEDROPHICAL STREET	-		
B. WINDOWS			
1. Single hung			FL 5108
2. Horizontal Slider			FL 5451
3. Casement			
4. Double Hung			
5. Fixed			TL 5418
6. Awning			
7. Pass -through			
8. Projected			
9. Mullion	1	7, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	
10, Wind Breaker			
11 Dual Action			
12. Other			
C. PANEL WALL	WORLD STREET,		
1. Siding	· · · · · · · · · · · · · · · · · · ·		E/ 000 B
2. Soffits	-	~	FL 889-R
3. EIFS	KAYCAN	Vient Culty NE	FL 4899
4. Storefronts	LINTYCATA	VINYE SHOTING D5	FI 4905
5. Curtain walls			
6. Wall louver			
7. Glass block			
8. Membrane			PL 3810-R1
9. Greenhouse 10. Other			
10, Other	Company of the second	W	
. ROOFING PRODUCTS	***************************************		
Asphalt Shingles Underlayments			FL 586-RZ
			FL 1914 - R1
3. Roofing Fasteners			
4. Non-structural Metal Rf			
5. Bullt-Up Roofing		31	
6. Modified Bitumen			
7. Single Ply Roofing Sys.			···
8. Roofing Tiles			
9. Roofing Insulation			
10. Waterproofing	· · · · · · · · · · · · · · · · · · ·		
11. Wood shingles /shakes	1	2	



Suguist Applies Roof Sys 1. Coentins Adhesive - Coetings 1. Roof Title Achesive 1. Spray Applied Polyurshane Roof 17. Other 2. Shutters 1. Accordion 2. Bahama 3. Storm Panels 4. Colonial 5. Roll-up 6. Equipment 7. Other 7. Other 8. KYLIGHTS 1. Skylight 1. Skylight 2. Other 9. SKYLIGHTS 1. Skylight 1. Stylight 2. Other 9. STRUCTURAL COMPONENTS 1. Wood connector/anchor 2. Truss plates 3. Engineered lumber 4. Railing 5. Coolers Admixtures 7. Material 8. Insulation Forms 9. Plastics 10. Deck-Roof 11. Wail 12. Sheds 13. Other 14. Roof Comply with, 3) copy of the applicable manufacturers installation require ments 1. Lunderstand these products may have to be removed if approval cannot be demonstrated during inspect	Aug. 20. 2009 2:44PM	lake city indus	and the second s	No. 056	5 P. 2
Coafficient of Department of these products, the following information must be available to the nispection of these products may have to be removed if approval cannot be demonstrated during inspect	jory/Subcategory (con	t.) Manufacturer	Product Description		Approval Number
Coafficient of Department of these products, the following information must be available to the nispection of these products may have to be removed if approval cannot be demonstrated during inspect	3. Liquid Applied Roof Sy	5		·	
15. Roof Tile Achesive 15. Spray Applied Polyurelinane Roof 17. Other E. SHUTTERS 1. Accordion 2. Bahama 3. Storm Panels 4. Colonial 5. Roil-up 6. Equipment 7. Others F. SKYLIGHTS 1. Skylight 2. Other G. STRUCTURAL COMPONENTS 1. Wood connector/anchor 2. Truss plates 3. Engineered lumber 4. Railing 5. Coolers-freezers 6. Concrete Admixtures 7. Material 8. Insulation Forms 9. Plastics 10. Deck-Roof 11. Wall 12. Sheds 13. Other H. NEW EXTERIOR ENVELOPE PRODUCTS 1. The products listed below did not demonstrate product approval at plan review. I understand that at the time of inspection of these products, the following information must be available to the inspector on the inspection of these products, the following information must be available to the inspector on the plotted was lester and certified to comply with, 3) copy of the applicable manufacturers installation require ments 1. Confidence of these products may have to be removed if approval cannot be demonstrated during inspect	14 Cements-Adhesives -				PL 1960-A
15. Spray Applied Polyurehane Roof 17. Other E. SHUTTERS 1. Accordion 2. Bahama 3. Storm Panelis 4. Colonial 5. Roll-up 6. Equipment 7. Others F. SKYLIGHTS 1. Skylight 2. Other 6. STRUCTURAL COMPONENTS 1. Wood connector/anchor 2. Truss plates 3. Engineered lumber 4. Railling 5. Coolers-freezers 6. Concrete Admixtures 7. Material 8. Insulation Forms 9. Plastics 10. Deck-Roof 11. Wall 12. Sheds 13. Other H. NEW EXTERIOR ENVELOPE PRODUCTS 1. Lopy of the product approval, 2) the performance characteristics which the product was tested and certified to comply with, 3) copy of the applicable manufacturers installation require ments understand these products may have to be removed if approval cannot be demonstrated during inspection of these products may have to be removed if approval cannot be demonstrated during inspection of these products may have to be removed if approval cannot be demonstrated during inspection of these products may have to be removed if approval cannot be demonstrated during inspection of these products may have to be removed if approval cannot be demonstrated during inspection of these products may have to be removed if approval cannot be demonstrated during inspection of these products may have to be removed if approval cannot be demonstrated during inspection of these products may have to be removed if approval cannot be demonstrated during inspection of these products may have to be removed if approval cannot be demonstrated during inspection of these products may have to be removed if approval cannot be demonstrated during inspection of these products may have to be removed if approval cannot be demonstrated during inspection of the product approval cannot be demonstrated during inspection of the product approval cannot be demonstrated during inspection of the product approval cannot be demonstrated during inspection of the product approval cannot be demonstrated during inspection of the product approval cannot be demonstrated during inspection of the product approval cannot be demonstrate	Control of the Contro				
Polyurethane Roof 17, Other E. SHUTTERS 1. Accordion 2. Bahama 3. Storm Panels 4. Colonial 5. Roil-up 6. Equipment 7. Others F. SKYLIGHTS 1. Skylight 1. Skylight 2. Other G. STRUCTURAL COMPONENTS 1. Wood connector/anchor 2. Truss plates 3. Engineered lumber 4. Reliting 5. Coolers-freezers 6. Concrete Admixtures 7. Material 8. Insulation Forms 9. Plastics 10. Deck-Roof 11. Wall 12. Sheds 13. Other H. NEW EXTERIOR ENVELOPE PRODUCTS 1. 2. The products listed below did not demonstrate product approval at plan review. It under stand that at the imposition of these products, the following information must be available to the inspection on the product was tested and certified to comply with, 3) copy of the applicable manufacturers installation requirements understand these products may have to be removed if approval cannot be demonstrated during inspection of these products may have to be removed if approval cannot be demonstrated during inspection described the product smay have to be removed if approval cannot be demonstrated during inspection of these products may have to be removed if approval cannot be demonstrated during inspection of these products may have to be removed if approval cannot be demonstrated during inspection of these products may have to be removed if approval cannot be demonstrated during inspection of these products may have to be removed if approval cannot be demonstrated during inspection of these products may have to be removed if approval cannot be demonstrated during inspection of these products may have to be removed if approval cannot be demonstrated during inspection of these products may have to be removed if approval cannot be demonstrated during inspection of these products may have to be removed if approval cannot be demonstrated during inspection of these products may have to be removed if approval cannot be demonstrated during inspection of these products may have to be removed if approval cannot be demonstrated during inspection of these products may have to be removed if approva					
17. Other E. SHUTTERS 1. Accordion 2. Behams 3. Storm Panels 4. Colonial 5. Roil-up 6. Equipment 7. Others F. SKYLICHTS 1. Skylight 2. Other 6. STRUCTURAL COMPONENTS 1. Wood connector/anchor 2. Truss plates 3. Engineered lumber 4. Reiling 5. Coolers-freezers 6. Concrete Admixtures 7. Material 8. Insulation Forms 9. Plastics 10. Deck-Roof 11. Wall 12. Sheds 13. Other H. New EXTERIOR ENVELOPE PRODUCTS 1. 2. The products listed below did not demonstrate product approval at plan review. I unde stand that at the time of inspection of these products, the following information must be available to the inspector on the possibility of the product approval at plan review. I unde stand that at the time of inspection of these products, the following information must be available to the inspector on the possibility of the product approval at plan review. I unde stand that at the time of inspection of these products, the following information must be available to the inspector on the possibility of the product approval at plan review. I unde stand that at the time of inspection of these products, the following information must be available to the inspector on the possibility of the product approval at plan review. I unde stand that at the time of inspection of these products, the following information must be available to the inspector on the possibility of the product approval at plan review. I unde stand that at the time of inspection of these products, the following information must be available to the inspector on the possibility of the product approval at plan review. I unde stand that at the time of inspection of these products approval at plan review. I unde stand that at the time of inspection of these products approval at plan review. I unde stand that at the time of inspection of these products approval at plan review. I unde stand that at the time of inspection of these products approval at plan review. I under the product approval at plan review. I under the product approval at plan review. I under the product ap	16. Spray Applied				
E. SHUTTERS 1. Accordion 2. Bahama 3. Slorm Panels 4. Colonial 5. Roll-up 6. Equipment 7. Others F. SKYLIGHTS 1. Skylight 2. Other 6. STRUCTURAL COMPONENTS 1. Wood connector/anchor 2. Truss plates 3. Engineered lumber 4. Railling 5. Coolers-freezers 6. Concrete Admixtures 7. Material 8. Insulation Forms 9. Plastics 10. Deck-Roof 11. Wall 12. Sheds 13. Other H. NEW EXTERIOR ENVELOPE PRODUCTS 1. 2. The products listed below did not demonstrate product approval at plan review. I unde stand that at the input of the product			 	***	
1. Accordion 2. Behame 3. Storm Panels 4. Colonial 5. Roll-up 6. Equipment 7. Others F. SKYLIGHTS 1. Skylight 2. Other 6. STRUCTURAL COMPONENTS 1. Wood connector/anchor 2. Truss plates 3. Engineered lumber 4. Railing 5. Coolers-freezers 6. Concrete Admixtures 7. Matarial 8. Insulation Forms 9. Plastics 10. Deck-Roof 11. Wall 12. Sheds 13. Other 14. New EXTERIOR ENVELOPE PRODUCTS 1. 2. The products listed below did not demonstrate product approval at plan review. I under stand that at the time of inspection of these products, the following information must be available to the inspector on the jobsite; 1) copy of the product approval, 2) the performance characteristics which the product was tester and certified to comply with, 3) copy of the applicable manufacturers installation requirements 1 understand these products may have to be removed if approval cannot be demonstrated during inspection of these products may have to be removed if approval cannot be demonstrated during inspection of these products may have to be removed if approval cannot be demonstrated during inspection of these products may have to be removed if approval cannot be demonstrated during inspection of these products may have to be removed if approval cannot be demonstrated during inspection of these products may have to be removed if approval cannot be demonstrated during inspection of these products may have to be removed if approval cannot be demonstrated during inspection of the product approval cannot be demonstrated during inspection of the product approval cannot be demonstrated during inspection of the product approval cannot be demonstrated during inspection of the product approval cannot be demonstrated during inspection of the product approval cannot be demonstrated during inspection of the product approval cannot be demonstrated during inspection of the product approval cannot be demonstrated during inspection of the product approval cannot be demonstrated during inspection of the product approval cannot be demonstrated during ins	· · · · · · · · · · · · · · · · · · ·				
2. Bahama 3. Storm Panels 4. Colonial 5. Roll-up 6. Equipment 7. Others 7. Others 7. Others 1. Skylight 2. Other 6. STRUCTURAL COMPONENTS 1. Wood connector/anchor 2. Truss plates 3. Engineered lumber 4. Railling 5. Copiers-freezers 6. Concrete Admixtures 7. Material 1. Insulation Forms 9. Plastics 10. Deck-Roof 11. Wall 12. Sheds 13. Other 11. Wall 12. Sheds 13. Other 11. Other Structures 12. The products listed below did not demonstrate product approval at plan review. I understand that at the time of inspection of these products, the following information must be available to the inspector on the jobsite; 1) copy of the product approval; 2) the performance characteristics which the product was tested and certified to comply with, 3) copy of the applicable manufacturers installation requirements and certified to comply with, 3) copy of the applicable manufacturers installation requirements indicated the service of the product approval to the product approval at plan review. I understand that at the time of inspection of these products, the following information must be available to the inspector on the jobsite; 1) copy of the product approval; 2) the performance characteristics which the product was tested and certified to comply with, 3) copy of the applicable manufacturers installation requirements and certified to comply with, 3) copy of the applicable manufacturers installation requirements and certified to comply with, 3) copy of the applicable manufacturers installation requirements and certified to comply with, 3) copy of the applicable manufacturers installation requirements.		LAURE ALTON			
3. Storm Panels 4. Colonial 5. Roll-up 6. Equipment 7. Others F. SKYLIGHTS 1. Skylight 2. Other 6. STRUCTURAL COMPONENTS 1. Wood connector/anchor 2. Truss plates 3. Engineered lumber 4. Railing 5. Coolers-freezers 6. Concrete Admixtures 7. Material 8. Insulation Forms 9. Plastics 10. Deck-Roof 11. Wall 12. Sheds 13. Other H. New EXTERIOR ENVELOPE PRODUCTS 1. 2 The products listed below did not demonstrate product approval at plan review. I understand that at the time of inspection of these products, the following information must be available to the inspector on the jobsite; 1) copy of the product approval, 2) the performance characteristics which the product was tested and certified to comply with, 3) copy of the applicable manufacturers installation requirements Understand these products may have to be removed if approval cannot be demonstrated during inspect					
4. Colonial 5. Roll-up 6. Equipment 7. Others 1. Skylight 2. Other 1. Skylight 2. Other 3. Engineered lumber 2. Truss plates 3. Engineered lumber 4. Railing 5. Coolers-freezers 6. Concrete Admixtures 7. Material 8. Insulation Forms 9. Plastics 10. Deck-Roof 11. Wall 12. Sheds 13. Other 14. NEW EXTERIOR ENVELOPE PRODUCTS 1. 2. The products listed below did not demonstrate product approval at plan review. I understand that at the time of inspection of these products, the following information must be available to the inspector on the jobsite; 1) copy of the product approval, 2) the performance characteristics which the product was tested and certified to comply with, 3) copy of the applicable manufacturers installation requirements 1 understand these products may have to be removed if approval cannot be demonstrated during inspect					
5. Roll-up 6. Equipment 7. Others F. SKYLIGHTS 1. Skylight 2. Other 6. STRUCTURAL COMPONENTS 1. Wood connector/anchor 2. Truss plates 3. Engineered lumber 4. Railing 5. Coolers-freezers 6. Concrete Admixtures 7. Material 8. Insulation Forms 9. Plastics 10. Dack-Roof 11. Wall 12. Sheds 13. Other H. NEW EXTERIOR ENVELOPE PRODUCTS 1. 2. The products listed below did not demonstrate product approval at plan review. I understand that at the time of inspection of these products, the following information must be available to the inspector on the jobsite; 1) copy of the product approval, 2) the performance characteristics which the product was tested and certified to comply with, 3) copy of the applicable manufacturers installation requirements 1 understand these products may have to be removed if approval cannot be demonstrated during inspect			 		10mg 17th
6. Equipment 7. Others 7. SKYLIGHTS 1. Skylight 2. Other 3. STRUCTURAL COMPONENTS 1. Wood connector/anchor 2. Truss plates 3. Engineered lumber 4. Relling 5. Coolers-freezers 6. Concrete Admixtures 7. Material 8. Insulation Forms 9. Plastics 10. Deck-Roof 11. Wall 12. Sheds 13. Other H. NEW EXTERIOR ENVELOPE PRODUCTS 1. 2. The products listed below did not demonstrate product approval at plan review. I understand that at the time of inspection of these products, the following information must be available to the inspector on the jobsite; 1) copy of the product approval, 2) the performance characteristics which the product was teste and certified to comply with, 3) copy of the applicable manufacturers installation requirements I understand these products may have to be removed if approval cannot be demonstrated during inspect			 		4
7. Others F. SKYLIGHTS 1. Skylight 2. Other G. STRUCTURAL COMPONENTS 1. Wood connector/anchor 2. Truss plates 3. Engineered lumber 4. Rellling 5. Coolers-freezers 6. Concrete Admixtures 7. Meterial 8. Insulation Forms 9. Plastics 10. Deck-Roof 11. Wall 12. Sheds 13. Other H. NEW EXTERIOR ENVELOPE PRODUCTS 1. 2. The products listed below did not demonstrate product approval at plan review. I understand that at the interest of inspection of these products, the following information must be available to the inspector on the jobsite; 1) copy of the product approval, 2) the performance characteristics which the product was tested and certified to comply with, 3) copy of the applicable manufacturers installation requirements I understand these products may have to be removed if approval cannot be demonstrated during inspect					•
F. SKYLIGHTS 1. Skylight 2. Other 3. STRUCTURAL COMPONENTS 1. Wood connector/anchor 2. Truss plates 3. Engineered lumber 4. Railing 5. Coolers-freezers 6. Concrete Admixtures 7. Material 8. Insulation Forms 9. Plastics 10. Deck-Roof 11. Wall 12. Sheds 13. Other H. NEW EXTERIOR ENVELOPE PRODUCTS 1. 2. The products listed below did not demonstrate product approval at plan review. I under stand that at the time of inspection of these products, the following information must be available to the inspector on the jobsite; 1) copy of the product approval, 2) the performance characteristics which the product was teste and certified to comply with, 3) copy of the applicable manufacturers installation require ments I understand these products may have to be removed if approval cannot be demonstrated during inspectors.					·
1. Skylight 2. Other 3. STRUCTURAL COMPONENTS 1. Wood connector/anchor 2. Truss plates 3. Engineered lumber 4. Railing 5. Coolers-Ireezers 6. Concrete Admixtures 7. Material 8. Insulation Forms 9. Plastics 10. Deck-Roof 11. Wall 12. Sheds 13. Other H. NEW EXTERIOR ENVELOPE PRODUCTS 1. 2. The products listed below did not demonstrate product approval at plan review. I under stand that at the time of inspection of these products, the following information must be available to the inspector on the jobsite; 1) copy of the product approval, 2) the performance characteristics which the product was teste and certified to comply with, 3) copy of the applicable manufacturers installation require ments and certified to comply with, 3) copy of the applicable manufacturers installation require ments and certified to comply with, 3) copy of the applicable manufacturers installation require ments and certified to comply with, 3) copy of the applicable manufacturers installation require ments and certified to comply with, 3) copy of the applicable manufacturers installation require ments and certified to comply with, 3) copy of the applicable manufacturers installation require ments and certified to comply with, 3) copy of the applicable manufacturers installation require ments and certified to comply with, 3) copy of the applicable manufacturers installation require ments and certified to comply with, 3) copy of the applicable manufacturers installation require ments and certified to comply with, 3) copy of the applicable manufacturers installation require ments and certified to comply with, 3) copy of the applicable manufacturers installation require ments and certified to comply with, 3) copy of the applicable manufacturers installation require ments and certified to comply with, 3) copy of the applicable manufacturers installation require ments and certified to comply with, 3) copy of the applicable manufacturers installation require ments and certified to comply with a performance characteristic which the product approva			The residence of the second		
2. Other G. STRUCTURAL COMPONENTS 1. Wood connector/anchor 2. Truss plates 3. Engineered lumber 4. Reilling 5. Coolers-freezers 6. Concrete Admixtures 7. Material 8. Insulation Forms 9. Plastics 10. Deck-Roof 11. Wall 12. Sheds 13. Other H. NEW EXTERIOR ENVELOPE PRODUCTS 1. 2. The products listed below did not demonstrate product approval at plan review. I under stand that at the time of inspection of these products, the following information must be available to the inspector on the jobsite; 1) copy of the product approval, 2) the performance characteristics which the product was teste and certified to comply with, 3) copy of the applicable manufacturers installation requirements I understand these products may have to be removed if approval cannot be demonstrated during inspectors 1. Coefficient of Police of the Shire					P1451
I. Wood connector/anchor 2. Truss plates 3. Engineered lumber 4. Reiling 5. Coolers-freezers 6. Concrete Admixtures 7. Material 8. Insulation Forms 9. Plastics 10. Deck-Roof 11. Wall 12. Sheds 13. Other H. NEW EXTERIOR ENVELOPE PRODUCTS 1. 2. The products listed below did not demonstrate product approval at plan review. I under stand that at the time of inspection of these products, the following information must be available to the inspector on the jobsite; 1) copy of the product approval, 2) the performance characteristics which the product was teste and certified to comply with, 3) copy of the applicable manufacturers installation require ments and understand these products may have to be removed if approval cannot be demonstrated during inspectors.		+		mirmee	- Company
1. Wood connector/anchor 2. Truss plates 3. Engineered lumber 4. Railing 5. Coolers-freezers 6. Concrete Admixtures 7. Material 8. Insulation Forms 9. Plastics 10. Deck-Roof 11. Wall 12. Sheds 13. Other H. NEW EXTERIOR ENVELOPE PRODUCTS 1. 2. The products listed below did not demonstrate product approval at plan review. I understand that at the time of inspection of these products, the following information must be available to the inspector on the jobsite; 1) copy of the product approval, 2) the performance characteristics which the product was teste and certified to comply with, 3) copy of the applicable manufacturers installation requirements I understand these products may have to be removed if approval cannot be demonstrated during inspect	THE OWNER WHEN THE WORLD WITH THE RESERVE OF THE RE	NEW CONTROL OF MANUFACTURE AND PROPERTY.	and the second s		5 part -
1. Wood connector/anchor 2. Truss plates 3. Engineered lumber 4. Relling 5. Coolers-freezers 6. Concrete Admixtures 7. Material 8. Insulation Forms 9. Plastics 10. Deck-Roof 11. Wall 12. Sheds 13. Other H. NEW EXTERIOR ENVELOPE PRODUCTS 1. 2. The products listed below did not demonstrate product approval at plan review. I understand that at the time of inspection of these products, the following information must be available to the inspector on the jobsite; 1) copy of the product approval, 2) the performance characteristics which the product was tested and certified to comply with, 3) copy of the applicable manufacturers installation requirements 1 understand these products may have to be removed if approval cannot be demonstrated during inspect					-
2. Truss plates 3. Engineered lumber 4. Railling 5. Coolers-freezers 6. Concrete Admixtures 7. Material 8. Insulation Forms 9. Plastics 10. Deck-Roof 11. Wall 12. Sheds 13. Other H. NEW EXTERIOR ENVELOPE PRODUCTS 1. 2. The products listed below did not demonstrate product approval at plan review. I understand that at the time of inspection of these products, the following information must be available to the inspector on the jobsite; 1) copy of the product approval, 2) the performance characteristics which the product was tested and certified to comply with, 3) copy of the applicable manufacturers installation requirements I understand these products may have to be removed if approval cannot be demonstrated during inspectors. ENVELOPE PRODUCTS 1. 2. Contractor of Progressor's Applying Applicable approval cannot be demonstrated during inspectors.			 		D 4786
3. Engineered lumber 4. Railling 5. Coolers-freezers 6. Concrete Admixtures 7. Material 3. Insulation Forms 9. Plastics 10. Deck-Roof 11. Wall 12. Sheds 13. Other H. NEW EXTERIOR ENVELOPE PRODUCTS 1. 2. The products listed below did not demonstrate product approval at plan review. I under stand that at the time of inspection of these products, the following information must be available to the inspector on the jobsite; 1) copy of the product approval, 2) the performance characteristics which the product was teste and certified to comply with, 3) copy of the applicable manufacturers installation requirements I understand these products may have to be removed if approval cannot be demonstrated during inspectors. Experience of Congretor's Application and the product approval cannot be demonstrated during inspectors.	///	0[# 1/1 KI
4. Railing 5. Coolers-freezers 6. Concrete Admixtures 7. Material 8. Insulation Forms 9. Plastics 10. Deck-Roof 11. Wall 12. Sheds 13. Other H. NEW EXTERIOR ENVELOPE PRODUCTS 1. 2. The products listed below did not demonstrate product approval at plan review. I understand that at the time of inspection of these products, the following information must be available to the inspector on the jobsite; 1) copy of the product approval, 2) the performance characteristics which the product was teste and certified to comply with, 3) copy of the applicable manufacturers installation requirements I understand these products may have to be removed if approval cannot be demonstrated during inspection.		, , , , , ,			El de a G
5. Coolers-freezers 6. Concrete Admixtures 7. Material 8. Insulation Forms 9. Plastics 10. Deck-Roof 11. Wall 12. Sheds 13. Other H. NEW EXTERIOR ENVELOPE PRODUCTS 1. 2. The products listed below did not demonstrate product approval at plan review. I understand that at the time of inspection of these products, the following information must be available to the inspector on the jobsite; 1) copy of the product approval, 2) the performance characteristics which the product was teste and certified to comply with, 3) copy of the applicable manufacturers installation requirements I understand these products may have to be removed if approval cannot be demonstrated during inspections of the product of the product of the applicable manufacturers installation requirements.	7444	-	ļ		FL 1008-1
6. Concrete Admixtures 7. Material 8. Insulation Forms 9. Plastics 10. Deck-Roof 11. Wall 12. Sheds 13. Other H. NEW EXTERIOR ENVELOPE PRODUCTS 1. 2. The products listed below did not demonstrate product approval at plan review. I understand that at the time of inspection of these products, the following information must be available to the inspector on the jobsite; 1) copy of the product approval, 2) the performance characteristics which the product was tested and certified to comply with, 3) copy of the applicable manufacturers installation requirements. I understand these products may have to be removed if approval cannot be demonstrated during inspections.		-			
7. Material 3. Insulation Forms 9. Plastics 10. Deck-Roof 11. Wall 12. Sheds 13. Other H. NEW EXTERIOR ENVELOPE PRODUCTS 1. 2 The products listed below did not demonstrate product approval at plan review. I understand that at the time of inspection of these products, the following information must be available to the inspector on the jobsite; 1) copy of the product approval, 2) the performance characteristics which the product was teste and certified to comply with, 3) copy of the applicable manufacturers installation requirements. I understand these products may have to be removed if approval cannot be demonstrated during inspection. Confidence of Contegor's Amberical Asset Stream.	T T THE PART OF TH		 		
3. Insulation Forms 9. Plastics 10. Deck-Roof 11. Wall 12. Sheds 13. Other H. NEW EXTERIOR ENVELOPE PRODUCTS 1. 2. The products listed below did not demonstrate product approval at plan review. I understand that at the time of inspection of these products, the following information must be available to the inspector on the jobsite; 1) copy of the product approval, 2) the performance characteristics which the product was teste and certified to comply with, 3) copy of the applicable manufacturers installation requirements I understand these products may have to be removed if approval cannot be demonstrated during inspections.		- 	 		
9. Plastics 10. Deck-Roof 11. Wall 12. Sheds 13. Other H. NEW EXTERIOR ENVELOPE PRODUCTS 1. 2. The products listed below did not demonstrate product approval at plan review. I understand that at the time of inspection of these products, the following information must be available to the inspector on the jobsite; 1) copy of the product approval, 2) the performance characteristics which the product was teste and certified to comply with, 3) copy of the applicable manufacturers installation requirements and understand these products may have to be removed if approval cannot be demonstrated during inspections.	The state of the s		 	***************************************	
10. Deck-Roof 11. Wall 12. Sheds 13. Other H. NEW EXTERIOR ENVELOPE PRODUCTS 1. 2. The products listed below did not demonstrate product approval at plan review. I understand that at the time of inspection of these products, the following information must be available to the inspector on the jobsite; 1) copy of the product approval, 2) the performance characteristics which the product was teste and certified to comply with, 3) copy of the applicable manufacturers installation requirements I understand these products may have to be removed if approval cannot be demonstrated during inspection. Confecutor Confecution Authorized A real Stream			 		
11. Wall 12. Sheds 13. Other H. NEW EXTERIOR ENVELOPE PRODUCTS 1. 2. The products listed below did not demonstrate product approval at plan review. I understand that at the time of inspection of these products, the following information must be available to the inspector on the jobsite; 1) copy of the product approval, 2) the performance characteristics which the product was teste and certified to comply with, 3) copy of the applicable manufacturers installation requirements. I understand these products may have to be removed if approval cannot be demonstrated during inspectors. Confidence of Confidence of Source of Source of Area Streams.		 	·		
12. Sheds 13. Other H. NEW EXTERIOR ENVELOPE PRODUCTS 1. 2. The products listed below did not demonstrate product approval at plan review. I understand that at the time of inspection of these products, the following information must be available to the inspector on the jobsite; 1) copy of the product approval, 2) the performance characteristics which the product was teste and certified to comply with, 3) copy of the applicable manufacturers installation requirements. I understand these products may have to be removed if approval cannot be demonstrated during inspectors. Confecusion Representative Areas Signature.		-			
13. Other H. NEW EXTERIOR ENVELOPE PRODUCTS 1. 2. The products listed below did not demonstrate product approval at plan review. I understand that at the time of inspection of these products, the following information must be available to the inspector on the jobsite; 1) copy of the product approval, 2) the performance characteristics which the product was teste and certified to comply with, 3) copy of the applicable manufacturers installation requirements I understand these products may have to be removed if approval cannot be demonstrated during inspectors. Contact of Contact of Contact of American A			-		į
The products listed below did not demonstrate product approval at plan review. I understand that at the time of inspection of these products, the following information must be available to the inspector on the jobsite; 1) copy of the product approval, 2) the performance characteristics which the product was teste and certified to comply with, 3) copy of the applicable manufacturers installation requirements. I understand these products may have to be removed if approval cannot be demonstrated during inspection.		 			
ENVELOPE PRODUCTS 1. 2. The products listed below did not demonstrate product approval at plan review. I understand that at the time of inspection of these products, the following information must be available to the inspector on the jobsite; 1) copy of the product approval, 2) the performance characteristics which the product was teste and certified to comply with, 3) copy of the applicable manufacturers installation requirements. I understand these products may have to be removed if approval cannot be demonstrated during inspectors. Contractor of Contractor's Applicator's Applicators Applicato	THE RESERVE OF THE PERSON OF T				
The products listed below did not demonstrate product approval at plan review. I understand that at the time of inspection of these products, the following information must be available to the inspector on the jobsite; 1) copy of the product approval, 2) the performance characteristics which the product was teste and certified to comply with, 3) copy of the applicable manufacturers installation requirements. I understand these products may have to be removed if approval cannot be demonstrated during inspectors.					
The products listed below did not demonstrate product approval at plan review. I understand that at the time of inspection of these products, the following information must be available to the inspector on the jobsite; 1) copy of the product approval, 2) the performance characteristics which the product was teste and certified to comply with, 3) copy of the applicable manufacturers installation requirements. I understand these products may have to be removed if approval cannot be demonstrated during inspection.	711	·			
The products listed below did not demonstrate product approval at plan review. I understand that at the time of inspection of these products, the following information must be available to the inspector on the jobsite; 1) copy of the product approval, 2) the performance characteristics which the product was teste and certified to comply with, 3) copy of the applicable manufacturers installation requirements. I understand these products may have to be removed if approval cannot be demonstrated during inspectors.	W	→ .			
jobsite; 1) copy of the product approval, 2) the performance characteristics which the product was teste and certified to comply with, 3) copy of the applicable manufacturers installation requirements understand these products may have to be removed if approval cannot be demonstrated during inspection.			<u> </u>		
understand these products may have to be removed if approval cannot be demonstrat ∌d during inspect	jobsite; 1) copy of the produ and certified to comply with,	products, the following products and the following products are considered products.	owing information mus ne performance charac oplicable manufacturer	t be available to the teristics which the pi s installation require	nspector on the oduct was teste ments
CORMICION OF CONTROL A Mahorized A grant Signature	understand these products	may have to be	toronuad if annual a		
CORMICION OF CONTROL A Mahorized A grant Signature	s products	linay have to be	removed it abblional ca	umot be demonstrat	ed during inspec
Contractor's Authorized Agent Signature Print Name Date					
Contractor's Authorized Agent Signature Print Name Date	*				
Coperación or Contractor's Authorized Agent Signature Print Name Date				,	
Contractor or Contractor's Authorized Agent Signature Print Name Date	1	1			
Contractor's Authorized Agent Signature Print Name Date		1/1		11/11	
Contractor's Authorized Agent Signature Print Name Date	Mal	/	1/1	Wills	8/24
- Date	Contactor or Contractor's Authorize	d Agent Signature	Print Na	ine	Date
				TOTAL	-att
				FOR STAFF USE O	3 Auf (C. /

Wade Willis Construction LLC

PO Box 2051 Lake City, FL 32056

Estimate

Date	Estimate #
6/15/2009	147

Name / Address	
KENNEY HARDEN	

Project

Description	Total
Description Roofing MATERIAL AND LABOR Includes frame over and painted metal Siding MATERIALS AND LABOR Includes vinyl siding trim and soffit/facia Labor Siding \$2500 Foot \$2300	Total 6,116.40 5,340.00
Tota	\$11,456.4

NOTICE OF COMMENCEMENT County Clerk's Office Stamp or Seal Tax Parcel Identification Number 34-45-17-04461 - 000 Hyp THE UNDERSIGNED hereby gives notice that improvements will be made to certain real property, and in accordance with Section 713.13 of the Florida Statutes, the following information is provided in this NOTICE OF COMMENCEMENT. 1. Description of property (legal description): Lots 14+15 Rose Creek Iteights Plat a) Street (job) Address: 2. General description of improvements: a) Name and address: Harden, Kenneth 308 SE Danita Glen LCFL 32025 b) Name and address of fee simple titleholder (if other than owner) c) Interest in property 4. Contractor Information a) Name and address: Warde Willis POB of 1546 L
b) Telephone No.: 386 623 3331 Fax No. (Opt.) 5. Surety Information a) Name and address: b) Amount of Bond: Fax No. (Opt.) c) Telephone No.: 6. Lender a) Name and address: b) Phone No. 7. Identity of person within the State of Florida designated by owner upon whom notices or other documents may be served: a) Name and address: Fax No. (Opt.) b) Telephone No.: __ 8. In addition to himself, owner designates the following person to receive a copy of the Lienor's Notice as provided in Section 713.13(1)(b). Florida Statutes: a) Name and address: Fax No. (Opt.) b) Telephone No.: 9. Expiration date of Notice of Commencement (the expiration date is one year from the date of recording unless a different date is specified): WARNING TO OWNER: ANY PAYMENTS MADE BY THE OWNER AFTER THE EXPIRATION OF THE NOTICE OF COMMENCEMENT ARE CONSIDERED IMPROPER PAYMENTS UNDER CHAPTER 713, PART I, SECTION 713.13, FLORIDA STATUTES, AND CAN RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY; A NOTICE OF COMMENCEMENT MUST BE RECORDED AND POSTED ON THE JOB SITE BEFORE THE FIRST INSPECTION. IF YOU INTEND TO OBTAIN FINANCING, CONSULT YOUR LENDER OR AN ATTORNEY BEFORE COMMENCING WORK OR RECORDING YOUR NOTICE OF COMMENCEMENT. STATE OF FLORIDA Signature of Owner or Owner's Authorized Office/Director/Partner/Manager COUNTY OF COLUMBIA Kenneth Ray Harden The foregoing instrument was acknowledged before me, a Florida Notary, this ____ (type of authority, e.g. officer, trustee, attorney harden (name of party on behalf of whom instrument was executed). OR Produced Identification OLA CAROL WALKER Clu-Notary Stamp or Seal: MY COMMISSION # DD606444 EXPIRES OCTOBER 18, 2010 --AND---

11. Verification pursuant to Section 92.525, Florida Statutes, Under penalties of perjury, I declare that Thave read the foregoing and that the

facts stated in it are true to the best of my knowledge and belief.

PR ecation:	Project Name:					
As required by Florida Statute 553.842 and Florida Administrative Code 9B-72, please provide the information and the product approval number(s) on the building components listed below if they will be utilized on the construction project for which you are applying for a building permit on or after April 1, 2004. We recommend you contact your local product supplier should you not know the product approval number for any of the applicable listed products. More information about statewide product approval can be obtained at www.floridabuilding.org						
Category/Subcategory	Manufacturer	Product Description	Approval Number(s			
. EXTERIOR DOORS						
1. Swinging						
2. Sliding						
3. Sectional						
4. Roll up						
5. Automatic						
6. Other						
3. WINDOWS						
Single hung						
2. Horizontal Slider						
3. Casement						
4. Double Hung						
5. Fixed						
6. Awning						
7. Pass -through						
8. Projected						
9. Mullion						
10. Wind Breaker						
11 Dual Action						
12. Other						
C. PANEL WALL						
1. Siding						
2. Soffits						
3. EIFS						
4. Storefronts						
5. Curtain walls		1.				
6. Wall louver						
7. Glass block						
8. Membrane						
9. Greenhouse						
10. Other						
D. ROOFING PRODUCTS			to a			
Asphalt Shingles						
2. Underlayments						
Roofing Fasteners						
Non-structural Metal R						
5. Built-Up Roofing						
6. Modified Bitumen						
7. Single Ply Roofing Sys						
Roofing Tiles						
Roofing Insulation						
10. Waterproofing						
11. Wood shingles /shake	e					

12. Roofing Slate


Category/Subcategory (cont.)	Manufacturer	Product Description	Approval Number(s)
13. Liquid Applied Roof Sys			
14. Cements-Adhesives – Coatings			
15. Roof Tile Adhesive			
16. Spray Applied Polyurethane Roof			1150/3
17. Other	Union	master rib	4586,3
E. SHUTTERS			
1. Accordion			
2. Bahama			
3. Storm Panels	130 100 100	871,707-34 (2)	
4. Colonial	1111		
5. Roll-up	1 V 41 C		
6. Equipment			
7. Others			
F. SKYLIGHTS			
Skylight			
2. Other			
G. STRUCTURAL			
COMPONENTS			
 Wood connector/anchor 		7 0	
2. Truss plates			
Engineered lumber			
4. Railing			
Coolers-freezers			
Concrete Admixtures			
7. Material			
8. Insulation Forms		- Contract of the Contract of	
9. Plastics			
10. Deck-Roof			
11. Wall			
12. Sheds			
13. Other		<u> </u>	
H. NEW EXTERIOR			
ENVELOPE PRODUCTS			
1.			
2.			
time of inspection of these p jobsite; 1) copy of the produ and certified to comply with,	oroducts, the fol act approval, 2) 3) copy of the	rate product approval at plan review llowing information must be availab the performance characteristics what applicable manufacturers installation	nich the product was tested on requirements.
I understand these products	may have to b	e removed if approval cannot be de	emonsulated during morecula

Print Name


". # (EOD OT LEE LICE ONL V)

Contractor or Contractor's Authorized Agent Signature







Ridge Cap – Caps off roof peak, prevents leaks.




3. Rake Trim - Seals off where end wall panels meet roof panels.




11. Side Wall Trim -Prevents leaks where a side wall connects to a lower roof.




13. Fascia Trim - Conceals rafter edge. Also used to cover door jambs.




16a. End Wall - Prevents leaks where an end wall connects to a lower roof.




16b. Notched End Wall -Prevents leaks where an end wall connects to a lower roof.




19a. Transition Flashing Prevents leaks when you have change in roof pitch.




19b. Notched Transition Flashing - Prevents leaks when you have change in roof pitch.




20a. Gambrel Flashing Prevents leaks when you have change in roof pitch.




20b. Notched Gambrel Flashing-Prevents leaks when you have change in roof pitch.




21. Preformed Valley -Prevents leaks where you have a valley on the roof.



22. T-Style Roof Edge – Diverts water away from house along entire eave.



Eave Edge - Diverts water away from house along entire eave.



Pipe Bool- Prevents leaks around pipes.





CORRUGATING COMPANY


P.O. Box 229 • Fayetteville, NC 28302 • (910) 488-2195 • Fax: (910) 488-1091 www.unioncorrugating.com





CORRUGATING COMPANY


RESIDENTIAL METAL ROOFING TRIM











SIDE WALL TRIM coc105AH




7-1/2" FASCIA TRIM



5-1/2" FASCIA TRIM








(END WALL



NOTCHED END WALL (41")



TRANSITION FLASHING



MOTCHED TRANSITION FLASHING (41") cocGNTRANS29




GAMBREL FLASHING




NOTCHED GAMBREL
FLASHING (41")




PREFORMED VALLEY




4-1/2"T-STYLE 00045TSHE



6"T-STYLE coc6TSRE



3X3 EAVE EDGE



2X2 EAVE EDGE



APPLICATION NUMBER

3869613963

FAX NO. :3867199440

CONTRACTOR_ THIS FORM MUST BE SUBMITTED PRIOR TO THE ISSUANCE OF A PERMIT

Aug. 12 2009 07:23PM P1

WADE WILLIS CHSTROTH

PAGE 01/01

SUBCONTRACTOR VERIFICATION FORM

Any changes, start of that s	the permit	ted contractor is re or beginning any v	sponsible for the vark. Violations	e corrected form will result in sto	n being submitted to this office op work orders and/or fines.	prior to the
ELECTRICAL	Print Name		Signature	Signature		
	License #				Phone #:	
MECHANICAL/	Print NameLicense #:		SignaturePhone #:			
PLUMBING/ GAS	Print NameLicense #;		Signature Prione #: /		-	
ROOFING	License #:		Signature Phone #: 386-288-5426 Signature Phone #: Signature Phone #:			
SHEET METAL						
PIRE SYSTEM/ SPRINKLER						
SOLAR	Print Name		SignaturePhone #:		The state of the s	
Specialty L	icense	Litense Number	Sub-Contrac	tors Printed Nan	oe Sub Contractors Si	gnature
MASON						
CONCRETE FIN	VISHER	-				ALIEN 144-ALIEN ALIENTA THE REPORT PROTECTIVE
FRAMING		1				
INSULATION	V-1122000 are 15 word var-	<u> </u>				
STUCCO				ale		
DRYWALL						
PLASTER CABINET INST.	ALLEB		,			
PAINTING	HEFER	 				NATIONAL PROPERTY AND PROPERTY
ACOUSTICAL C	EILING		The state of the s			
GLASS		 				
CERAMIC TILE			A			
FLOOR COVER		 		W.V.		Name of the Control o
ALUM/VINYL S		<u> </u>				
GARAGE DOOL	**********		· · · · · · · · · · · · · · · · · · ·			
METAL BLDG						p.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,

applying for and receiving a building permit, show proof and certify to the permit issuer that it has secured compensation for its employees under this chapter as provided in ss. 440.10 and 440.38, and shall be presented each time the employer applies for a building permit.