


B-1

Water Table: 7.0 ft.


Soil Description



B-2

Water Table: 9.0 ft.


Soil Description



B-3

Water Table: 12.5 ft.



Soil Description



B-4

Water Table: N/A

Soil Description



REVISIONS

DATE	BY	DESCRIPTION	DATE	BY	DESCRIPTION

ENGINEER OF RECORD	
CAL- TECH TESTING, INC.	SEAL
P.O. BOX 1625 LAKE CITY, FL. 32056 PHONE NO. (386) 755-3633 FAX NO. (386) 752-5456	ROBERT W. CLARK P.E. 52210

COMMERCIAL METAL BUILDING		
LAKE CITY, FLORIDA		
ROAD NO.	COUNTRY	FINANCIAL PROJECT ID.
	COLUMBIA	

REPORT OF SOIL BORINGS	SHEET NO.
1 of 1	

**ENGINEERING CLASSIFICATION**

GRANULAR MATERIALS-  
Relative Density (Blows/12 inches)

Very Loose	Less than 4
Loose	4-10
Medium Dense	11-30
Dense	31-50
Very Dense	Greater than 50

SILTS AND CLAYS-  
Consistency (Blows/12 inches)

Very Soft	Less than 2
Soft	2-4
Medium Stiff	5-8
Stiff	9-15
Very Stiff	16-30
Hard	Greater than 30

**LEGEND:**

TOB Termination of Boring

GSE Ground Surface Elevation

∇ Ground Water at Time of Drilling

∇ Wet Season Water Table

N Standard Penetration Resistance in Blows Per 12 inches (18-inch Spoon, ASTM D-1586)

WOR Weight of Rod

WOH Weight of Hammer

MC Moisture Content (%)

OC Organic Content (%)

-200 Percent Passing No. 200 U.S. Standard Sieve

LL Liquid Limit

PI Plasticity Index

(SP) Unified Soil Classification Based on Visual Observation and Laboratory Tests

SAND

SAND with SILT

SAND with CLAY

CLAY

MARL

SAND

SAND with SILT

SAND with CLAY


CLAY

ORGANICS

SANDY CLAY

LIMESTONE

PLOT PLAN  
ETHERIDGE FURNITURE  
WAREHOUSE ADDITION



PLOT PLAN  
ETHERIDGE FURNITURE  
WAREHOUSE ADDITION

