

DATE06/26/2007

Columbia County Building Permit

This Permit Expires One Year From the Date of Issue

PERMIT000025957

APPLICANTCAROLYN PARLATO

PHONE963-1373

ADDRESS7161152ND ST

WELLBORNFL32094

OWNERROBERT EDWARDS

PHONE965-0763

ADDRESS697SW BLUFF DRIVE

FT. WHITEFL32038

CONTRACTORMICHAEL PARLATO

PHONE963-1373

LOCATION OF PROPERTY47S, TR ON HOLLINGSWORTH, TR ON BLUFF DR, 1/2 ON RIGHT

ACROSS FROM 684

TYPE DEVELOPMENTMH,UTILITY

ESTIMATED COST OF CONSTRUCTION0.00

HEATED FLOOR AREATOTAL AREAHEIGHTSTORIES

FOUNDATIONWALLSROOF PITCHFLOOR

LAND USE & ZONINGESA-2

MAX. HEIGHT

Minimum Set Back Requirments:STREET-FRONT30.00

REAR25.00

SIDE25.00

NO. EX.D.U.0

FLOOD ZONEAE

DEVELOPMENT PERMIT NO.07-009

PARCEL ID18-7S-16-04236-151

SUBDIVISIONCEDAR SPRINGS SHORES

LOT76

BLOCK

PHASE

UNIT

TOTAL ACRES0.62

IH0000336

Culvert Permit No.

Culvert Waiver

Contractor's License Number

Applicant/Owner/Contractor

EXISTING07-404-E

BK

JH

Y

Driveway Connection

Septic Tank Number

LU & Zoning checked by

Approved for Issuance

New Resident

COMMENTS:1' RISE LETTER ON FILE, NEED ELEVATION CERT., BEFORE POWER

Check # or Cash7390

FOR BUILDING & ZONING DEPARTMENT ONLY

(footer/Slab)

Temporary Power

Foundation

Monolithic

date/app. by

date/app. by

date/app. by

Under slab rough-in plumbing

Slab

Sheathing/Nailing

date/app. by

date/app. by

date/app. by

Framing

Rough-in plumbing above slab and below wood floor

date/app. by

date/app. by

Electrical rough-in

Heat & Air Duct

Peri. beam (Lintel)

date/app. by

date/app. by

date/app. by

Permanent power

C.O. Final

Culvert

date/app. by

date/app. by

date/app. by

M/H tie downs, blocking, electricity and plumbing

Pool

date/app. by

date/app. by

Reconnection

Pump pole

Utility Pole

date/app. by

date/app. by

date/app. by

M/H Pole

Travel Trailer

Re-roof

date/app. by

date/app. by

date/app. by

BUILDING PERMIT FEE \$0.00

CERTIFICATION FEE \$0.00

SURCHARGE FEE \$0.00

MISC. FEES \$200.00

ZONING CERT. FEE \$50.00

FIRE FEE \$22.32

WASTE FEE \$67.00

FLOOD DEVELOPMENT FEE \$50.00

FLOOD ZONE FEE \$25.00

CULVERT FEE \$

TOTAL FEE414.32

INSPECTORS OFFICE

CLERKS OFFICE

NOTICE: IN ADDITION TO THE REQUIREMENTS OF THIS PERMIT, THERE MAY BE ADDITIONAL RESTRICTIONS APPLICABLE TO THIS PROPERTY THAT MAY BE FOUND IN THE PUBLIC RECORDS OF THIS COUNTY. AND THERE MAY BE ADDITIONAL PERMITS REQUIRED FROM OTHER GOVERNMENTAL ENTITIES SUCH AS WATER MANAGEMENT DISTRICTS, STATE AGENCIES, OR FEDERAL AGENCIES.

"WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT."

This Permit Must Be Prominently Posted on Premises During Construction

PLEASE NOTIFY THE COLUMBIA COUNTY BUILDING DEPARTMENT AT LEAST 24 HOURS IN ADVANCE OF EACH INSPECTION, IN ORDER THAT IT MAY BE MADE WITHOUT DELAY OR INCONVIENCE, PHONE 758-1008. THIS PERMIT IS NOT VALID UNLESS THE WORK AUTHORIZED BY IT IS COMMENCED WITHIN 6 MONTHS AFTER ISSUANCE.

The Issuance of this Permit Does Not Waive Compliance by Permittee with Deed Restrictions.

PERMIT APPLICATION / MANUFACTURED HOME INSTALLATION APPLICATION

For Office Use Only (Revised 9-22-06) Zoning Official gfs 5/30/07 Building Official OK JH 5-17-07

AP# 0705.32 Date Received 5-17-07 By LF Permit # 25957

Flood Zone AE Development Permit gfs Zoning ESA-2 Land Use Plan Map Category ESA-2

Comments 1' rise letter & finished floor elev.

FEMA Map# 255 Elevation 310' Finished Floor 37' River SADIA FE In Floodway (herein) NO

☒ Site Plan with Setbacks Shown ☒ EH Signed Site Plan ☐ EH Release ☐ Well letter ☒ Existing well

☒ Copy of Recorded Deed or Affidavit from land owner ☐ Letter of Authorization from installer

☐ State Road Access ☐ Parent Parcel # ☐ STUP-MH

Property ID # 18-75-16-04236-151 Subdivision Cedar Springs Shores Lot # 76

- New Mobile Home ☐ Used Mobile Home ☒ Year 1995
- Applicant Carolyn A. Raelto Phone # 386-963-1373
- Address 7161 152nd St. Wellborn, FL 32094
- Name of Property Owner Robert C. Edwards Phone# 965-0763
- 911 Address 697 SW Bluff Dr. F.W. 32038
- Circle the correct power company - FL Power & Light - Clay Electric
(Circle One) - Suwannee Valley Electric - Progress Energy

- Name of Owner of Mobile Home Robert C. Edwards Phone # 965-0763
- Address 177 NW Lake Vista Glu Lake City, FL 32055
- Relationship to Property Owner Same
- Current Number of Dwellings on Property 0

- Lot Size Total Acreage .62
- Do you : Have Existing Drive or Private Drive or need Culvert Permit or Culvert Waiver (Circle one)
(Currently using) (Blue Road Sign) (Putting in a Culvert) (Not existing but do not need a Culvert)

- Is this Mobile Home Replacing an Existing Mobile Home NO (OWES)
- Driving Directions to the Property Hwy 47 South through Ft. White to "Hollingsworth" Turn (R) / go to "SW Bluff Dr." Turn (R) go approx. 1/2 mile to gate on the (R) 14th on right ("Right across from 684")

- Name of Licensed Dealer/Installer Michael J. Raelto Phone # 963-1373
- Installers Address 7161 152nd Street Wellborn, FL 32094
- License Number EH0000336 Installation Decal # 287112

33B1255 "ordered"

PERMIT NUMBER

Installer

Michael S. Belato

License #

TH0000334

Address of home
being installed

Manufacturer

Freedom

Length x width

14 x 70


NOTE:

*if home is a single wide fill out one half of the blocking plan
if home is a triple or quad wide sketch in remainder of home*


I understand Lateral Arm Systems cannot be used on any home (new or used)
where the sidewall ties exceed 5 ft 4 in.

Installer's initials

(initials)



Show locations of Longitudinal and Lateral Systems
(use dark lines to show these locations)



New Home ☐

Used Home ☒

Home installed to the Manufacturer's Installation Manual ☐

Home is installed in accordance with Rule 15-C ☒

Single wide ☒

Wind Zone II ☒

Wind Zone III ☐

Double wide ☐

Installation Decal #

Triple/Quad ☐

Serial #

01955

(covered)

PIER SPACING TABLE FOR USED HOMES

Load bearing capacity (sq in)	Footer size (256)	16" x 16" (256)	18 1/2" x 18 1/2" (342)	20" x 20" (400)	22" x 22" (484)	24" x 24" (576)	26" x 26" (676)
1000 psf	3'	4'	5'	6'	7'	8'	8'
1500 psf	4' 6"	6'	7'	8'	8'	8'	8'
2000 psf	6'	8'	8'	8'	8'	8'	8'
2500 psf	7' 6"	8'	8'	8'	8'	8'	8'
3000 psf	8'	8'	8'	8'	8'	8'	8'
3500 psf	8'	8'	8'	8'	8'	8'	8'

* Interpolated from Rule 15C-1 pier spacing table.

PIER PAD SIZES

I-beam pier pad size

17 x 22

Perimeter pier pad size

17 x 22

Other pier pad sizes (required by the mfg.)

12/14

Draw the approximate locations of marriage wall openings 4 foot or greater. Use this symbol to show the piers.

List all marriage wall openings greater than 4 foot and their pier pad sizes below.

Opening

Pier pad size

4 ft ☒ 5 ft

FRAME TIES

TIEDOWN COMPONENTS

Longitudinal Stabilizing Device (LSD) Manufacturer 1101 by Dwyer
Longitudinal Stabilizing Device w/ Lateral Arms Manufacturer N/A

OTHER TIES

Sidewall Longitudinal Marriage wall Shearwall
Number 12/14
3/4
1/10
1/10
1/10
1/10

within 2' of end of home spaced at 5' 4" oc yes

POCKET PENETROMETER TEST

The pocket penetrometer tests are rounded down to 1500 psi or check here to declare 1000 lb. soil without testing.

X 2000 X 2000 X 2000

POCKET PENETROMETER TESTING METHOD

1. Test the perimeter of the home at 6 locations.
2. Take the reading at the depth of the footer.
3. Using 500 lb. increments, take the lowest reading and round down to that increment.

TORQUE PROBE TEST

The results of the torque probe test is 280 inch pounds or check here if you are declaring 5" anchors without testing. A test showing 275 inch pounds or less will require 5 foot anchors.

X 2000 X 2000 X 2000

Note: A state approved lateral arm system is being used and 4 ft. anchors are allowed at the sidewall locations. I understand 5 ft anchors are required at all centerline tie points where the torque test reading is 275 or less and where the mobile home manufacturer may requires anchors with 4000 lb. holding capacity.

Installer's initials MM

ALL TESTS MUST BE PERFORMED BY A LICENSED INSTALLER

Installer Name

Michael J. Parato

Date Tested

5-10-07

Electrical

Connect electrical conductors between multi-wide units, but not to the main power source. This includes the bonding wire between multi-wide units. Pg. 11

Plumbing

Connect all sewer drains to an existing sewer tap or septic tank. Pg. 11

Connect all potable water supply piping to an existing water meter, water tap, or other independent water supply systems. Pg. 11

Site Preparation

Debris and organic material removed ☒ Swale ☒ Pad ☐ Other ☐

Fastening multi wide units

Floor: Type Fastener: Length: 1 1/2" Spacing: 8"
Walls: Type Fastener: Length: 1 1/2" Spacing: 8"
Roof: Type Fastener: Length: 1 1/2" Spacing: 8"
For used homes a min. 80 gauge, 8" wide, galvanized metal strip will be centered over the peak of the roof and fastened with galv. roofing nails at 2" on center on both sides of the centerline.

Gasket (weatherproofing requirement)

I understand a properly installed gasket is a requirement of all new and used homes and that condensation, mold, mildew and buckled marriage walls are a result of a poorly installed or no gasket being installed. I understand a strip of tape will not serve as a gasket.

Type gasket

Pg.

Installer's initials

Installed:

Between Floors Yes
Between Walls Yes
Bottom of ridgebeam Yes

Weatherproofing

The bottomboard will be repaired and/or taped. Yes ☒ Pg. 21
Siding on units is installed to manufacturer's specifications. Yes ☒
Fireplace chimney installed so as not to allow intrusion of rain water. Yes 11

Miscellaneous

Skirting to be installed. Yes ☒ No ☐
Dryer vent installed outside of skirting. Yes ☐ N/A ☒
Range downflow vent installed outside of skirting. Yes ☒ N/A ☐
Drain lines supported at 4 foot intervals. Yes ☒
Electrical crossovers protected. Yes 11

Installer verifies all information given with this permit worksheet is accurate and true based on the

manufacturer's installation instructions and or Rule 15C-1 & 2

Installer Signature


Michael J. Parato


Date 5-17-07

Lot 76

Cedar Spring Shores

"Robert Edwards"





LOT 76 CEDAR SPRING SHORES
RE-PLAT, ORB 796-053,
862-2102, 871-2513,
WD 1021-2497.

EDWARDS ROBERT C & EMMA L
177 NW LAKE VISTA GLN
LAKE CITY, FL 32055

18-7S-16-04236-151

Columbia County 2007 R

PRINTED 5/11/2007 13:44
APPR 8/19/1999 MO
CARD 001 of 001
BY JEFF

BUSE	AE?	HTD AREA	.000	INDEX	18716.01	CEDAR SPR	PUSE	000000	VACANT
MOD		EFF AREA	37.587	E-RATE	.000	INDX	STR	18-7S-16	
EXW		RCN	%GOOD			AYB	MKT AREA	02	
RSTR		RMS				EYB	(PUDI		
RCVR		UNTS				AC			
INTW		C-W%				NTCD			
FLOR		HGHT				APPR CD			
HTTP		PMTR				CNDO			
A/C		STYS				SUBD			
QUAL		ECON				BLK			
FNDN		SPCD				LOT			
SIZE		DEPR				MAP#			
CELL		UD-1				TXDT	003		
ARCH		UD-2							
FRME		UD-3							
KTCH		UD-4							
WINDO		UD-5							
CLAS		UD-6							
OCC		UD-7							
COND		UD-8							
		UD-9							
SUB	A-AREA	%	E-AREA	%	SUB VALUE				

BOOK	PAGE	DATE	PRICE
1021	2497	7/23/2004	Q V
GRANTOR MASCARELLI			
GRANTEE ROBERT C & EMMA L EDWARDS			
871	2513	12/22/1998	Q V
GRANTOR SULLIVAN			
GRANTEE MASCARELLI			

AE BN	CODE	DESC	LEN	WID	HGHT	QTY	QL	YR	ADJ	UNITS	UT	PRICE	ADJ	UT	PR	SPCD	%	GOOD	XFOB	VALUE
LAND	DESC	ZONE	ROAD	UD1	UD3	FRONT	DEPTH	FIELD	CK:											
AE	CODE	TOPO	UTIL	UD2	UD4	BACK	DT	ADJUSTMENTS												
Y	000200	MBL	HM	A-1				1.00	1.00	1.00	1.00	1.000	LT	24000.000						24,000
Y	000945	WELL/SEPT		0002	0003			1.00	1.00	1.00	1.00	1.000	UT	2000.000						2,000
L001 - 1.58 AC.																				
SALE - WD REPLACING AGREEMENT																				
2007																				

Columbia County Property Appraiser

DB Last Updated: 5/11/2007

Parcel: 18-7S-16-04236-151

2007 Proposed Values

Tax Record

Property Card

Interactive GIS Map

Print

Owner & Property Info

Search Result: 1 of 1

Owner's Name	EDWARDS ROBERT C & EMMA L		
Site Address			
Mailing Address	177 NW LAKE VISTA GLN LAKE CITY, FL 32055		
Use Desc. (code)	VACANT (000000)		
Neighborhood	18716.01	Tax District	3
UD Codes	MKTA02	Market Area	02
Total Land Area	0.000 ACRES		
Description	LOT 76 CEDAR SPRING SHORES RE-PLAT. ORB 796-053, 862-2102, 871-2513, WD 1021-2497.		

GIS Aerial



Property & Assessment Values

Mkt Land Value	cnt: (2)	\$26,000.00
Ag Land Value	cnt: (0)	\$0.00
Building Value	cnt: (0)	\$0.00
XFOB Value	cnt: (0)	\$0.00
Total Appraised Value		\$26,000.00

Just Value	\$26,000.00
Class Value	\$0.00
Assessed Value	\$26,000.00
Exempt Value	\$0.00
Total Taxable Value	\$26,000.00

Sales History

Sale Date	Book/Page	Inst. Type	Sale VImp	Sale Qual	Sale RCode	Sale Price
7/23/2004	1021/2497	WD	V	Q		\$25,000.00
12/22/1998	871/2513	WD	V	Q		\$7,300.00
7/16/1998	862/2102	WD	V	Q		\$6,500.00

Building Characteristics

Bldg Item	Bldg Desc	Year Blt	Ext. Walls	Heated S.F.	Actual S.F.	Bldg Value
NONE						

Extra Features & Out Buildings

Code	Desc	Year Blt	Value	Units	Dims	Condition (% Good)
NONE						

Land Breakdown

Lnd Code	Desc	Units	Adjustments	Eff Rate	Lnd Value
000200	MBL HM (MKT)	1.000 LT - (.000AC)	1.00/1.00/1.00/1.00	\$24,000.00	\$24,000.00
009945	WELL/SEPT (MKT)	1.000 UT - (.000AC)	1.00/1.00/1.00/1.00	\$2,000.00	\$2,000.00

Columbia County Property Appraiser

DB Last Updated: 5/11/2007

1 of 1

App# 0705-32

Connie,


Here is Mr. Edwards i' Rise
Certification. I am faxing the
original with the Raised Seal
so we can finish processing the
Permit. I will bring the original
with me when I pick up the
permit (maybe today??)
:))

Thanks!

Caulyn


ONE FOOT RISE CERTIFICATION**OWNER: Robert Edwards****DESCRIPTION: Lot 76, Cedar Springs Shores, Section 18, 7 S, R 16 E, Columbia County, Florida
Tax ID # 18-7S-16-04236-151****BASE FLOOD ELEVATION: 36'****COMMUNITY PANEL NUMBER: 120070 0255 B****PROJECT: 14' x 66' MOBILE HOME SKIRTED**

I hereby certify that the placement of the 924 s.f. skirted mobile home will increase the Sante Fe River floodplain less than one foot at the project location. The lowest ground elevation at the mobile home is 38'. The bottom of the I-beam frame will be required to be set at 18 inches above grade.



Curtis E. Keen, PE #23836
EB #3761

Date: 06/20/07



Copy: Robert Edwards

ONE FOOT RISE CALCULATIONS

OWNER: Robert Edwards

DESCRIPTION: Lot 76, Cedar Springs Shores, Section 18, 7 S, R 16 E, Columbia County, Florida
Tax ID # 18-7S-16-04236-151

BASE FLOOD ELEVATION: 36'

COMMUNITY PANEL NUMBER: 120070 0255 B

PROJECT: 14' x 66' SKIRTED MOBILE HOME

RIVER AREA (isolated) AT BASE FLOOD ELEVATION= 640 ACRES


FILL OF FLOODPLAIN: N/A

LOWEST GROUND ELEVATION AT BUILDING = 39'

This project will be located in the staging area of the Suwannee River and not the floodway. No step backwater calculations are required. The calculations are based on the amount of floodplain volume removed if the foundation is enclosed.

$$\% \text{ FLOODPLAIN AREA REMOVED} = \frac{924 \text{ s.f.} / 43,560 \text{ s.f.}}{640 \text{ acres}} = 0.0033\%$$

$$\text{FLOODPLAIN LEVEL INCREASE} = \frac{924 \text{ s.f.} \times 1.0 \text{ feet}}{640 \text{ ac.} \times 43,560 \text{ s.f.}} = 0.00003 \text{ foot}$$



Curtis E. Keen, PE #23836

EB #3761

Date: 06/20/07

Page 2 of 2

Copy: Robert Edwards

368 362 4787





TALLAHASSEE

FL 32399-0783

COOK, JEREMIAH JAMES
 COOK'S HEAT AND AIR CONDITIONING INC
 1955 SW MAIN BLVD
 LAKE CITY FL 32025



STATE OF FLORIDA

AC# 262535

DEPARTMENT OF BUSINESS AND
PROFESSIONAL REGULATION

CAC1813212 06/22/06 050832933

CERTIFIED AIR COND CONTR
 COOK, JEREMIAH JAMES
 COOK'S HEAT AND AIR CONDITIONING

IS CERTIFIED under the provisions of Ch. 489 FS
 Expiration date: AUG 31, 2008 L06062200608

DETACH HERE

AC# 2625352

STATE OF FLORIDA

DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION
CONSTRUCTION INDUSTRY LICENSING BOARD

SEQ# L06062200608

DATE	BATCH NUMBER	LICENSE NBR
06/22/2006	050832933	CAC1813212

The CLASS B AIR CONDITIONING CONTRACTOR
 Named below IS CERTIFIED
 Under the provisions of Chapter 489 FS.
 Expiration date: AUG 31, 2008

COOK, JEREMIAH JAMES
 COOK'S HEAT AND AIR CONDITIONING INC
 ROUTE 9 BOX 785-62
 LAKE CITY FL 32024

JEB BUSH
 GOVERNOR

DISPLAY AS REQUIRED BY LAW

SIMONE MARSTILLER
 SECRETARY



STATE OF FLORIDA
DEPARTMENT OF HEALTH

#25957

APPLICATION FOR ONSITE SEWAGE DISPOSAL SYSTEM CONSTRUCTION PERMIT

Permit Application Number 07-0404E

PART II - SITE PLAN

Scale: 1 inch represents 5 feet and 1 inch = 50 feet.

"See attached"

Notes:

Site Plan submitted by: [Signature]

[Signature]
Title

Plan Approved ☒ Not Approved ☐

Date

By Salhi Ford ESU


Columbia CHD County Health Department

ALL CHANGES MUST BE APPROVED BY THE COUNTY HEALTH DEPARTMENT

153'

each square = 10'

Lot 76
Cedar Spring Shores
"Robert Edwards"



[Signature]
5/18/07
07-0404E

ONE FOOT RISE CERTIFICATION

OWNER: Robert Edwards


DESCRIPTION: Lot 76, Cedar Springs Shores, Section 18, 7 S, R 16 E, Columbia County, Florida
Tax ID # 18-7S-16-04236-151

BASE FLOOD ELEVATION: 36'

COMMUNITY PANEL NUMBER: 120070 0255 B

PROJECT: 14' x 66' MOBILE HOME SKIRTED

I hereby certify that the placement of the 924 s.f. skirted mobile home will increase the Sante Fe River floodplain less than one foot at the project location. The lowest ground elevation at the mobile home is 38'. The bottom of the I-beam frame will be required to be set at 18 inches above grade.



Curtis E. Keen, PE #23836
EB #3761

Date: 06/20/07

Copy: Robert Edwards

ONE FOOT RISE CALCULATIONS

OWNER: Robert Edwards

DESCRIPTION: Lot 76, Cedar Springs Shores, Section 18, 7 S, R 16 E, Columbia County, Florida
Tax ID # 18-7S-16-04236-151

BASE FLOOD ELEVATION: 36'

COMMUNITY PANEL NUMBER: 120070 0255 B

PROJECT: 14' x 66' SKIRTED MOBILE HOME

RIVER AREA (isolated) AT BASE FLOOD ELEVATION= 640 ACRES


FILL OF FLOODPLAIN: N/A

LOWEST GROUND ELEVATION AT BUILDING = 39'

This project will be located in the staging area of the Suwannee River and not the floodway. No step backwater calculations are required. The calculations are based on the amount of floodplain volume removed if the foundation is enclosed.

% FLOODPLAIN AREA REMOVED = $\frac{924 \text{ s.f.}/43,560 \text{ s.f.}}{640 \text{ acres}} = 0.0033\%$

FLOODPLAIN LEVEL INCREASE = $\frac{924 \text{ s.f.} \times 1.0 \text{ feet}}{640 \text{ ac.} \times 43,560 \text{ s.f.}} = 0.00003 \text{ foot}$



Curtis E. Keen, PE #23836

EB #3761

Date: 06/20/07

**Columbia County Building Department
Flood Development Permit**

**Development Permit
F 023- 07-009**

DATE 06/26/2007 BUILDING PERMIT NUMBER 000025957
APPLICANT CAROLYN PARLATO PHONE 963-1373
ADDRESS 7161 152ND ST WELLBORN FL 32094
OWNER ROBERT EDWARDS PHONE 965-0763
ADDRESS _____ FL _____
CONTRACTOR MICHAEL PARLATO PHONE 963-1373
ADDRESS 7161 152ND ST WELLBORN FL 32094
SUBDIVISION CEDAR SPRINGS SHORES Lot 76 Block _____ Unit _____ Phase _____
TYPE OF DEVELOPMENT MH, UTILITY PARCEL ID NO. 18-7S-16-04236-151

FLOOD ZONE AE BY BK 1-6-88 FIRM COMMUNITY #. 120070 - PANEL #. 255B
FIRM 100 YEAR ELEVATION 36 PLAN INCLUDED YES or NO
REQUIRED LOWEST HABITABLE FLOOR ELEVATION 37
IN THE REGULATORY FLOODWAY YES or NO RIVER Santa Fe
SURVEYOR / ENGINEER NAME Curtis Keen LICENSE NUMBER 23836

_____ ONE FOOT RISE CERTIFICATION INCLUDED

_____ ZERO RISE CERTIFICATION INCLUDED

_____ SRWMD PERMIT NUMBER _____
(INCLUDING THE ONE FOOT RISE CERTIFICATION)

DATE THE FINISHED FLOOR ELEVATION CERTIFICATE WAS PROVIDED _____

INSPECTED DATE _____ BY _____

COMMENTS _____

135 NE Hernando Ave., Suite B-21
Lake City, Florida 32055
Phone: 386-758-1008
Fax: 386-758-2160



PRIMARY MOBILE HOME INSPECTION REPORT

25957

DATE RECEIVED 5-17-07 BY G IS THE M/H ON THE PROPERTY WHERE THE PERMIT WILL BE ISSUED? No
 OWNERS NAME Robert Edwards PHONE _____ CELL _____
 ADDRESS _____
 MOBILE HOME PARK N/A SUBDIVISION Cedar Springs Shores, Lot 76
 DRIVING DIRECTIONS TO MOBILE HOME Freedom M/H Sales

MOBILE HOME INSTALLER _____ PHONE _____ CELL _____

MOBILE HOME INFORMATION

MAKE Fleetwood YEAR 1995 SIZE 14 X 70 COLOR ?
 SERIAL No. 01955
 WIND ZONE II Must be wind zone II or higher NO WIND ZONE I ALLOWED

INTERIOR:

INSPECTION STANDARDS

(P or F) - P= PASS F= FAILED

F SMOKE DETECTOR () OPERATIONAL ☒ MISSING
F FLOORS () SOLID () WEAK ☒ HOLES DAMAGED LOCATION Master bedroom by window
✓ DOORS () OPERABLE () DAMAGED
✓ WALLS () SOLID () STRUCTURALLY UNSOUND
✓ WINDOWS () OPERABLE () INOPERABLE
✓ PLUMBING FIXTURES () OPERABLE () INOPERABLE () MISSING
✓ CEILING () SOLID () HOLES () LEAKS APPARENT
✓ ELECTRICAL (FIXTURES/OUTLETS) () OPERABLE () EXPOSED WIRING () OUTLET COVERS MISSING () LIGHT FIXTURES MISSING

EXTERIOR:

✓ WALLS/SIDING () LOOSE SIDING () STRUCTURALLY UNSOUND () NOT WEATHERTIGHT () NEEDS CLEANING
✓ WINDOWS () CRACKED/ BROKEN GLASS () SCREENS MISSING () WEATHERTIGHT
✓ ROOF () APPEARS SOLID () DAMAGED

STATUS:

APPROVED ✓ WITH CONDITIONS: must fix hole in m. bed and replace smoke detector before final
 NOT APPROVED _____ NEED REINSPECTION FOR FOLLOWING CONDITIONS _____

SIGNATURE [Signature] ID NUMBER 306 DATE 5-21-07