

ROOF PLAN 1/4" = 1'-0"

IF ANY ERRORS OR OMISSIONS EXIST IN THE DRAWINGS AND SPECIFICATIONS, THE CONTRACTOR SHALL WITHIN 10 DAYS AFTER THE RECEIPT OF THESE PLANS AND PRIOR TO CONSTRUCTION NOTIFY THE DESIGNER IN WRITING OF SUCH ERRORS OR OMISSIONS, OR BE HELD RESPONSIBLE FOR THE RESULTS AND COST OF RECTIFYING THE SAME.

COLUMBIA COUNTY BUILDING DEPARTMENT Received for Code Compliance PLANS EXAMINER FILE COPY

REVISIONS	BY
PERMIT 2/24/11	NW

WIND DESIGN:

BASIC WIND SPEED:	100 MPH (3 SEC GUST)
IMPORTANCE FACTOR:	1.0
EXPOSURE:	B
METHOD OF DESIGN:	ASCE-7 05 F.B.C. 2007 160 2009 SUPPLEMENTS
MEAN ROOF HEIGHT:	14'-0"

BUILDING DESIGN:

RESIDENTIAL:	R-3
INTERNAL PRESSURE COEFFICIENT:	<0.18
ENCLOSURE CLASSIFICATION:	ED

RAFTER DESIGN:

METAL ROOF:	LIVE	16 PSF
	DEAD	3.6 PSF
	TOTAL	19.6 PSF

SE FOR STRUCTURAL ONLY

THE E BUILDING/STRUCTURE HAS BEEN DESIGNED IN AC ANCE WITH ASCE-7 05 FOR GRAVITY AND DESIGN PRESSURES GENE ED BY A BASIC WIND SPEED OF 100 M.P.H., 3 SECOND GUST.

2007 F.B.C. W/ 2009 SUPPLEMENTS

ROOF REMODEL
FOR
"LINDEN DOPLER"

5653 S.E. COUNTY ROAD 245
LAKE CITY, FL 32625

CHARLES A. WUNDER, JR., P.E.
REG. NO. 46032

P.O. BOX 126
NEWBERRY, FL 32669
PH: 352.214.3192

Charles A. Wunder, Jr., P.E.
Reg. No. 46032
Date: 2-23-11

DRAWN	NW
CHECKED	
DATE	2-23-11
SCALE	NOTED
JOB NO.	E-01011
SHEET	1 OF 2 SHEETS