

DATE 05/05/2008

Columbia County Building Permit

This Permit Must Be Prominently Posted on Premises During Construction

PERMIT

000026975

APPLICANT SHIRLEY BENNETT PHONE 288-2428
ADDRESS 3104 SW OLD WIRE RD FT. WHITE FL 32038
OWNER HAROLD NASH PHONE 336 329-9576
ADDRESS 377 SW COLONY GLEN LAKE CITY FL 32024
CONTRACTOR TERRY THRIFT PHONE 623-0115
LOCATION OF PROPERTY 41S, TR ON CR 131, TR ON MEADOWLANDS DR., TR ON HIGHFIELD, TR
COLONY GLEN, TO THE END ON LEFT
TYPE DEVELOPMENT MH, UTILITY ESTIMATED COST OF CONSTRUCTION 0.00
HEATED FLOOR AREA TOTAL AREA HEIGHT STORIES
FOUNDATION WALLS ROOF PITCH FLOOR
LAND USE & ZONING A-3 MAX. HEIGHT
Minimum Set Back Requirments: STREET-FRONT 30.00 REAR 25.00 SIDE 25.00
NO. EX.D.U. 0 FLOOD ZONE X DEVELOPMENT PERMIT NO.

PARCEL ID 06-6S-17-03761-140 SUBDIVISION MEADOWLANDS
LOT 40 BLOCK PHASE UNIT TOTAL ACRES

000001587

Culvert Permit No. Culvert Waiver Contractor's License Number Applicant/Owner/Contractor
CULVERT 8-346 CS JH Y
Driveway Connection Septic Tank Number LU & Zoning checked by Approved for Issuance New Resident

COMMENTS: ONE FOOT ABOVE THE ROAD,

Check # or Cash 2693

FOR BUILDING & ZONING DEPARTMENT ONLY

(footer/Slab)

Temporary Power date/app. by Foundation date/app. by Monolithic date/app. by
Under slab rough-in plumbing date/app. by Slab date/app. by Sheathing/Nailing date/app. by
Framing date/app. by Rough-in plumbing above slab and below wood floor date/app. by
Electrical rough-in date/app. by Heat & Air Duct date/app. by Peri. beam (Lintel) date/app. by
Permanent power date/app. by C.O. Final date/app. by Culvert date/app. by
M/H tie downs, blocking, electricity and plumbing date/app. by Pool date/app. by
Reconnection date/app. by Pump pole date/app. by Utility Pole date/app. by
M/H Pole date/app. by Travel Trailer date/app. by Re-roof date/app. by

BUILDING PERMIT FEE \$ 0.00 CERTIFICATION FEE \$ 0.00 SURCHARGE FEE \$ 0.00
MISC. FEES \$ 300.00 ZONING CERT. FEE \$ 50.00 FIRE FEE \$ 32.10 WASTE FEE \$ 83.75
FLOOD DEVELOPMENT FEE \$ FLOOD ZONE FEE \$ 25.00 CULVERT FEE \$ 25.00 TOTAL FEE 515.85
INSPECTORS OFFICE CLERKS OFFICE

NOTICE: IN ADDITION TO THE REQUIREMENTS OF THIS PERMIT, THERE MAY BE ADDITIONAL RESTRICTIONS APPLICABLE TO THIS PROPERTY THAT MAY BE FOUND IN THE PUBLIC RECORDS OF THIS COUNTY. AND THERE MAY BE ADDITIONAL PERMITS REQUIRED FROM OTHER GOVERNMENTAL ENTITIES SUCH AS WATER MANAGEMENT DISTRICTS, STATE AGENCIES, OR FEDERAL AGENCIES.

"WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT."

EVERY PERMIT ISSUED SHALL BECOME INVALID UNLESS THE WORK AUTHORIZED BY SUCH PERMIT IS COMMENCED WITHIN 180 DAYS AFTER ITS ISSUANCE, OR IF THE WORK AUTHORIZED BY SUCH PERMIT IS SUSPENDED OR ABANDONED FOR A PERIOD OF 180 DAYS AFTER THE TIME THE WORK IS COMMENCED. A VALID PERMIT RECIEVES AN APPROVED INSPECTION EVERY 180 DAYS. WORK SHALL BE CONSIDERED TO BE IN ACTIVE PROGRESS WHEN THE PERMIT HAS RECIEVED AN APPROVED INSPECTION WITHIN 180 DAYS.

The Issuance of this Permit Does Not Waive Compliance by Permittee with Deed Restrictions.

PERMIT APPLICATION / MANUFACTURED HOME INSTALLATION APPLICATION

402697 CR#2693

For Office Use Only (Revised 1-10-08) Zoning Official OK 5/1/08 Building Official OK JTH 5/1/08
 AP# 0804-62 Date Received 4/30 By JW Permit # 1587/26975
 Flood Zone X Development Permit — Zoning A-3 Land Use Plan Map Category A-3
 Comments _____

FEMA Map# _____ Elevation _____ Finished Floor _____ River _____ In Floodway _____
☒ Site Plan with Setbacks Shown ☒ BH # _____ ☐ EH Release ☒ Well letter ☒ Existing well
☒ Recorded Deed or Affidavit from land owner ☐ Letter of Auth. from installer ☐ State Road Access
☐ Parent Parcel # _____ ☐ STUP-MH _____ ☐ F W Comp. letter _____

IMPACT FEES: EMS 29.88 Fire 78.63 Corr 442.89 Road/Code 1046.00 / 210
 School 1500.00 = TOTAL 3097.40

Property ID # 06-65-17-03761-139 ¹⁴⁰ Subdivision Meadowlands ⁴⁰ Lot 39

- New Mobile Home ☒ Used Mobile Home _____ MH Size 28x52 Year 08
- Applicant Wendy Greenett Shirley Bennett Phone # 386-288-2428
- Address 3104 SW Old Wire Rd Ft White FL 32038
- Name of Property Owner Harold Nash Phone# 336-329-9576
- 911 Address 377 SW Colony Gln Lake City FL 32024
- Circle the correct power company - FL Power & Light - Clay Electric
 (Circle One) - Suwannee Valley Electric - Progress Energy

▪ Name of Owner of Mobile Home Harold Nash Phone # 336-329-9576
 Address 1082 Old Thomasville Rd High Pointe NC 27260

▪ Relationship to Property Owner same

▪ Current Number of Dwellings on Property 0

▪ Lot Size _____ Total Acreage 5.91

▪ Do you : Have Existing Drive or Private Drive or need Culvert Permit or Culvert Waiver (Circle one)
(Currently using) (Blue Road Sign) (Putting in a Culvert) (Not existing but do not need a Culvert)


▪ Is this Mobile Home Replacing an Existing Mobile Home No (owe)

▪ Driving Directions to the Property 41 South to CR 131 (Tustenague)
(R) approx 8-10 miles to Meadowlands turn (R)
go .7 mile to Highfield (R) to Colony Gln (R)
to Lot 40 at end on (R) left


▪ Name of Licensed Dealer/Installer Terry Thrift Phone # 386-623-0115
 Installers Address 448 NW Nye Hunter Dr Lake City FL 32055
 License Number JH000036 Installation Decal # 294735

Spoke to Wendy
5/6/08


SITE PLAN EXAMPLE / WORKSHEET



Use this example to draw your own site plan. Show all existing buildings and any other homes on this property and show the distances between them, Also show where the roads or roads are around the property. This site plan can also be used for the 911 Addressing department if you include the distance from the driveway to the nearest property line.



25' x 52' Box



BLOCKING LEGEND:

- | | |
|---|---|
|  | I-BEAM-BLOCKING
SEE SOIL BEARING
CAPACITY CHARTS FOR SPACING |
|  | COLUMN BLOCKING
SEE SOIL BEARING
CAPACITY CHARTS FOR PAD SIZE |
|  | SHEARWALL BLOCKING |
|  | SHEARWALL FRAME TIE |
|  | CENTER LINE TIES |
|  | VERTICAL TIE
MAX SPACING 9'-9" CENTER TO CENTER |
|  | LONGITUDINAL TIES |


- 1) ALL EXTERIOR DOORS, BAY WINDOWS, RECESSED SIDE WALLS AND EXTERIOR WALL OPENINGS 48" OR GREATER, WILL REQUIRE BLOCKING ON EACH SIDE.
- 2) 32" WIDE HOMES REQUIRED TO BE BLOCKED MAIN 8'-0" ON CENTER BETWEEN COLUMNS.



TownHomes
P.O. BOX 1069
LAKE CITY, FLORIDA 32056

Date: 10-2-07	Revisions		Code: 2828A
Draw: RGB			
Parent: NEW			
Code: T (07)			
Model: 2828-183	Print:	BLOCKING PLAN	

26'-8" WIDE: HOME
SIDEWALK, HEIGHT 8'-0"



REFER OPENING 35 1/2"x67 1/2"

ZONE 1	SW#1	SW#2
ZONE 2	SW#1	SW#2
ZONE 3	SW#1	SW#2

Barmer

[illegible]



PERMIT NUMBER

Installer Terry J. Threlk License # TH-0000036
 Address of home being installed 377 SW Colony Blvd
Lake City FL 32024
 Manufacturer Townhome Length x width 52' x 28'

NOTE: If home is a single wide fill out one half of the blocking plan
 If home is a triple or quad wide sketch in remainder of home

I understand Lateral Arm Systems cannot be used on any home (new or used)
 where the sidewall ties exceed 5 ft 4 in.

Installer's initials ILT



New Home ☒ Used Home ☐
 Home installed to the Manufacturer's Installation Manual ☒
 Home is installed in accordance with Rule 15-C ☐
 Single wide ☐ Wind Zone II ☒ Wind Zone III ☐
 Double wide ☒ Installation Decal # 294735
 Triple/Quad ☐ Serial # 1761

PIER SPACING TABLE FOR USED HOMES

Load bearing capacity	Footer size (sq ft)	16" x 16" (256)	18 1/2" x 16 1/2" (342)	20" x 20" (400)	22" x 22" (484)	24" x 24" (576)	26" x 26" (676)
1000 psf	3'	4'	5'	6'	7'	8'	8'
1500 psf	4'	5'	6'	7'	8'	8'	8'
2000 psf	5'	6'	7'	8'	8'	8'	8'
2500 psf	6'	7'	8'	8'	8'	8'	8'
3000 psf	7'	8'	8'	8'	8'	8'	8'
3500 psf	8'	8'	8'	8'	8'	8'	8'

* Interpolated from Rule 15C-1 pier spacing table.

PER PAD SIZES

I-beam pier pad size 19" x 23"
 Perimeter pier pad size 16" x 16"
 Other pier pad sizes (required by the mfg.) _____

POPULAR PAD SIZES

Pad Size	Sq ft
16 x 16	256
16 x 18	288
18.5 x 18.5	342
18 x 22.5	380
17 x 22	374
13 1/4 x 26 1/4	348
20 x 20	400
17 3/16 x 25 3/16	441
17 1/2 x 25 1/2	448
24 x 24	576
26 x 26	676

Draw the approximate locations of marriage wall openings 4 foot or greater. Use this symbol to show the piers.

List all marriage wall openings greater than 4 foot and their pier pad sizes below.

Opening 19'-6" Pier pad size 19" x 25"

ANCHORS

4 ft 5 ft
 within 2' of end of home spaced at 5' 4" oc

FRAME TIES

OTHER TIES

Number 25
 Sidewall 4
 Longitudinal Marriage wall 4
 Shearwall 2

TIEDOWN COMPONENTS

Longitudinal Stabilizing Device (LSD)
 Manufacturer _____
 Longitudinal Stabilizing Device w/ Lateral Arms
 Manufacturer Oliver Tech

PERMIT NUMBER

POCKET PENETROMETER TEST

The pocket penetrometer tests are rounded down to without testing. psf

X 1600
285 X 1500
285 X 1600
285

POCKET PENETROMETER TESTING METHOD

1. Test the perimeter of the home at 8 locations.
2. Take the reading at the depth of the footer.
3. Using 500 lb. increments, take the lowest reading and round down to that increment.

X 1600
285 X 1500
285 X 1600
285

TORQUE PROBE TEST

The results of the torque probe test is 285 inch pounds or check here if you are declaring 5' anchors without testing. A test showing 275 inch pounds or less will require 4 foot anchors.

Note: A state approved lateral arm system is being used and 4 ft. anchors are allowed at the sidewall locations. I understand 5 ft anchors are required at all centerline tie points where the torque test reading is 275 or less and where the mobile home manufacturer may requires anchors with 4000 lb holding capacity.

Installer's initials

ALL TESTS MUST BE PERFORMED BY A LICENSED INSTALLER

Installer Name

10000 L. THIRIX

Date Tested

4/17/08

Electrical

Connect electrical conductors between multi-wide units, but not to the main power source. This includes the bonding wire between multi-wide units. Pg.

Plumbing

Connect all sewer drains to an existing sewer tap or septic tank. Pg.

Connect all potable water supply piping to an existing water meter, water tap, or other independent water supply systems. Pg.

Site Preparation

Debris and organic material removed
Water drainage: Natural Swale Pad Other

Fastening multi-wide units

Floor: Type Fastener: Lags + Straps Length: 6" Spacing: 24" 32"
Walls: Type Fastener: Screws Length: 1 1/2" Spacing: 32"
Roof: Type Fastener: Washers Length: 1 1/2" Spacing: 32"
For used homes a min. 30 gauge, 8" wide, galvanized metal strip will be centered over the peak of the roof and fastened with galv. roofing nails at 2" on center on both sides of the centerline.

Gasket (weatherproofing requirement)

I understand a properly installed gasket is a requirement of all new and used homes and that condensation, mold, mildew and buckled marriage walls are a result of a poorly installed or no gasket being installed. I understand a strip of tape will not serve as a gasket.

Installer's initials

Type gasket Pg.

Form
Tape

Installed:
Between Floors Yes
Between Walls Yes
Bottom of ridgebeam Yes

Weatherproofing

The bottomboard will be repaired and/or taped Yes Pg.
Siding on units is installed to manufacturer's specifications Yes
Fireplace chimney installed so as not to allow intrusion of rain water. Yes

Miscellaneous

Skirting to be installed. Yes No
Dryer vent installed outside of skirting. Yes
Range downflow vent installed outside of skirting. Yes N/A
Drain lines supported at 4 foot intervals. Yes
Electrical crossovers protected. Yes
Other:

Installer verifies all information given with this permit worksheet is accurate and true based on the manufacturer's installation instructions and or Rule 15C-1 & 2

Installer Signature

Date 4/17/08

LIMITED POWER OF ATTORNEY


I, TERRY L. THRIFT, LICENSE #1H-0000036 EXPIRING 09-30-2008 DO HEREBY
AUTHORIZE Wendy Greenwell TO BE MY REPRESENTATIVE
AND ACT ON MY BE HALF IN ALL ASPECTS OF APPLYING FOR A MOBILE HOME
MOVE ON PERMIT TO BE INSTALLED IN Columbia COUNTY,
FLORIDA.

Terry L. Thrift
TERRY L. THRIFT

4-17-08
DATE

SWORN TO AND SUBSCRIBED BEFORE ME THIS 17 DAY OF April
2008.

Rebecca L. Arnau
NOTARY PUBLIC



PERSONALLY KNOWN: ✓

PRODUCED ID: _____

YEAR 2008 MAKE Town Homes SN# _____

PROPERTY ID/LOCATION _____

*Previous Owner
see deed*

Columbia County Property Appraiser

DB Last Updated: 4/15/2008

2008 Proposed Values

Tax Record

Property Card

Interactive GIS Map

Print

Parcel: 06-6S-17-03761-140

Owner & Property Info

Search Result: 1 of 1

Owner's Name	BAUER ROBERT E &		
Site Address			
Mailing Address	ESTHER C BAUER 6562 N 195TH PL. JUPITER, FL 33458		
Use Desc. (code)	VACANT (000000)		
Neighborhood	1616.00	Tax District	3
UD Codes	MKTA02	Market Area	02
Total Land Area	5.910 ACRES		
Description	LOT 40 MEADOWLANDS S/D PHASE 3 WD 1038-855.		

GIS Aerial



Property & Assessment Values

Mkt Land Value	cnt: (1)	\$56,000.00
Ag Land Value	cnt: (0)	\$0.00
Building Value	cnt: (0)	\$0.00
XFOB Value	cnt: (0)	\$0.00
Total Appraised Value		\$56,000.00

Just Value	\$56,000.00
Class Value	\$0.00
Assessed Value	\$56,000.00
Exempt Value	\$0.00
Total Taxable Value	\$56,000.00

Sales History

Sale Date	Book/Page	Inst. Type	Sale Vlmp	Sale Qual	Sale RCode	Sale Price
2/18/2005	1038/855	WD	V	U	08	\$45,000.00

Building Characteristics

Bldg Item	Bldg Desc	Year Blt	Ext. Walls	Heated S.F.	Actual S.F.	Bldg Value
NONE						

Extra Features & Out Buildings

Code	Desc	Year Blt	Value	Units	Dims	Condition (% Good)
NONE						

Land Breakdown

Lnd Code	Desc	Units	Adjustments	Eff Rate	Lnd Value
000000	VAC RES (MKT)	1.000 LT - (5.910AC)	1.00/1.00/1.00/1.00	\$56,000.00	\$56,000.00

Columbia County Property Appraiser

DB Last Updated: 4/15/2008

1 of 1

*Previous Owner
see deed*

Legend Parcel Info

PARCEL INFO		Property Card
PIN	06-6S-17-03761-140	
Use	VACANT (000000)	
Yr.Blt		
Desc		
OWNER INFO		
Name	BAUER ROBERT E &	
Site		
Mail	ESTHER C BAUER 6562 N 195TH PL. JUPITER, FL 33458	
ASSESSMENT INFO		
LndVal		\$56,000.00
AgVal		\$0.00
BldVal		\$0.00
AprVal		\$56,000.00
JustVal		\$56,000.00
Assd		\$56,000.00
Exmpt		\$0.00
Taxable		\$56,000.00
SALES INFO		
	2/18/2005	\$45,000.00 V / U

SEARCH RESULTS	
☒ Highlight Parcel	
☒ Label Parcel	
☒ Auto-Zoom Parcel	
1 of 1	

DB Last Updated: 4/15/2008

GIS Map Updated: 4/15/2008

This Instrument Prepared By:
Michael H. Harrell
Abstract & Title Services, Inc.
283 NW Cole Terrace
Lake City, Florida 32055
ATS# 17017

GENERAL WARRANTY DEED

Individual to Individual (or Corporation/LLC)

This Warranty Deed made this 11 day of April, 2008 by

Robert F. Bauer, and his wife, Elizabeth Bauer

hereinafter called the Grantor, to

Harold M. Nash

Inst:200812007314 Date:4/14/2008 Time:4:26 PM
Doc Stamp-Deed:483.00
DC, P. DeWitt Casson, Columbia County Page 1 of 1 B:1148 P:90

whose post office address is 1082 Old Thomasville Rd, High Point, NC 27260, hereinafter called the Grantee.

(Wherever used herein the terms "Grantor" and "Grantee" include all the parties to this instrument and the heirs, legal representatives and assigns of Individuals, and the successors and assigns of Corporation.)

The Grantor, for and in consideration of the sum of \$10.00 and other valuable considerations, receipt whereof is hereby acknowledged, hereby grants, bargains, sells, unto the Grantee all that certain land, situate in Columbia County, Florida, viz: TAX ID:R03761-140 :

Lot 40, of Meadowlands Phase 3, a subdivision as recorded in Plat Book 8, Pages 7-10, of the Public Records of Columbia County, Florida.

Together with all the tenements, hereditaments, and appurtenances thereto belonging or in anyways appertaining.

To have and to hold, the same in fee simple forever.

And the Grantor hereby covenants with said Grantee that the Grantor is lawfully seized of said land in fee simple; that the Grantor has good right and lawful authority to sell and convey said land, and hereby warrants the title to said land and will defend the same against the lawful claims of all persons whomsoever; and that said land is free of all encumbrances except taxes accruing subsequent to December 31, 2007.

In witness whereof, the said Grantor has signed and sealed these presents the day and year first above written.

WITNESS

Printed Name:

Paula Mierzejanski

WITNESS

Printed Name:

Janet Santana

State of

Florida

County of

Palm Beach

Robert F. Bauer


Elizabeth Bauer

I hereby certify that on this 11 day of April, 2008 before me, an officer duly authorized to administer oaths and take acknowledgements, personally appeared Robert F. Bauer, and his wife, Elizabeth Bauer, who is personally known to me or produced a Photo for identification, and known to me to be the person described in and who executed the foregoing instrument, who acknowledged before me that he/she/they executed the same, and an oath was not taken.

(SEAL)

NOTARY PUBLIC

My Commission Expires:



COLUMBIA COUNTY 9-1-1 ADDRESSING

P. O. Box 1787, Lake City, FL 32056-1787

PHONE: (386) 758-1125 • FAX: (386) 758-1365 • Email: ron_croft@columbiacountyfla.com

Addressing Maintenance

To maintain the Countywide Addressing Policy you must make application for a 9-1-1 Address at the time you apply for a building permit. The established standards for assigning and posting numbers to all principal buildings, dwellings, businesses and industries are contained in Columbia County Ordinance 2001-9. The addressing system is to enable Emergency Service Agencies to locate you in an emergency, and to assist the United States Postal Service and the public in the timely and efficient provision of services to residents and businesses of Columbia County.

DATE REQUESTED: 4/17/2008 DATE ISSUED: 4/22/2008

ENHANCED 9-1-1 ADDRESS:

377 SW COLONY

GLN

LAKE CITY FL 32024

PROPERTY APPRAISER PARCEL NUMBER:

06-6S-17-03761-140

Remarks:

LOT 40 MEADOWLANDS S/D PHASE 3

Address Issued By




Columbia County 9-1-1 Addressing / GIS Department

NOTICE: THIS ADDRESS WAS ISSUED BASED ON LOCATION INFORMATION RECEIVED FROM THE REQUESTER. SHOULD, AT A LATER DATE, THE LOCATION INFORMATION BE FOUND TO BE IN ERROR, THIS ADDRESS IS SUBJECT TO CHANGE.

**Application for Onsite Sewage Disposal System
Construction Permit. Part II Site Plan**
Permit Application Number: 08-0346

ALL CHANGES MUST BE APPROVED BY THE COUNTY HEALTH UNIT

NASH/CR 07-4364



Site Plan Submitted By Paul L. [Signature]

Plan Approved ☒ Not Approved ☐

Date 5/1/08

Date 4/25/08

By M. 02

Columbia

CPHU

Notes:

App# 0804-62

RON E. BIAS WELL DRILLING

**RT.2 BOX 3340
FT. WHITE, FLORIDA 32038
(904) 487-1045
MOBILE: 364-5235**

TO: Columbia County Building Department

Description of well to be installed for Customer:

Located at Address: Harold Nash
377 SW Colony Cir

1 hp - 1 1/2" drop over 35 gallon tank, 250 gallon equivalent captive with back flow preventer. 35-gallon draw down with check valve per requirements.

Ron E. Bias
Ron Bias



Columbia County Property Appraiser

J. Doyle Crews, CFA - Lake City, Florida - 386-758-1083

0 0.1 0.2 0.3 mi

Columbia County Building Department Culvert Permit

Culvert Permit No.

000001587

DATE 05/05/2008 PARCEL ID # 06-6S-17-03761-140

APPLICANT SHIRLEY BENNETT PHONE 288-2428

ADDRESS 3104 SW OLD WIRE RD FT. WHITE FL 32038

OWNER HAROLD NASH PHONE 336 329-9576

ADDRESS 377 SW COLONY GLEN LAKE CITY FL 32024

CONTRACTOR TERRY THRIFT PHONE 623-0115

LOCATION OF PROPERTY 41S, TR ON CR 131, TR ON MEADOWLANDS DR., TR ON HIGHFIELD, TR ON
COLONY GLEN, TO THE END ON LEFT

SUBDIVISION/LOT/BLOCK/PHASE/UNIT MEADOWLANDS 40

SIGNATURE

Shirley Bennett

INSTALLATION REQUIREMENTS



Culvert size will be 18 inches in diameter with a total length of 32 feet, leaving 24 feet of driving surface. Both ends will be mitered 4 foot with a 4 : 1 slope and poured with a 4 inch thick reinforced concrete slab.

INSTALLATION NOTE: Turnouts will be required as follows:

- a) a majority of the current and existing driveway turnouts are paved, or;
- b) the driveway to be served will be paved or formed with concrete.

Turnouts shall be concrete or paved a minimum of 12 feet wide or the width of the concrete or paved driveway, whichever is greater. The width shall conform to the current and existing paved or concreted turnouts.



Culvert installation shall conform to the approved site plan standards.



Department of Transportation Permit installation approved standards.



Other _____

ALL PROPER SAFETY REQUIREMENTS SHOULD BE FOLLOWED
DURING THE INSTALLATION OF THE CULVERT.

135 NE Hernando Ave., Suite B-21
Lake City, FL 32055
Phone: 386-758-1008 Fax: 386-758-2160

Amount Paid 25.00

