

Keep Your Cool.

10,000/9,800 BTU HEAT/COOL THRU-THE-WALL AIR CONDITIONER WITH REMOTE

LT1033HNR


UNIVERSAL FIT FOR SLEEVE
GOLD FIN ANTI-CORROSION
2 COOLING AND FAN SPEEDS
4-WAY AIR DIRECTION

WHERE TO BUY

\$579.99
Suggested Price

Be the first to review

☐ ADD TO COMPARE



ENLARGE



FEATURES TECHNICAL SPECIFICATIONS REVIEWS ASK & ANSWER

PRODUCT SUPPORT

KEY FEATURES

Wall Sleeve

Universal Fit for Sleeve

Gold Fin™

Gold Fin Anti-Corrosion



2 Cooling and Fan Speeds



4-Way Air Direction

Auto Restart

Power Failure Auto Restart

UNIVERSAL FIT FOR SLEEVE

LG's universal Thru the Wall sleeve will fit any manufacturer's air conditioner and is the standard size for wall openings

GOLD FIN ANTI-CORROSION

Standard on all LG units, our patented Gold Fin™ process is an anti-corrosion coating that forms a protective shield so the unit lasts longer

2 COOLING & FAN SPEEDS

Control the temperature of the room at your own pace with our two cooling and fan speeds.

4-WAY AIR DIRECTION

Enjoy the cool air even more with or 4-way air direction. By adjusting the deflection, air is directed up, down, left or right. So you can move the air where it's needed most.

Keep Your Cool.

10,000/9,800 BTU HEAT/COOL THRU-THE-WALL AIR CONDITIONER WITH REMOTE

LT1033HNR

- UNIVERSAL FIT FOR SLEEVE
- GOLD FIN ANTI-CORROSION
- 2 COOLING AND FAN SPEEDS
- 4-WAY AIR DIRECTION

WHERE TO BUY

\$579.99
Suggested Price

Be the first to review

ADD TO COMPARE

ENLARGE

FEATURES TECHNICAL SPECIFICATIONS REVIEWS ASK & ANSWER

PDF

10,000/9,800 BTU HEAT/COOL THRU-THE-WALL AIR CONDITIONER WITH REMOTE

LT1033HNR

DOWNLOAD PDF

COLLAPSE ALL SPECS

PERFORMANCE

EER	9.4 / 9.4
Dehumid (Pts/Hr)	3.2
Dry Air Flow (CFM)	285
dBA Level (Indoor / Outdoor)	51 / 60
BTU Performance Cooling	10,000 / 9,800
BTU Performance Heating	11,200 / 9,200

DIMENSIONS

Net Weight (lbs.)	78
Shipping Weight (lbs.)	84
Carton Height (inch)	18 4/32
Carton Width (inch)	27 23/32
Carton Depth (inch)	22 13/32
Dimension Height (inch)	14 13/32
Dimension Width (inch)	24 21/32
Dimension Depth (inch)	19 21/32

FEATURES

Thermostat Control	Thermistor
Air Deflection	4-Way

Remote Control	Yes
Energy Saver Function	Yes
Fan Speed Cooling (Heating)	2
Compressor	Rotary
Indoor Fan Type	Turbo
Type Air Discharge	Top
Outdoor Vent / Exhaust	Yes
Chassis Type	XA
Auto Restart	Yes
Fan Only	2
Real Grille	Yes

ELECTRICAL RATINGS

Voltage / 60 Hz	208/230
Watts (Cooling)	1,060/1,040
Watts (Heating)	3,500/2,900
Rated Amps (Cooling)	4.7/5.2
Rated Amps (Heating)	15 3/14 0

WARRANTY

Limited Warranty	1 Year Parts and Labor(Limited In-Home Service)
------------------	---

BACK TO TOP

Wall units are not only stylish but offer powerful performance with innovative features including multiple cooling and fan speeds.

RECENTLY VIEWED



10,000/9,800 BTU
Heat/Cool Thru-the-Wall
Air Conditioner with
LT1033HNR

GET THE LATEST PRODUCT NEWS

Please enter your email address to sign up for our Newsletter

Your Email Address

SUBMIT