













OVERLAP LINE

MEETS OR EXCEEDS ASTM D226 TYPE II,
D448 TYPE IV, ASTM D6827
& CAN/CSA A123.3
www.tribuilt.com

tribuilt
Manufactured exclusively for
Baton Sales Acquisition, Inc. by Owens Corning

SYNTHETIC ROOFING UNDERLAYMENT

SYNTHETIC ROOF

OVERLAP LINE

LÍNEA DE SUPERPOSICIÓN

tribuilt

SYNTHETIC ROOFING UNDERLAYMENT

SYNTHETIC ROOF



MEETS OR EXCEEDS ASTM D226 TYPE II,
D4869 TYPE IV, ASTM D8257
& CAN/CSA A123.3
www.becn.com

TRIBUILT™

Manufactured exclusively for
Beacon Sales Acquisition, Inc. by Owens Corning®

Sin resistencia muy, muy alta a los cambios de temperatura.
La resistencia al desgarro puede variar según las condiciones de temperatura, el tipo de estado y la instalación del tubo.

OVERLAP LINE LINEA DE SUPERPOSICIÓN

MEETS OR EXCEEDS ASTM D226 TYPE II,
D4869 TYPE IV, ASTM D8257
& CAN/CSA A123.3
www.becn.com

