


SECTION 32, TOWNSHIP 3 SOUTH, RANGE 16 EAST
COLUMBIA COUNTY, FLORIDA



PROJECT SITE

LOCATION MAP

NOT TO SCALE

SHEET INDEX

- | | |
|---|--------------------------------|
| 1 | COVER SHEET |
| 2 | NOTES, LEGEND & DETAILS |
| 3 | OVERALL SITE PLAN |
| 4 | SITE, DIMENSION & GRADING PLAN |

NOTES

1. SITE PARCEL: 32-35-16-02427-000
2. FUTURE LAND USE: AGRICULTURE-3
3. ZONING: AG-3
4. SITE ADDRESS: 2771 SW THOMAS TERRACE, LAKE CITY, FL

OWNER:

CONNECT CHURCH
771 S.W. THOMAS TERRACE
LAKE CITY, FL 32024
CONTACT: RAY KEEN
ray@connectinglakecity.com

CIVIL ENGINEER:

CAROL CHADWICK, P.E.
1208 S.W. FAIRFAX GLEN
LAKE CITY, FL 32025
307.680.1772
ccpewyo@gmail.com


SURVEYOR:

BRITT SURVEY & MAPPING, INC.
2086 S.W. MAIN BLVD., STE. 112
LAKE CITY, FL 32025
386.752.7163



Carol Chadwick, PE
cn=Carol Chadwick,
PE, o=This item has
been electronically
signed and sealed
by Carol Chadwick,
PE using a digital
signature., ou,
email=ccpewyo@g
mail.com, c=US
2021.02.09 20:48:57
-05'00'


ENGINEER OF RECORD: CAROL CHADWICK, P.E.
P.E. NO.: 82560

[illegible]

PREPARED FOR
CONNECT CHURCH
7771 S.W. THOMAS TERRACE
LAKE CITY, FL 32024
CONTACT: RAY KEEN
ray@connectinglakecity.com

CONNECT CHURCH ADDITION COVER SHEET

PROJECT NO.	FL20237
DATE	JAN. 13, 2021
REVISION DATE	FEB. 9, 2021
SHEET	SHEETS
1 OF 4	



ENGINEER'S NOTES

1. CONTRACTOR SHALL VERIFY ALL EXISTING CONDITIONS AND DIMENSIONS AT THE JOB SITE PRIOR TO CONSTRUCTION TO ENSURE THAT ALL WORK WILL FIT IN THE MANNER INTENDED ON THE PLANS. SHOULD ANY CONDITIONS EXIST THAT ARE CONTRARY TO THOSE SHOWN ON THE PLANS, THE CONTRACTOR SHALL NOTIFY THE ENGINEER OF SAID DIFFERENCES IMMEDIATELY AND PRIOR TO PROCEEDING WITH THE WORK.
2. ALL DISTURBED AREAS SHALL BE SEEDED WITH A MIXTURE OF LONG-TERM VEGETATION AND SHORT-TERM VEGETATION. THE LONG-TERM VEGETATION SHALL BE APPLIED AT A MINIMUM RATE OF 70 POUNDS PER ACRE. THE SHORT-TERM VEGETATION SHALL BE APPLIED AT A MINIMUM RATE OF 20 POUNDS PER ACRE AND SHALL CONSIST OF WINTER RYE FROM SEPTEMBER THROUGH MARCH OR MILLET FROM APRIL THROUGH AUGUST.
3. THE PERMITTEE/CONTRACTOR SHALL INSTITUTE NECESSARY MEASURES DURING CONSTRUCTION TO MINIMIZE EROSION, TURBIDITY, NUTRIENT LOADING, AND SEDIMENTATION TO ADJACENT LANDS AND IN THE RECEIVING WATER.
4. ALL GRADES MAY BE ADJUSTED IN THE FIELD A MAXIMUM OF SIX (6) INCHES AS LONG AS THE FLOW OF WATER IS NOT CHANGED.
5. WHERE DITCH MUST BE DEEPER THAN NORMAL TO ACCOMMODATE A PIPE, THE TRANSITION FROM NORMAL DITCH GRADE TO PIPE FLOW LINE SHALL BE A MINIMUM LENGTH OF 100 FEET.
6. THE CONTRACTOR SHALL ADHERE TO THE EROSION AND SEDIMENTATION CONTROL PLAN PRIOR TO THE COMMENCEMENT OF ANY CONSTRUCTION UNTIL THE AS-BUILTS ARE COMPLETED.
7. QUANTITIES ARE ESTIMATES ONLY. CONTRACTOR SHALL VERIFY QUALITIES PRIOR TO BID AND CONSTRUCTION.
8. NO FILL SHALL BE PLACED ON EXISTING GROUND UNTIL THE GROUND HAS BEEN CLEARED OF WEEDS, DEBRIS, TOPSOIL AND OTHER DELETERIOUS MATERIAL.


UNAUTHORIZED CHANGES AND USES CAUTION:

THE ENGINEER PREPARING THESE PLANS WILL NOT BE RESPONSIBLE FOR, OR LIABLE FOR, UNAUTHORIZED CHANGES TO OR USES OF THESE PLANS. ALL CHANGES TO THE PLANS MUST BE IN WRITING AND MUST BE APPROVED BY THE PREPARER OF THESE PLANS.

THE PRIVATE ENGINEER SIGNING THESE PLANS IS RESPONSIBLE FOR ASSURING THE ACCURACY AND ACCEPTABILITY OF THE DESIGN HEREON. IN THE EVENT OF DISCREPANCIES ARISING DURING CONSTRUCTION, THE PRIVATE ENGINEER SHALL BE RESPONSIBLE FOR DETERMINING AN ACCEPTABLE SOLUTION AND REVISING THE PLANS FOR APPROVAL BY THE GOVERNING AGENCIES.


PRIVATE ENGINEER'S NOTICE TO CONTRACTOR:

THE CONSTRUCTION CONTRACTOR AGREES THAT IN ACCORDANCE WITH GENERALLY ACCEPTED CONSTRUCTION PRACTICES, HE/SHE WILL BE REQUIRED TO ASSUME SOLE AND COMPLETE RESPONSIBILITY FOR JOB SITE CONDITIONS DURING THE COURSE OF CONSTRUCTION OF THE PROJECT, INCLUDING THE SAFETY OF ALL PERSONS AND PROPERTY. THIS REQUIREMENT SHALL APPLY CONTINUOUSLY AND NOT BE LIMITED TO NORMAL WORKING HOURS. THE CONSTRUCTION CONTRACTOR FURTHER AGREES TO DEFEND, INDEMNIFY AND HOLD DESIGN PROFESSIONAL HARMLESS FROM ANY AND ALL LIABILITY, REAL OR ALLEGED, IN CONNECTION WITH THE PERFORMANCE OF WORK ON THIS PROJECT, EXCEPTING LIABILITY ARISING FROM THE SOLE NEGLIGENCE OF THE DESIGN PROFESSIONAL.



EROSION CONTROL NOTES

1. EROSION AND SEDIMENTATION CONTROL SHALL COMPLY WITH THE REQUIREMENTS OF THE "FLORIDA DEVELOPMENT MANUAL" AND THE "FLORIDA EROSION AND SEDIMENT CONTROL INSPECTOR'S MANUAL"
2. THE CONTRACTOR SHALL ADHERE TO THE FLORIDA DEPARTMENT OF TRANSPORTATION, SUWANNEE RIVER WATER MANAGEMENT DISTRICT, COLUMBIA COUNTY AND OTHER GOVERNING AUTHORITIES FOR EROSION AND SEDIMENT CONTROL REGULATIONS.
3. THE CONTRACTOR SHALL ADJUST AND REVISE CONTROL MEASURES SHOWN ON THESE PLANS TO MEET ACTUAL FIELD CONDITIONS. ANY REVISIONS SHALL BE APPROVED BY THE REVIEWING AGENCIES.
4. EROSION AND SEDIMENT CONTROL MEASURES SHALL BE INSTALLED PRIOR TO ANY OTHER CONSTRUCTION.
5. EROSION AND SEDIMENT CONTROL MEASURES SHALL NOT BE REMOVED UNTIL ALL CONSTRUCTION IS COMPLETE AND UNTIL A PERMANENT GROUND COVER HAS BEEN ESTABLISHED.
6. ALL OPEN DRAINAGE SWALES SHALL BE GRASSED AND RIPRAP SHALL BE PLACED AS REQUIRED TO CONTROL EROSION.
7. SILT FENCES SHALL BE LOCATED ON SITE TO PREVENT SEDIMENT FROM LEAVING PROJECT LIMITS.
8. CONTRACTOR SHALL PLACE A DOUBLE ROW OF SILT FENCE IN AREAS WHERE RUNOFF FROM DISTURBED AREAS MAY ENTER WETLANDS.
9. DURING CONSTRUCTION AND AFTER CONSTRUCTION IS COMPLETE, ALL STRUCTURES SHALL BE CLEANED OF ALL DEBRIS AND EXCESS SEDIMENT.
10. ALL GRADED AREAS SHALL BE STABILIZED IMMEDIATELY WITH A TEMPORARY FAST-GROWING COVER AND/OR MULCH.
11. A PAD OF RUBBLE RIP RAP SHALL BE PLACED AT THE BOTTOM OF ALL COLLECTION FLUMES AND COLLECTION PIPE OUTLETS. GRANITE OR LIMESTONE RIPRAP IS REQUIRED, NO BROKEN CONCRETE WILL BE ACCEPTED.
12. ALL SIDE SLOPES STEEPER THAN 3:1 SHALL BE ADEQUATELY PROTECTED FROM EROSION THROUGH THE USE OF HAY BALES OR SODDING.
13. ALL STABILIZATION PRACTICES SHALL BE INITIATED AS SOON AS PRACTICABLE IN AREAS OF THE JOB WHERE CONSTRUCTION ACTIVITIES HAVE TEMPORARILY OR PERMANENTLY STOPPED, BUT IN NO CASE SHALL THE DISTURBED AREA BE LEFT UNPROTECTED FOR MORE THAN SEVEN DAYS.
14. ALL WASTE GENERATED ON THE PROJECT SHALL BE DISPOSED OF BY THE CONTRACTOR IN AREAS PROVIDED BY CONTRACTOR.
15. LOADED HAUL TRUCKS SHALL BE COVERED WITH TARPS.
16. EXCESS DIRT SHALL BE REMOVED DAILY.
17. THIS PROJECT SHALL COMPLY WITH ALL WATER QUALITY STANDARDS.
18. QUALIFIED PERSONNEL SHALL INSPECT THE AREA USED FOR STORAGE OF STOCKPILES, THE SILT FENCE AND STRAW BALES, THE LOCATION WHERE VEHICLES ENTER OR EXIT THE SITE, AND THE DISTURBED AREAS THAT HAVE NOT BEEN FINALLY STABILIZED, AT LEAST ONCE EVERY SEVEN CALENDAR DAYS AND WITHIN 24 HOURS OF THE END OF A STORM OF 0.25 INCHES OR GREATER.
19. SITES THAT HAVE BEEN FINALLY STABILIZED WITH SOD OR GRASSING SHALL BE INSPECTED AT LEAST ONCE EVERY WEEK.



LEGEND

- | | | |
|-----------------------------|---|---------------------------------|
| F.S. | - | FINISHED SURFACE |
| E.S. | - | EXISTING SURFACE |
| 130 | - | PROPOSED CONTOUR (2' INTERVALS) |
| (130) | - | EXISTING CONTOUR (2' INTERVALS) |
| DAYLIGHT LINE | - | DAYLIGHT LINE |
| EXISTING FENCE | - | EXISTING FENCE |
| PROPERTY LINE | - | PROPERTY LINE |
| CENTER LINE | - | CENTER LINE |
| SILT FENCE | - | SILT FENCE |
| EXISTING OVERHEAD UTILITIES | - | EXISTING OVERHEAD UTILITIES |
| EXISTING OVERHEAD ELECTRIC | - | EXISTING OVERHEAD ELECTRIC |
| PROPOSED DUMPSTER LOCATION | - | PROPOSED DUMPSTER LOCATION |

NOTE: ALL UTILITY PROVIDERS MUST BE CONTACTED PRIOR TO DIGGING IN ACCORDANCE TO CHAPTER 556 "SUNSHINE STATE ONE CALL" CALL 811 48 HOURS PRIOR TO DIGGING



Carol Chadwick, PE
cn=Carol Chadwick, PE, o=This item has been electronically signed and sealed by Carol Chadwick, PE using a digital signature., ou, email=ccpewyo@gmail.com, c=US 2021.02.09 20:49:16 -05'00'

CAROL CHADWICK, P.E.
Professional Engineer
No. 82580
STATE OF FLORIDA
Lake City, FL 32024
305.858.772
ccpewyo@gmail.com
ray@connectinglakecity.com


CAROL J. CHADWICK
Professional Engineer
No. 82580
STATE OF FLORIDA

REVISION DESCRIPTION
DATE

PREPARED FOR
CONNECT CHURCH
771 S.W. THOMAS TERRACE
LAKE CITY, FL 32024
CONTACT: RAY KEEN
ray@connectinglakecity.com

PROJECT NO. FL20237
DATE JAN. 13, 2021
REVISION DATE FEB. 9, 2021
SHEET 2 of 4

CONNECT CHURCH ADDITION
NOTES, LEGEND & DETAILS




EXISTING TREE NOTE:

- ☼ - APPROXIMATE MATURE TREE LOCATION
- ADDITIONAL TREES EXISTING ON SITE

DEVELOPMENT INFORMATION			
A NEW 2500 S.F. BUILDING WILL BE CONSTRUCTED ADJACENT TO AN EXISTING CHURCH. ADA PARKING WILL BE CONSTRUCTED.			
PARCEL NUMBER	32-45-16-02427-000		
ZONING	AG - 3		
LAND USE	AGRICULTURE - 3		
ADDRESS	771 SW THOMAS TERRACE, LAKE CITY, FL 32024		
PROPERTY AREA	SQUARE FEET	ACRES	% OF SITE
PARCEL AREA*	217801	5.00	100
ON-SITE DISTURBANCE AREA	3400	0.08	1.56
OFF-SITE DISTURBANCE AREA	0	0.00	-
TOTAL DISTURBANCE AREA	3400	0.08	1.56
PROPOSED IMPERVIOUS AREA			
BUILDING	2500	0.06	1.16
PAVEMENT & CONCRETE	758	0.02	0.35
TOTAL IMPERVIOUS AREA	3258	0.07	1.50
LANDSCAPING			
REQUIRED	PER SECTION 4.2.17.10, COLUMBIA COUNTY L.D.R. LANDSCAPING: 1.0% OF OFF-STREET PARKING (24206 SF) 1 TREE PER 200 SF OF LANDSCAPING 2420 S.F. LANDSCAPING & 12 TREES		
PROPOSED AREA	EXISTING LANDSCAPE EXCEEDS REQUIRED LANDSCAPING		
PARKING			
REQUIRED SPACES	PER SECTION 4.5.1.3, COLUMBIA COUNTY L.D.R. ONE SPACE FOR SIX SEATS 200 SEATS: 200/6=33.33 REQUIRED PARKING SPACES INCLUDING 2 HANDICAP SPACES		
PROPOSED SPACES	33 INCLUDING 2 HANDICAP SPACES		

*OWNER IS PURCHASING ADJACENT LAND TO INCREASE PARCEL SIZE TO 5.00 ACRES. MINIMUM LAND PURCHASE MUST BE COMPLETED TO OBTAIN A CERTIFICATE OF OCCUPANCY. AREA PERCENTAGES ARE BASED ON A 5 ACRE PARCEL.



Carol Chadwick, PE
cn=Carol Chadwick,
PE, o=This item has
been electronically
signed and sealed
by Carol Chadwick,
PE using a digital
signature., ou,
email=ccpewyo@
mail.com, c=US
2021.02.09 20:49:33
-05'00'

CAROL CHADWICK
PE
No. 82560
STATE OF FLORIDA
PROFESSIONAL ENGINEER

REVISIONS
DATE
REVISION DESCRIPTION

PREPARED FOR
CONNECT CHURCH
771 S.W. THOMAS TERRACE
LAKE CITY, FL 32024
CONTACT: RAY KEEN
ray@connectinglakecity.com



PROJECT NO.
FL20237

DATE
JAN. 13, 2021



REVISION DATE
FEB. 9, 2021

SHEET
3 of 4

CONNECT CHURCH ADDITION
OVERALL SITE PLAN



N02°27'03"E 397.65'

[illegible]

PREPARED FOR
CONNECT CHURCH
7771 S.W. THOMAS TERRACE
LAKE CITY, FL 32024
CONTACT: RAY KEEN
ray@connectinglakecity.com

CONNECT CHURCH ADDITION SITE, DIMENSION & GRADING PLAN

PROJECT NO.	FL20237
DATE	JAN. 13, 2021
REVISION DATE	FEB. 9, 2021
SHEET	4 OF 4 SHEETS

Carol Chadwick, PE
cn=Carol
Chadwick, PE,
o=This item has
been electronically
signed and sealed
by Carol Chadwick,
PE using a digital
signature., ou,
email=ccpewyo@g
mail.com, c=US
2021.02.09
20:49:52 -05'00'

