

DATE 08/14/2006

Columbia County Building Permit

PERMIT

This Permit Expires One Year From the Date of Issue

000024862

APPLICANT LEON DOUGLAS PHONE 386.497.2279
ADDRESS 593 SW HAWAII TERRACE FT. WHITE FL 32038
OWNER LEON DOUGLAS PHONE 497.2279
ADDRESS 235 SW BOUNDARY WAY FT. WHITE FL 32038
CONTRACTOR DON TODD PHONE 386.963
LOCATION OF PROPERTY 47-S TO US 27,TL TO UTAH(OLD ROBERTS),L ROBERTS, R KENTUCKY
L BOUNDREY WAY THEN APPROX 200 YARDS ON LEFT

TYPE DEVELOPMENT M/H/UTILITY ESTIMATED COST OF CONSTRUCTION 0.00
HEATED FLOOR AREA TOTAL AREA HEIGHT STORIES
FOUNDATION WALLS ROOF PITCH FLOOR
LAND USE & ZONING A-3 MAX. HEIGHT
Minimum Set Back Requirments: STREET-FRONT 30.00 REAR 25.00 SIDE 25.00
NO. EX.D.U. 0 FLOOD ZONE X DEVELOPMENT PERMIT NO.

PARCEL ID 19-6S-16-03876-105 SUBDIVISION HERNDON ACRES
LOT 5 BLOCK PHASE UNIT TOTAL ACRES 2.00

IH0000316
Culvert Permit No. Culvert Waiver Contractor's License Number Applicant/Owner/Contractor
WAIVER 06-0668-N BLK JTH N
Driveway Connection Septic Tank Number LU & Zoning checked by Approved for Issuance New Resident

COMMENTS: 1 FOOT ABOVE ROAD. SECTION 2.3.8.

Check # or Cash 3284

FOR BUILDING & ZONING DEPARTMENT ONLY

(footer/Slab)

Temporary Power Foundation Monolithic
date/app. by date/app. by date/app. by
Under slab rough-in plumbing Slab Sheathing/Nailing
date/app. by date/app. by date/app. by
Framing Rough-in plumbing above slab and below wood floor
date/app. by date/app. by
Electrical rough-in Heat & Air Duct Peri. beam (Lintel)
date/app. by date/app. by date/app. by
Permanent power C.O. Final Culvert
date/app. by date/app. by date/app. by
M/H tie downs, blocking, electricity and plumbing Pool
date/app. by date/app. by
Reconnection Pump pole Utility Pole
date/app. by date/app. by date/app. by
M/H Pole Travel Trailer Re-roof
date/app. by date/app. by date/app. by

BUILDING PERMIT FEE \$ 0.00 CERTIFICATION FEE \$ 0.00 SURCHARGE FEE \$ 0.00
MISC. FEES \$ 200.00 ZONING CERT. FEE \$ 50.00 FIRE FEE \$ 11.84 WASTE FEE \$ 24.50
FLOOD DEVELOPMENT FEE \$ FLOOD ZONE FEE \$ 25.00 CULVERT FEE \$ TOTAL FEE 311.34
INSPECTORS OFFICE CLERKS OFFICE

NOTICE: IN ADDITION TO THE REQUIREMENTS OF THIS PERMIT, THERE MAY BE ADDITIONAL RESTRICTIONS APPLICABLE TO THIS PROPERTY THAT MAY BE FOUND IN THE PUBLIC RECORDS OF THIS COUNTY. AND THERE MAY BE ADDITIONAL PERMITS REQUIRED FROM OTHER GOVERNMENTAL ENTITIES SUCH AS WATER MANAGEMENT DISTRICTS, STATE AGENCIES, OR FEDERAL AGENCIES.

"WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT."

This Permit Must Be Prominently Posted on Premises During Construction

PLEASE NOTIFY THE COLUMBIA COUNTY BUILDING DEPARTMENT AT LEAST 24 HOURS IN ADVANCE OF EACH INSPECTION, IN ORDER THAT IT MAY BE MADE WITHOUT DELAY OR INCONVENIENCE, PHONE 758-1008. THIS PERMIT IS NOT VALID UNLESS THE WORK AUTHORIZED BY IT IS COMMENCED WITHIN 6 MONTHS AFTER ISSUANCE.

The Issuance of this Permit Does Not Waive Compliance by Permittee with Deed Restrictions.

THIS WARRANTY DEED made and executed the 16th day of August, 2002
by Kevin C. Edelen and Jennifer L. Edelen, his wife

Grantor,

to Leon D. Douglas
address: 593 SW Hawaii Terrace, Fort White, Florida 32038

Grantee,

(Wherever used herein the terms "Grantor" and "Grantee" shall include singular and plural, heirs, legal representatives, and assigns of individuals, and the successors and assigns of corporations, wherever the context so admits or requires.)

W-itnesseeth: That the Grantor, for and in consideration of the sum of TEN DOLLARS (\$10.00) and other valuable considerations, receipt whereof is hereby acknowledged, by these presents does grant, bargain, sell, alien, remise, release, convey and confirm unto the Grantee all that certain land situate, lying and being in COLUMBIA County, State of Florida, viz:

SEE SCHEDULE "A"

Together with all the tenements, hereditaments and appurtenances thereto belonging or in anywise appertaining. To have and to hold the same in fee simple forever. And the Grantor hereby covenants with said Grantee that the Grantor is lawfully seized of said land in fee simple; that the Grantor has good right and lawful authority to sell and convey said land, and hereby warrants the title to said land and will defend the same against the lawful claims of all persons whomsoever; and that said land is free of all encumbrances, except easements, restrictions and reservations of record, if any, and taxes accruing subsequent to December 31, 2001.

In witness whereof the said Grantor has signed and sealed these presents the day and year first above written.

Signed, sealed and delivered
in the presence of:

Caren P. Wooley
Witness:

Donna S. Edelen
Witness:

Witness:

Witness:

Kevin C. Edelen
Kevin C. Edelen


Jennifer L. Edelen
Jennifer L. Edelen

STATE OF FLORIDA
COUNTY OF COLUMBIA

I hereby certify that on this day, before me, an officer duly authorized in the State and County aforesaid to take acknowledgments, personally appeared Kevin C. Edelen and Jennifer L. Edelen, who produced the identification described below, and who acknowledged before me that they executed the foregoing instrument.

Witness my hand and official seal in the county and state aforesaid this 16th day of August, 2002.

Caren P. Wooley
Notary Public.
Identification Examined:
personally known



PERMIT APPLICATION / MANUFACTURED HOME INSTALLATION APPLICATION

For Office Use Only (Revised 6-23-05) Zoning Official OK 8/8/06 Building Official OK JTH 8-2-06
API 0608-07 Date Received 8/2/06 By LG Permit # 2486 C-11185
Flood Zone X Development Permit N/A Zoning A-3 Land Use Plan Map Category A-3
Comments Parcel 225 Section 2, 3, 1

3284 -

FEMA Map# _____ **Elevation** _____ **Finished Floor** _____ **River** _____ **In Floodway** _____
☒ **Site Plan with Setbacks Shown** ☒ **EH Signed Site Plan** ☐ **EH Release** ☒ **Well letter** ☒ **Existing well**
☒ **Copy of Recorded Deed or Affidavit from land owner** ☒ **Letter of Authorization from Installer**

- Property ID # 19-65-16-03876-105 Must have a copy of the property deed
- New Mobile Home _____ Used Mobile Home ☒ Year 1984
- Applicant Leon Daniel Douglas Phone # 386-497-2279
- Address 593 S.W. Hawaii Ter. Fort White Fla. 32038
- Name of Property Owner Leon D. Douglas Phone # 386-497-2279
- 911 Address 235 S.W. Boundary Way Fort White Fla. 32038
- Circle the correct power company - FL Power & Light - Clay Electric
 (Circle One) - Suwannee Valley Electric - Progress Energy
- Name of Owner of Mobile Home Leon D. Douglas Phone # 386-497-2279
- Address 593 S.W. Hawaii Ter. Fort White Fla. 32038
- Relationship to Property Owner _____
- Current Number of Dwellings on Property None
- Lot Size 148' W 650' L Total Acreage 2
- Do you : Have an Existing Drive or need a Culvert Permit or a Culvert Waiver (Circle one)
- Is this Mobile Home Replacing an Existing Mobile Home No
- Driving Directions to the Property To Fort White go S.W. - us Hwy 27
to S.W. UTAH ST. go to S.W. Roberts St. to S.W. Kentucky St.
to S.W. Boundary Way. go to Lot #5
- Name of Licensed Dealer/Installer Donna Todd Phone # 903.3433
- Installers Address 249 3035 St. PL. Warrington FL 32094
- License Number TH 000316 Installation Decal # 268522

JW left message 8.14.06 - CHANGE Intake
JW LEFT MESSAGE on 8.9.06

PERMIT NUMBER

POCKET PENETROMETER TEST

The pocket penetrometer tests are rounded down to _____ psf or check here to declare 1000 lb. soil _____ without testing.

x 2000 x 2000 x 2000

POCKET PENETROMETER TESTING METHOD

1. Test the perimeter of the home at 6 locations.
2. Take the reading at the depth of the footer.
3. Using 500 lb. increments, take the lowest reading and round down to that increment.

x 2000 x 2000 x 2000

TORQUE PROBE TEST

The results of the torque probe test is 300 inch pounds or check here if you are declaring 5' anchors without testing. A test showing 275 inch pounds or less will require 4 foot anchors.

Note: A state approved lateral arm system is being used and 4 ft. anchors are allowed at the sidewall locations. I understand 5 ft anchors are required at all centerline tie points where the torque test reading is 275 or less and where the mobile home manufacturer may requires anchors with 4000 lb holding capacity.

_____ Installer's initials

ALL TESTS MUST BE PERFORMED BY A LICENSED INSTALLER

Installer Name

DONALD W. TODD

Date Tested

8-10-06

Electrical

Connect electrical conductors between multi-wide units, but not to the main power source. This includes the bonding wire between multi-wide units. Pg. _____

Plumbing

Connect all sewer drains to an existing sewer tap or septic tank. Pg. _____

Connect all potable water supply piping to an existing water meter, water tap, or other independent water supply systems. Pg. _____

Site Preparation

Debris and organic material removed _____
Water drainage: Natural _____ Swale _____ Pad _____ Other _____

Fastening multi wide units

Floor: Type Fastener: LAGS Length: 2" Spacing: 24"
Walls: Type Fastener: METAL Length: FULL Spacing: FULL
Roof: Type Fastener: METAL Length: FULL Spacing: FULL
For used homes a min. 30 gauge, 8" wide, galvanized metal strip will be centered over the peak of the roof and fastened with galv. roofing nails at 2" on center on both sides of the centerline.

Gasket (weatherproofing requirement)

I understand a properly installed gasket is a requirement of all new and used homes and that condensation, mold, mildew and buckled marriage walls are a result of a poorly installed or no gasket being installed. I understand a strip of tape will not serve as a gasket.

Installer's initials

D.W.T.

Type gasket Foam

Installed:

Between Floors Yes ☒
Between Walls Yes ☒
Bottom of ridgebeam Yes ☒

Weatherproofing

The bottomboard will be repaired and/or taped. Yes _____ Pg. _____
Siding on units is installed to manufacturer's specifications. Yes _____
Fireplace chimney installed so as not to allow intrusion of rain water. Yes _____

Miscellaneous

Skirting to be installed. Yes _____ No _____
Dryer vent installed outside of skirting. Yes _____ N/A
Range downflow vent installed outside of skirting. Yes _____
Drain lines supported at 4 foot intervals. Yes _____
Electrical crossovers protected. Yes _____

Other: _____

Installer verifies all information given with this permit worksheet is accurate and true based on the manufacturer's installation instructions and or Rule 15C-1 & 2

Installer Signature

Donald W. Todd Date 8-10-06

PERMIT NUMBER

Installer Donald Todd License # TH0000316



Address of home being installed 235 SW Bonding way

Manufacturer SPVT Length x width 26x56

NOTE: if home is a single wide fill out one half of the blocking plan if home is a triple or quad wide sketch in remainder of home

I understand Lateral Arm Systems cannot be used on any home (new or used) where the sidewall ties exceed 5 ft 4 in.

Installer's initials _____



New Home ☐ Used Home ☒

Home installed to the Manufacturer's Installation Manual ☐

Home is installed in accordance with Rule 15-C ☒

Single wide ☐ Wind Zone II ☒ Wind Zone III ☐

Double wide ☒ Installation Decal # _____

Triple/Quad ☐ Serial # _____

PIER SPACING TABLE FOR USED HOMES

Load bearing capacity	Footer size (sq in)	16" x 16" (256)	18 1/2" x 18 1/2" (342)	20" x 20" (400)	22" x 22" (484)*	24" x 24" (576)*	26" x 26" (676)
1000 psf	3'	4'	4'	5'	6'	7'	8'
1500 psf	4'	6'	6'	7'	8'	8'	8'
2000 psf	6'	8'	8'	8'	8'	8'	8'
2500 psf	7'	8'	8'	8'	8'	8'	8'
3000 psf	8'	8'	8'	8'	8'	8'	8'
3500 psf	8'	8'	8'	8'	8'	8'	8'

* Interpolated from Rule 15C-1 pier spacing table.

PIER PAD SIZES

I-beam pier pad size

Perimeter pier pad size

Other pier pad sizes (required by the mfg.)

24 x 24

16 x 16

32 x 16

Draw the approximate locations of marriage wall openings 4 foot or greater. Use this symbol to show the piers.

List all marriage wall openings greater than 4 foot and their pier pad sizes below.

Opening

Pier pad size

4 ft ☒ 5 ft

ANCHORS

FRAME TIES

within 2' of end of home spaced at 5' 4" oc

OTHER TIES

Number

Sidewall _____
Longitudinal _____
Marriage wall _____
Shearwall _____

TIEDOWN COMPONENTS

Longitudinal Stabilizing Device (LSD)
Manufacturer _____
Longitudinal Stabilizing Device w/ Lateral Arms
Manufacturer _____

Columbia County Building Department Culvert Waiver

Culvert Waiver No.
000001185

DATE: 08/14/2006

BUILDING PERMIT NO. 24462

APPLICANT LEON DOUGLAS

PHONE 386.497.2279

ADDRESS 593 SW HAWAII TERRACE

FT.WHITE

FL 32038

OWNER LEON DOUGLAS

PHONE 386.497.2279

ADDRESS 235 SW BOUNDARY WAY

FT. WHITE

FL 32038

CONTRACTOR DON TODD

PHONE 386.963.3433

LOCATION OF PROPERTY 47-S TO US 27, TL TO UTAH(OLD ROBERTS), L ROBERTS, R KENTUCKY,

L BOUNDRY WAY, APPROX. 200 YARDS ON LEFT

SUBDIVISION/LOT/BLOCK/PHASE/UNITHERNDON ACRES

2

PARCEL ID # 19-6S-16-03876-105

I HEREBY CERTIFY THAT I UNDERSTAND AND WILL FULLY COMPLY WITH THE DECISION OF THE COLUMBIA COUNTY PUBLIC WORKS DEPARTMENT IN CONNECTION WITH THE HEREIN PROPOSED APPLICATION.

SIGNATURE:

**A SEPARATE CHECK IS REQUIRED
MAKE CHECKS PAYABLE TO BCC**

Amount Paid 50.00

PUBLIC WORKS DEPARTMENT USE ONLY

I HEREBY CERTIFY THAT I HAVE EXAMINED THIS APPLICATION AND DETERMINED THAT THE CULVERT WAIVER IS:

APPROVED

NOT APPROVED - NEEDS A CULVERT PERMIT


COMMENTS:

SIGNED:

DATE:

ANY QUESTIONS PLEASE CONTACT THE PUBLIC WORKS DEPARTMENT AT 386-752-5955.

135 NE Hernando Ave., Suite B-21
Lake City, FL 32055
Phone: 386-758-1008 Fax: 386-758-2160






STATE OF FLORIDA
DEPARTMENT OF HEALTH

APPLICATION FOR ONSITE SEWAGE DISPOSAL SYSTEM CONSTRUCTION PERMIT

Permit Application Number 06-0668N

PART II - SITE PLAN

Scale: Each block represents 5 feet and 1 inch = 50 feet.



Notes: _____

Site Plan submitted by: Leon O. Douglas Signature OWN Title

Plan Approved _____ Not Approved _____ Date _____

By _____ County Health Department

ALL CHANGES MUST BE APPROVED BY THE COUNTY HEALTH DEPARTMENT


LETTER OF AUTHORIZATION

Date: 8-10-06

Columbia County Building Department
P.O. Drawer 1529
Lake City, FL 32056

I Don Todd, License No. 140000316 do hereby
Authorize Leon R. Douglas to pull and sign permits on my
behalf.

Sincerely,



Sworn to and subscribed before me this 10th day of August, 2006.

Notary Public: Marcia A. Kirby
MARCIA A. KIRBY

My commission expires: April 20, 2008
Notary Public, State of Florida
My comm. exp. April 20, 2008
Comm. No. DD 312160

Personally Known ✓

Produced Valid Identification: _____

Property Line

N.E.
Corner
Drive
Way
←25'→

Property Line

North

←46'→

MH

←46'→

↑
100'
↓

VACANT BACK AC.
1 of 2 AC

COLUMBIA COUNTY 9-1-1 ADDRESSING

P. O. Box 1787, Lake City, FL 32056-1787

PHONE: (386) 758-1125 * FAX: (386) 758-1365 * Email: ron_croft@columbiacountyfla.com

Addressing Maintenance

To maintain the Countywide Addressing Policy you must make application for a 9-1-1 Address at the time you apply for a building permit. The established standards for assigning and posting numbers to all principal buildings, dwellings, businesses and industries are contained in Columbia County Ordinance 2001-9. The addressing system is to enable Emergency Service Agencies to locate you in an emergency, and to assist the United States Postal Service and the public in the timely and efficient provision of services to residents and businesses of Columbia County.

DATE REQUESTED: 7/25/2006 **DATE ISSUED:** 7/26/2006

ENHANCED 9-1-1 ADDRESS:

235 SW BOUNDARY WAY

FORT WHITE FL 32038

PROPERTY APPRAISER PARCEL NUMBER:

19-6S-16-03876-105

Remarks:

LOT 5 HERNDON ACRES S/D

Address Issued By: _____

Columbia County 9-1-1 Addressing / GIS Department

NOTICE: THIS ADDRESS WAS ISSUED BASED ON LOCATION INFORMATION RECEIVED FROM THE REQUESTER. SHOULD, AT A LATER DATE, THE LOCATION INFORMATION BE FOUND TO BE IN ERROR, THIS ADDRESS IS SUBJECT TO CHANGE.



Leon Douglas

STATE OF FLORIDA
DEPARTMENT OF HEALTH


APPLICATION FOR ONSITE SEWAGE DISPOSAL SYSTEM CONSTRUCTION PERMIT

Permit Application Number

06-0668N

PART II - SITE PLAN

Scale: Each block represents 5 feet and 1 inch = 50 feet.



Notes:

Site Plan submitted by:

Leon D. Douglas
Signature

OWNER

Title

Date 8/1/6

Plan Approved X

APPROVED

Not Approved

by

Proctor

Columbia CHD

County Health Department

ALL CHANGES MUST BE APPROVED BY THE COUNTY HEALTH DEPARTMENT

@ CAM112M01 S CamaUSA Appraisal System
 8/08/2006 9:33 Legal Description Maintenance
 Year T Property Sel
 2006 R 19-6S-16-03876-105
 *ADDR NOTE
 DOUGLAS LEON D

	Columbia	County
15000	Land	001 *
	AG	000
	Bldg	000
	Xfea	000
15000	TOTAL	B*

1	LOT 5, HERNDON ACRES S/D.....	ORB 876-1732,, 961-794.....	2
3			4
5			6
7			8
9			10
11			12
13			14
15			16
17			18
19			20
21			22
23			24
25			26
27			28


Mnt 9/06/2002 KYLIE

F1=Task F3=Exit F4=Prompt F10=GoTo PgUp/PgDn F24=More

determine if flood insurance is available, contact an insurance
t or call the National Flood Insurance Program at (800) 638-6620



APPROXIMATE SCALE IN FEET



NATIONAL FLOOD INSURANCE PROGRAM

FIRM
FLOOD INSURANCE RATE MAP

COLUMBIA
COUNTY,
FLORIDA
(UNINCORPORATED AREAS)

PANEL 225 OF 290

PANEL LOCATION



COMMUNITY-PANEL NUMBER



120070 0225 B

EFFECTIVE DATE:

JANUARY 6, 1988



Federal Emergency Management Agency



PRELIMINARY MOBILE HOME INSPECTION REPORT

Call 1st

DATE RECEIVED 8-2-06 BY [Signature] IS THE M/H ON THE PROPERTY WHERE THE PERMIT WILL BE ISSUED? NO

OWNERS NAME Leon D. Douglass PHONE 497-2279 CELL

ADDRESS

MOBILE HOME PARK N8 SUBDIVISION

DRIVING DIRECTIONS TO MOBILE HOME 47^S / (L) 138 / (L) Normandy (across from Run Island) straight
onto Silent Drive

MOBILE HOME INSTALLER Roberta Olesky PHONE (352) 542-9924 CELL

MOBILE HOME INFORMATION

MAKE Scute YEAR 84 SIZE 26 x 60 COLOR white

SERIAL No. FDGA 5Q4121

WIND ZONE II Must be wind zone II or higher NO WIND ZONE I ALLOWED

INTERIOR:

(P or F) - P= PASS F= FAILED

INSPECTION STANDARDS

P SMOKE DETECTOR () OPERATIONAL () MISSING
P FLOORS () SOLID () WEAK () HOLES DAMAGED LOCATION
P DOORS () OPERABLE () DAMAGED
P WALLS () SOLID () STRUCTURALLY UNSOUND
P WINDOWS () OPERABLE () INOPERABLE
P PLUMBING FIXTURES () OPERABLE () INOPERABLE () MISSING
P CEILING () SOLID () HOLES () LEAKS APPARENT
P ELECTRICAL (FIXTURES/OUTLETS) () OPERABLE () EXPOSED WIRING () OUTLET COVERS MISSING () LIGHT FIXTURES MISSING

EXTERIOR:

P WALLS/SIDING () LOOSE SIDING () STRUCTURALLY UNSOUND () NOT WEATHERTIGHT () NEEDS CLEANING
P WINDOWS () CRACKED/ BROKEN GLASS () SCREENS MISSING () WEATHERTIGHT
P ROOF () APPEARS SOLID () DAMAGED

STATUS:

APPROVED [Signature] WITH CONDITIONS:

NOT APPROVED NEED REINSPECTION FOR FOLLOWING CONDITIONS

SIGNATURE [Signature] ID NUMBER 307 DATE 8-7-06

PRELIMINARY MOBILE HOME INSPECTION REPORT



DATE RECEIVED 7-13-06 BY LH IS THE M/H ON THE PROPERTY WHERE THE PERMIT WILL BE ISSUED? NO
 OWNERS NAME Leon D. Douglas PHONE 497-2279 CELL _____
 ADDRESS _____

MOBILE HOME PARK N/A SUBDIVISION N/A

DRIVING DIRECTIONS TO MOBILE HOME 47 S, (L) 138, (L) Normandy, to dead end
see sign 796? at dead end on (L)

MOBILE HOME INSTALLER _____ PHONE _____ CELL _____

MOBILE HOME INFORMATION

MAKE Sevi YEAR 84 SIZE 24 x 5 COLOR white

SERIAL No. FDG 45 Q^x 4121

WIND ZONE 11? Must be wind zone II or higher NO WIND ZONE I ALLOWED

INTERIOR: **INSPECTION STANDARDS**
 (P or F) - P= PASS F= FAILED

- ☒ SMOKE DETECTOR () OPERATIONAL () MISSING
- ☒ FLOORS () SOLID () WEAK () HOLES DAMAGED LOCATION _____
- ☒ DOORS () OPERABLE () DAMAGED
- ☒ WALLS () SOLID () STRUCTURALLY UNSOUND
- ☒ WINDOWS () OPERABLE () INOPERABLE
- ☒ PLUMBING FIXTURES () OPERABLE () INOPERABLE () MISSING
- ☒ CEILING () SOLID () HOLES () LEAKS APPARENT
- ☒ ELECTRICAL (FIXTURES/OUTLETS) () OPERABLE () EXPOSED WIRING () OUTLET COVERS MISSING () LIGHT FIXTURES MISSING

Call to set up time to be let in the M/H.

- EXTERIOR:**
- ☒ WALLS / SIDING () LOOSE SIDING () STRUCTURALLY UNSOUND () NOT WEATHERTIGHT () NEEDS CLEANING
 - ☒ WINDOWS () CRACKED/ BROKEN GLASS () SCREENS MISSING () WEATHERTIGHT
 - ☒ ROOF () APPEARS SOLID () DAMAGED

STATUS:
 APPROVED ☒ WITH CONDITIONS: _____

NOT APPROVED _____ NEED REINSPECTION FOR FOLLOWING CONDITIONS _____

SIGNATURE Doug P. A. ID NUMBER 396 DATE 7-18-06

I Have a Well Drilling
Machine, that I
use for Personal
use ONLY.

Well on Property
Will Be 60' Deep

2" Diameter

With 210 motor
above ground

With $\frac{3}{4}$ " outlet

To Mobile Home
Leon D. Douglas