

DATE 08/11/2009

Columbia County Building Permit

PERMIT

This Permit Must Be Prominently Posted on Premises During Construction

000028000

APPLICANT WENDY GRENNELL PHONE 497-2311
ADDRESS P.O. BOX 39 FT. WHITE FL 32038
OWNER JERRY CONNER, SR PHONE 497-2504
ADDRESS 4490 SW WILDWOOD CT LAKE CITY FL 32024
CONTRACTOR ROBERT SHEPPARD PHONE 623-2203
LOCATION OF PROPERTY TUSTENUGGEE, TL ON WILDWOOD CT, LAST DRIVEWAY ON RIGHT

TYPE DEVELOPMENT MH, UTILITY ESTIMATED COST OF CONSTRUCTION 0.00
HEATED FLOOR AREA TOTAL AREA HEIGHT STORIES
FOUNDATION WALLS ROOF PITCH FLOOR
LAND USE & ZONING A-3 MAX. HEIGHT
Minimum Set Back Requirments: STREET-FRONT 30.00 REAR 25.00 SIDE 25.00
NO. EX.D.U. 0 FLOOD ZONE X DEVELOPMENT PERMIT NO.

PARCEL ID 19-5S-17-09290-008 SUBDIVISION ROSE MARIE UNREC.
LOT 8 BLOCK PHASE .00 UNIT 0 TOTAL ACRES 3/26

IH0000833
Culvert Permit No. Culvert Waiver Contractor's License Number Applicant/Owner/Contractor
PRIVATE 09-394 CS HD Y
Driveway Connection Septic Tank Number LU & Zoning checked by Approved for Issuance New Resident

COMMENTS: ONE FOOT ABOVE THE ROAD

Check # or Cash 5239

FOR BUILDING & ZONING DEPARTMENT ONLY

(footer/Slab)

Temporary Power Foundation Monolithic
date/app. by date/app. by date/app. by
Under slab rough-in plumbing Slab Sheathing/Nailing
date/app. by date/app. by date/app. by
Framing Insulation
date/app. by date/app. by
Rough-in plumbing above slab and below wood floor Electrical rough-in
date/app. by date/app. by
Heat & Air Duct Peri. beam (Lintel) Pool
date/app. by date/app. by date/app. by
Permanent power C.O. Final Culvert
date/app. by date/app. by date/app. by
Pump pole Utility Pole M/H tie downs, blocking, electricity and plumbing
date/app. by date/app. by date/app. by
Reconnection RV Re-roof
date/app. by date/app. by date/app. by

BUILDING PERMIT FEE \$ 0.00 CERTIFICATION FEE \$ 0.00 SURCHARGE FEE \$ 0.00
MISC. FEES \$ 350.00 ZONING CERT. FEE \$ 50.00 FIRE FEE \$ 12.84 WASTE FEE \$ 33.50
FLOOD DEVELOPMENT FEE \$ FLOOD ZONE FEE \$ 25.00 CULVERT FEE \$ TOTAL FEE 471.34

INSPECTORS OFFICE CLERKS OFFICE

NOTICE: IN ADDITION TO THE REQUIREMENTS OF THIS PERMIT, THERE MAY BE ADDITIONAL RESTRICTIONS APPLICABLE TO THIS PROPERTY THAT MAY BE FOUND IN THE PUBLIC RECORDS OF THIS COUNTY. AND THERE MAY BE ADDITIONAL PERMITS REQUIRED FROM OTHER GOVERNMENTAL ENTITIES SUCH AS WATER MANAGEMENT DISTRICTS, STATE AGENCIES, OR FEDERAL AGENCIES.

"WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT."

EVERY PERMIT ISSUED SHALL BECOME INVALID UNLESS THE WORK AUTHORIZED BY SUCH PERMIT IS COMMENCED WITHIN 180 DAYS AFTER ITS ISSUANCE, OR IF THE WORK AUTHORIZED BY SUCH PERMIT IS SUSPENDED OR ABANDONED FOR A PERIOD OF 180 DAYS AFTER THE TIME THE WORK IS COMMENCED. A VALID PERMIT RECIEVES AN APPROVED INSPECTION EVERY 180 DAYS. WORK SHALL BE CONSIDERED NOT SUSPENDED, ABANDONED OR INVALID WHEN THE PERMIT HAS RECIEVED AN APPROVED INSPECTION WITHIN 180 DAYS OT THE PREVIOUS INSPECTION.

The Issuance of this Permit Does Not Waive Compliance by Permittee with Deed Restrictions.

471.34

PERMIT APPLICATION / MANUFACTURED HOME INSTALLATION APPLICATION

For Office Use Only (Revised 1-10-08) Zoning Official aps 7/23/09 Building Official NO 7-22-09
AP# 09073 Date Received 7/21/09 By GT Permit # 28000
Flood Zone X Development Permit _____ Zoning A-3 Land Use Plan Map Category H-3
Comments _____
FEMA Map# _____ Elevation _____ Finished Floor _____ River _____ In Floodway _____
☒ Site Plan with Setbacks Shown ☒ EH # 09-0394-N ☐ EH Release ☒ Well letter ☐ Existing well
☒ Recorded Deed or Affidavit from land owner ☐ Letter of Auth. from installer ☐ State Road Access
☐ Parent Parcel # _____ ☐ STUP-MH _____ ☐ F W Comp. letter _____
IMPACT FEES: EMS _____ Fire _____ Corr _____ Road/Code _____
School _____ = TOTAL _____ ☒ SERIAL # _____

Property ID # 19-55-17-09290-008 Subdivision ROSAMARIA LOT 8 S/D Unrec.

▪ New Mobile Home ☒ Used Mobile Home _____ MH Size 40x76 Year 09

▪ Applicant Dale Bird, Rocky Ford or Wendy Brennan Phone # 386-497-2311

▪ Address PO Box 39, Fort White, FL, 32038

▪ Name of Property Owner JERRY COWNER JR. Phone # 386-497-2504

▪ 911 Address 449 SW Wildwood Ct, Lake City, FL 32024

▪ Circle the correct power company - FL Power & Light - Clay Electric
(Circle One) - Suwannee Valley Electric - Progress Energy

▪ Name of Owner of Mobile Home SAME Phone # SAME

Address 243 SW GRANADA LANE, LC, FL, 32024

▪ Relationship to Property Owner SAME

▪ Current Number of Dwellings on Property 0

▪ Lot Size 413' x 575' Total Acreage 5.26 (4.26 + 1)

▪ Do you : Have Existing Drive or Private Drive or need Culvert Permit or Culvert Waiver (Circle one)
(Currently using) (Blue Road Sign) (Putting in a Culvert) (Not existing but do not need a Culvert)

▪ Is this Mobile Home Replacing an Existing Mobile Home NO (owes)

▪ Driving Directions to the Property TUSTENUGGE SOUTH, PAST CR 240, TL ON WILDWOOD COURT, LAST DRIVEWAY ON RIGHT

▪ Name of Licensed Dealer/Installer ROBERT SHEPPARD Phone # 386-623-2203

▪ Installers Address 6355 SE CR 245, LAKE CITY, FL, 32025

▪ License Number TH-0000833 Installation Decal # 278546

Spoke to Christina

Columbia County Property Appraiser

DB Last Updated: 4/27/2009


Parcel: 19-5S-17-09290-008

2009 Preliminary Values**Owner & Property Info**

Search Result: 1 of 2

Next >>

Owner's Name	CONNER JERRY L & WANDA		
Site Address			
Mailing Address	243 SW GRANADA LN LAKE CITY, FL 32024		
Use Desc. (code)	VACANT (000000)		
Neighborhood	019517.01	Tax District	3
UD Codes	MKTA02	Market Area	02
Total Land Area	4.260 ACRES		
Description	COMM NE COR OF SE1/4 OF NE1/4, RUN W 20 FT FOR POB, CONT W 575.10 FT TO E R/W OAK DR, RUN S ALONG R/W 413.22 FT, E 544.21 FT, N 402.97 FT TO POB. AKA LOT 8 UNR REPLAT ROSAMARIA S/D. EX 1.0 AC DESC IN WD 1148 -290, WD 707-259, WD 952-511,		

GIS Aerial**Property & Assessment Values**

Mkt Land Value	cnt: (1)	\$39,482.00
Ag Land Value	cnt: (0)	\$0.00
Building Value	cnt: (0)	\$0.00
XFOB Value	cnt: (0)	\$0.00
Total Appraised Value		\$39,482.00

Just Value	\$39,482.00
Class Value	\$0.00
Assessed Value	\$39,482.00
Exemptions	\$0.00
Total Taxable Value	County: \$39,482.00 City: \$39,482.00 Other: \$39,482.00 School: \$39,482.00

Sales History

Sale Date	Book/Page	Inst. Type	Sale Vlmp	Sale Qual	Sale RCode	Sale Price
4/19/2002	952/511	WD	V	Q		\$25,000.00

When recorded, mail to:

Name: _____

Address: _____

City/State/Zip Code: _____

Inst:200912010557 Date:6/25/2009 Time:9:48 AM

Doc Stamp-Deed:52.50

DC,P.DeWitt Cason,Columbia County Page 1 of 2 B:1175 P:2587

Space above this line for Recorder's use

QUITCLAIM DEED

KNOW ALL MEN BY THESE PRESENTS:

That I (we), Corinne Conner and Jerry Conner Jr,
the undersigned, for the consideration of Ten Dollars (\$10.00), and other valuable considerations, do
hereby release, remise, and forever quitclaim unto Wanda and Jerry Conner Sr

all right, title and interest in that certain Property situated in Columbia County,
State of Florida, and described as follows:

DESCRIPTION:

A PART OF LOT NO. 8, ROSE MARIE SUBDIVISION, UNRECORDED, BEING DESCRIBED AS FOLLOWS:

COMMENCE AT THE NE CORNER OF THE SE 1/4 OF THE NE 1/4, SECTION 19, TOWNSHIP 5 SOUTH, RANGE 17 EAST, COLUMBIA COUNTY, FLORIDA, AND RUN S.89°26'51"W., ALONG THE NORTH LINE OF SAID SE 1/4 OF THE NE 1/4, 53.57; THENCE S.00°31'03"E., 67.00 FEET TO THE POINT OF BEGINNING; THENCE CONTINUE S.00°31'03"E., 209.00 FEET; THENCE S.89°27'49"W., 209.00 FEET; THENCE N.00°31'03"W., 209.00 FEET; THENCE N.89°27'49"E., 209.00 FEET TO THE POINT OF BEGINNING. CONTAINING 1.0 ACRES, MORE OR LESS.

TOGETHER WITH AN INGRESS, EGRESS & UTILITY EASEMENT BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

SAID EASEMENT LYING 30.00 FEET SOUTH OF THE FOLLOWING DESCRIBED LINE AND EXTENDING TO THE EASTERLY RIGHT-OF-WAY LINE OF OAK DRIVE; COMMENCE AT THE NE CORNER OF THE SE 1/4 OF THE NE 1/4, SECTION 19, TOWNSHIP 5 SOUTH, RANGE 17 EAST, COLUMBIA COUNTY, FLORIDA, AND RUN S.89°26'51"W., ALONG THE NORTH LINE OF SAID SE 1/4 OF THE NE 1/4, 53.57; THENCE S.00°31'03"E., 67.00 FEET; THENCE S.89°27'49"W., 209.00 FEET TO THE POINT OF BEGINNING OF AFOREMENTIONED NORTH LINE OF SAID EASEMENT; THENCE CONTINUE S.89°27'49"W., ALONG SAID NORTH LINE OF EASEMENT, 310.90 FEET TO THE EASTERLY RIGHT-OF-WAY LINE OF SAID OAK DRIVE.

IN WITNESS WHEREOF, I (we) have hereunto set my (our) hand(s) and seal this 25th day of

June, 2009

CORINNE R. CONNER

Printed Name of Releasor

JERRY L. CONNER JR.

Printed Name of Releasor

Donna H Kennen

Printed Name of Witness (if required by State Laws)

Corinne R. Conner

Signature of Releasor

Jerry L. Conner Jr.

Signature of Releasor

Donna H. Kennen

Signature of Witness (if required by State Laws)

ACKNOWLEDGMENT
(States Other Than California)

State of Florida)
County of Columbia) ss.

On this 25th day of June, 2009, before me, the undersigned
Notary Public, personally appeared Corinne Conner & Jerry Conner

known to me to be the individual(s) who executed the foregoing instrument and acknowledged the same
to be his(her)(their) free act and deed.

My Commission Expires: 11/12/2012

Donna H. Kennon
Notary Public

If acknowledged in the State of Florida, complete section(s) below:

(Releasor) ☐ Personally Known (or) ☒ Produced Identification

If applicable, Type of Identification Produced: Florida
Drivers License



(Co-Releasor) ☐ Personally Known (or) ☐ Produced Identification

If applicable, Type of Identification Produced: _____

ACKNOWLEDGMENT
(State Of California)

State of California)
County of _____) ss.

On this _____ day of _____, _____, before me, _____
_____, the undersigned Notary Public, personally appeared,

personally known to me (or proved to me on the basis of satisfactory evidence) to be the person(s) whose
name(s) is(are) subscribed to the attached instrument and acknowledged to me that he(he)(they)
executed the same in his(her)(their) authorized capacity(ies), and that by his(her)(their) signature(s) on
the instrument, the person(s) or the entity upon behalf of which the person(s) acted, executed the
instrument.

WITNESS my hand and official seal.

Notary Public

A & B Well Drilling, Inc.
5673 NW Lake Jeffery Road
Lake City, FL, 32055
(O) 386-758-3409
(F) 386-758-3410
(C) 386-623-3151

7/20/2009

To: Columbia County Building Department

Description of well to be installed for Customer: Committed
Located at Address: WILLOWOOD COURT

1 hp 15 GPM Submersible Pump, 1 1/4" drop pipe, 86 gallon captive tank and back flow prevention, With SRWMD permit.


Bruce Park
Sincerely
Bruce Park
President

STATE OF FLORIDA
DEPARTMENT OF HEALTH
APPLICATION FOR ONSITE SEWAGE DISPOSAL SYSTEM CONSTRUCTION PERMIT

Permit Application Number _____

----- PART II - SITEPLAN -----

Scale: 1 inch = 50 feet.



Notes: 2 of 5 ACRES

Site Plan submitted by: Rock 77

Plan Approved _____ Not Approved _____

By _____ Date _____ County Health Department

ALL CHANGES MUST BE APPROVED BY THE COUNTY HEALTH DEPARTMENT

MOBILE HOME INSTALLER AFFIDAVIT

As per Florida Statutes Section 320.8249 Mobile Home Installers License:

Any person who engages in mobile home installation shall obtain a mobile home installer's license from the Bureau of Mobile Home and Recreational Vehicle Construction of the Department of Highway Safety and Motor Vehicles pursuant to this section. Said License shall be renewed annually, and each licensee shall pay a fee of \$150.


I, Robert Sheppard, license number IH -- 0000833 do hereby state that the installation of the manufactured home for (applicant) Dale Burd, Rocky Ford or Wendy Greppnell for (customer name) Conner in Columbia County will be done under my supervision.

Robert Sheppard
Signature

Sworn to and subscribed before me this 20 day of JULY, 2009

Personally Known: ✓
Produced ID (Type): _____

Notary Public: [Signature]



PERMIT NUMBER

PERMIT WORKSHEET

Page 7 of 22

Installer Nobert Sheppard License # 110000835

Address of home being installed
SW WILCOX CANY
14th ST E 22 24

Manufacturer Pala Harbor Length x Width 40 x 76


NOTE: If home is a strange wide fill out one half of the blocking plan if home is a triple or quad wide sketch in remainder of home

I understand lateral Arm Systems cannot be used on any home (new or used) where the sidewalks exceed 5 ft 4 in.

Installer's initials



overage will place within 2% of total of known per Rule 15C



New Home	<input checked="" type="checkbox"/>	Used Home	<input type="checkbox"/>
----------	-------------------------------------	-----------	--------------------------

is now installed to the Manufacturer's Installation Manual.

Frame is installed in accordance with Rule 15-1c.

Single wide ☐ Wind Zone II ☒ Wind Zone III ☐

Double wide ☐ Installation Decal # 418546

Triple/Quad ☒ Serial # 11956 ABC

Food System: ☒ Typical ☐ Mixed

PREF SPACING TABLE FOR USED HOMES

Load bearing capacity	Foam size (sq ft)	16' x 16' (256)	18 1/2" x 18 1/2" (342)	20' x 20' (400)	22' x 22' (484)	24' x 24' (576)	26' x 26' (676)
1000 psf	3'	4'	5'	6'	7'	8'	9'
1500 psf	4'	5'	7'	8'	9'	10'	11'
2000 psf	6'	8'	9'	10'	11'	12'	13'
2500 psf	7'	9'	10'	11'	12'	13'	14'
3000 psf	8'	9'	11'	12'	13'	14'	15'
3500 psf	9'	10'	12'	13'	14'	15'	16'

WEAR PAD GUTIES

Paid Size	Sq. in.
16 x 16	256
18 x 18	288
18.5 x 18.5	342
16 x 22.5	360
17 x 22	374
13 1/4 x 26 1/4	328
20 x 20	400
17 3/16 x 26 3/16	441
17 1/2 x 25 1/2	448
24 x 24	576
26 x 26	676

1-beam pier pad slabs

Perimeter pig pad size

Other pier pad sizes
(required by the mfg.)

 Draw the approximate locations of marriage walk openings 4 feet or greater. Use this symbol to show the piers.

List all marriage wall openings greater than 4' foot and their pier pad sizes below.

Conclusion

Pier pad size

$$\frac{4\pi}{5\pi}$$

PRIME TIME

within 2' of end of home
spaced at 5' 4" oc. ✓

THE DOWN COMPONENTS

Longitudinal Stabilizing Device (LSD)

Longitudinal Strapping Device w/ Lateral Arms
Manufactured By Oliver Holt

OTHER TIPS

Number

Longitudinal
Marriage and
Stress

PERMIT NUMBER

POCKET PENETROMETER TEST

The pocket penetrometer tests are rounded down to 1500 psi or check here to declare 1000 lb. soil without testing.

x 1800 x 1800 x 1800

POCKET PENETROMETER TESTING METHOD

1. Test the perimeter of the home at 6 locations.
2. Take the reading at the depth of the footer.
3. Using 500 lb. increments, take the lowest reading and round down to that increment.

x 1800 x 1800 x 1800

TORQUE PROBE TEST

The results of the torque probe test is 295 inch pounds or check here if you are declaring 5 anchors without testing. A test showing 275 inch pounds or less will require 5 foot anchors.

Note: A state approved lateral arm system is being used and 4 ft. anchors are allowed at the sidewalk locations. I understand 5 ft. anchors are required at all other locations. The torque test reading is 275 or less and where the mobile home manufacturer may require anchors with 4000 lb holding capacity.

installer's initials

ALL TESTS MUST BE PERFORMED BY A LICENSED INSTALLER

Installer Name

Date Tested

Electrical

Connect electrical conductors between multi-wire units, but not to the main power source. This includes the bonding wire between multi-wire units. Pg. 28

Plumbing

Connect all sewer drains to an existing sewer tap or septic tank. Pg. 29

Connect all potable water supply piping to an existing water meter, water tap, or other independent water supply systems. Pg. 29

Site Preparation

Debris and organic material removed ☒ Swept ☒ Pad ☒ Other ☐

Fastening multi-wire units

Floor: Type Fastener: lags Length: 5" Spacing: 16"
Walls: Type Fastener: straps Length: 6" Spacing: 16"
Roof: Type Fastener: lags Length: 6" Spacing: 16"
For used homes 3-4 ft. 30 gauge, 6" wide, galvanized metal strip will be centered over the peak of the roof and fastened with galv. roofing nails at 2" on center on both sides of the centerline.

Ground fastening requirements

I understand a properly installed gasket is a requirement of all new and used homes and that condensation, mold, mildew and buckled mainline walls are a result of a poorly installed or no gasket being installed. I understand a strip of tape will not serve as a gasket.

Installer's initials

Installed:

Type gasket foam Pg. 19

Between Floors Yes ☒
Between Walls Yes ☒
Bottom of ridgebeam Yes ☒

Weatherproofing

The bottomboard will be repaired and/or lapped. Yes ☒ Pg. 22
Siding on units is installed to manufacturer's specifications. Yes ☒
Fireplace chimney installed so as not to allow intrusion of rain water. Yes ☒

Miscellaneous

Shading to be installed. Yes ☒ No ☐
Dryer vent installed outside of skirting. Yes ☒ N/A ☒
Range downflow vent installed outside of skirting. Yes ☒ N/A ☒
Drain lines supported at 4 foot intervals. Yes ☒
Electrical crossovers protected. Yes ☒
Other ☐


Installer verifies all information given with this permit worksheet is accurate and true based on the manufacturer's installation instructions and or Rule 18C-1 & 2

Installer Signature

Robert Shepherd

Date 7-20-09

① = 2062 LBS.
② = 2362 LBS.
③ = 4105 LBS.
④ = 4185 LBS.
⑤ = 5220 LBS.
⑥ = 3220 LBS.
⑦ = 2074 LBS.
⑧ = 2074 LBS.
⑨ = 1808 LBS.
⑩ = 4741 LBS.
⑪ = 5439 LBS.
⑫ = 3115 LBS.
⑬ = 3116 LBS.
⑭ = 3124 LBS.
⑮ = 4123 LBS.
⑯ = 1804 LBS.



INSTALLING A HOME CAN BE VERY DANGEROUS. ONLY QUALIFIED PERSONNEL SHOULD EVER ATTEMPT TO INSTALL A HOME


- [illegible]

- [illegible]

INSTALLATION MUST CONFORM WITH THE PALM HARBOR INSTALLATION MANUAL
SEE NOTES SECTION

LEGEND

ALL I-BEAM, PERIMETER AND MARRIAGE LINE BLOCKING (EXCEPT COLUMN LOCATIONS) ARE BASED ON 18"x18"x4" PADS

-  15x16mm CONCRETE PAD = 1430 lbs.
 16x22mm CONCRETE PAD = 2266 lbs.
 16x18mm CONCRETE PAD = 1660 lbs.
 20x20mm CONCRETE PAD = 2460 lbs.
 24x24mm CONCRETE PAD = 3716 lbs.
 30x30mm CONCRETE PAD = 5860 lbs.



16"x18"x4" CONCRETE PIER PADS - STACKED
LOAD CAPACITY = # OF PADS ON BOTTOM X 1490 LBS.
(E. = FIVE 16"x18"x4" PADS (BOTTOM OF STACK) X 1490 = 7450 lbs.)

VECTOR DYNAMICS STABILIZER SYSTEMS
(SEE CHART FOR REQUIRED NUMBER OF VECTOR SYSTEMS)

Model Number: 60T5

IT IS THE RESPONSIBILITY OF THE OWNER AND/OR INSTALLER TO CERTIFY THAT ANY EXISTING AND/OR FOUNDATION PROBLEMS ARE RESOLVED PRIOR TO SPECIFIC INSTALLATION.

BLK-1
MAGNET

LIMITED POWER OF ATTORNEY

I, Robert Sheppard, License # IH-0000833 do hereby authorize Dale Burd, Rocky Ford, Wendy Grennell or Kelly Bishop to be my representative and act on my behalf in all aspects of applying for a MOBILE HOME PERMIT to be installed any of the following Counties; Alachua, Baker, Bradford, Columbia, Dixie, Gilchrist, Hamilton, Lafayette, Levy, Madison, Suwannee & Union. This Power of attorney is valid thru 9/30/10.

Robert Sheppard
(Signature)

9/15/08
(Date)

Sworn and subscribed before me this 15 day of SEPT, 2008.

[Signature]
Notary Public

Personally Known: ✓
Produced ID (Type):



COLUMBIA COUNTY 9-1-1 ADDRESSING

P. O. Box 1787, Lake City, FL 32056-1787

PHONE: (386) 758-1125 • FAX: (386) 758-1365 • Email: ron_craft@columbiacountyfla.com

Addressing Maintenance

To maintain the Countywide Addressing Policy you must make application for a 9-1-1 Address at the time you apply for a building permit. The established standards for assigning and posting numbers to all principal buildings, dwellings, businesses and industries are contained in Columbia County Ordinance 2001-9. The addressing system is to enable Emergency Service Agencies to locate you in an emergency, and to assist the United States Postal Service and the public in the timely and efficient provision of services to residents and businesses of Columbia County.

DATE REQUESTED: 7/21/2009 DATE ISSUED: 7/22/2009

ENHANCED 9-1-1 ADDRESS:

449 SW WILDWOOD CT

LAKE CITY FL 32024

PROPERTY APPRAISER PARCEL NUMBER:

19-5S-17-09290-008

Remarks:

Application #:

0907-32

Address Issued By: 
Columbia County 9-1-1 Addressing / GIS Department

NOTICE: THIS ADDRESS WAS ISSUED BASED ON LOCATION INFORMATION RECEIVED FROM THE REQUESTER. SHOULD, AT A LATER DATE, THE LOCATION INFORMATION BE FOUND TO BE IN ERROR, THIS ADDRESS IS SUBJECT TO CHANGE.


1483

**STATE OF FLORIDA
DEPARTMENT OF HEALTH
APPLICATION FOR ONSITE SEWAGE DISPOSAL SYSTEM CONSTRUCTION PERMIT**

Permit Application Number 09-0394-N

----- PART II - SITEPLAN -----

Scale: 1 inch = 50 feet.



Application #:
0907-32

Notes:

2 of 5 ACRES

Site Plan submitted by:

Rock D J

Plan Approved X

Not Approved _____

MASTER CONTRACTOR

Date 7-23-09


By Salhi Lord EH Director Columbia

County Health Department

ALL CHANGES MUST BE APPROVED BY THE COUNTY HEALTH DEPARTMENT

@ CAM110M01 CamaUSA Appraisal System Columbia County
 7/23/2009 13:08 Property Maintenance 13680 Land 001
 Year T. Property Sel AG 000
 2009 R 19-5S-17-09290-011 Bldg 000
 Owner CONNER CORINNE Conf Xfea 000
 Addr 243 SW GRANADA LN
 -Cap?- 13680 TOTAL B
 SOH 10% ApYr ERnwl ARnwl Notc 1.000 Total Acres
 City, St LAKE CITY FL Zip 32024 N Y
 Country (PUD1) (PUD2) (PUD3) MKTA02
 Splt/Co JVChgCd pud4 pud5 pud6
 Appr By DF Date 4/20/2004 AppCode UseCd 000000 VACANT
 TxDist Nbhd MktA ExCode Exemption/% TxCode Units Tp
 003 19517.01 02
 ROSE MARIE
 House# Street MD Dir #
 - City Zip
 Subd N/A Condo .00 N/A
 Sect 19 Twn 5S Rnge 17 Subd Blk Lot
 Legals COMM NE COR OF SE1/4 OF NE1/4, RUN W 53.57 FT, S 67 FT FOR
 POB, CONT S 209 FT, W 209 FT, N 209 FT, E 209 FT TO POB. +
 Map# Mnt 12/02/2008 JEFF
 F1=Task F2=ExTx F3=Exit F4=Prompt F11=Docs F10=GoTo PgUp/PgDn F24=More

Will delete this parcel as
 soon as we are able to.



GENERAL PUBLIC AVENUE

M/H OCCUPANCY

COLUMBIA COUNTY, FLORIDA

Department of Building and Zoning Inspection

This Certificate of Occupancy is issued to the below named permit holder for the building and premises at the below named location, and certifies that the work has been completed in accordance with the Columbia County Building Code.

Parcel Number 19-5S-17-09290-008

Building permit No. 000028000

Permit Holder ROBERT SHEPPARD

Owner of Building JERRY CONNER, SR

Location: 4490 SW WILDWOOD CT., LAKE CITY, FL



Date: 12/10/2009

Harry Dickie

Building Inspector

POST IN A CONSPICUOUS PLACE
(Business Places Only)