District No. 1 - Ronald Williams
District No. 2 - Dewey Weaver
District No. 3 - Jody DuPree
District No. 4 - Stephen E. Bailey
District No. 5 - Scarlet P. Frisina



BOARD OF COUNTY COMMISSIONERS . COLUMBIA COUNTY

MEMO OF REVIEW FOR CORRECTNESS AND COMPLETION In accordance with participation in the NFIP/CRS program, all elevation certificates are required to be reviewed for correctness and completion prior to acceptance by the community. This completed form shall be attached to all elevation certificates maintained on file and provided with requested copies of elevation certificates.

Minor corrections have been n	ated is complete and correct. nade in the below marked sections by the authorized Com	munity Official.
	SECTION A - PROPERTY INFORMATION	For Insurance Company Use:
A1. Building Owner's Name		Policy Number
 Building Street Address (including Apt., U 	Jnit, Suite, and/or Bidg. No.) or P.O. Route and Box No.	Company NAIC Number
City		CONTROL OF THE CONTRO
A3 Property Description (Let and Block No.	State	ZIP Code
7.5. Property Description (Lot and Block Num	bers, Tax Parcel Number, Legal Description, etc.)	
A8. For a building with a crawl space or enclo a) Square footage of crawl space or encl b) No. of permanent flood openings in the enclosure(s) walls within 1.0 foot abov c) Total net area of flood openings in A8.	ing if the Certificate is being used to obtain flood insurance. Sure(s), provide: A9. For a building with an ail	ttached garage, provide: ttached garage sq ft bod openings in the attached garage above adjacent grade bod openings in A9.b sq in
B1. NFIP Community Name & Community Num B4. Map/Panel Number B5. Suffix	DN B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION B2. County Name B2. County Name B3. FIRM Panel Effective/Revised Date B3. Flood Zone(s) B4. Flood Zone(s)	B9. Base Flood Elevation(s) (Zone AO, use base flood depth)

All elevation certificates shall be maintained by the community and capies with the attached mamo made available supering quest.

I.S. DEPARTMENT OF HOMELAND SECURITY ederal Emergency Management Agency

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expires February 28, 2009

Important: Read the instructions on pages 1-8.

ation	al Flood Insurance Pro	ogram			illuctions on pa	2		and the same of th
				ION A - PROF	ERTY INFORMA	ATION		urance Company Use: Number
A1. I	A1. Building Owner's Name James Macaidso							
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. Con 334 SW Bluff Drive						Compa	ny NAIC Number	
(City Fort White S	tate FL ZIP Co	de 32038					^
A3. I 18-79	Property Description (I S-16-04236-014	_ot and Block Nur	mbers, Tax Parcel Nu	umber, Legal De	scription, etc.)			
A5. I A6. / A7. I A8. I	Building Use (e.g., Res Latitude/Longitude: La Attach at least 2 photo Building Diagram Num For a building with a cu a) Square footage of b) No. of permanent to enclosure(s) walls c) Total net area of fin	t. 29°52'21.54" N graphs of the bui ber <u>5</u> rawl space or end crawl space or end flood openings in within 1.0 foot ab good openings in A	Long. 82°44'43.38" Iding if the Certificate closure(s), provide nclosure(s) the crawl space or love adjacent grade	is being used to N/A sq ft N/A N/A N/A Sq in	A9. For a b A9. For a b a) Squ b) No. wal c) Tot	ance. uilding with an atta uare footage of atta of permanent floo ls within 1.0 foot a al net area of flood	ached garag ached garag d openings bove adjace I openings i	ge $\underline{0}$ sq ft in the attached garage ent grade $\underline{0}$
						INFORMATIC		
	IFIP Community Name mbia County 120070	e & Community N		B2. County Nan Columbia	ne		B3. State FL	
B4.	Map/Panel Number 0526	B5. Suffix C	B6. FIRM Index Date 02-04-2009	Effective	IRM Panel /Revised Date 04-2009	B8. Flood Zone(s) AE		ase Flood Elevation(s) (Zone O, use base flood depth) 36.0 ft.
	Is the building located Designation Date		N C - BUILDING E	☐ CBRS	☐ OPA			⊒Yes ⊠No
					☐ Building Under			shed Construction
*/ 22. E	uilding elevations are A new Elevation Certifice levations – Zones A1- elow according to the senchmark Utilized BN	cate will be requi A30, AE, AH, A (building diagram	with BFE), VE, V1-V3 specified in Item A7.	n of the building 30, V (with BFE)	is complete.			. Complete Items C2.a-g
C	onversion/Comments					Check the measur	ement used	i.
b) To b) c) d) e) f) g)	Bottom of the lower Attached garage (I Lowest elevation of (Describe type of elevation describe type of elevation)	ther floor st horizontal stru- top of slab) of machinery or ec- equipment in Com inished) grade (L	ctural member (V Zoo quipment servicing th nments) AG)	nes only)	N/A. ☐ fer N/A. ☐ fer N/A. ☐ fer 36.25 ☒ fer 28.7 ☒ fer	meters (Pue et meters (Pue	erto Rico or erto Rico or erto Rico or erto Rico or erto Rico or	nly) nly) nly) nly)
		PE	ON D - SURVEYOR	P ENGINEED	OR ARCHITEC	T CERTIFICAT	ION	
inform I una	certification is to be signation. I certify that the derstand that any false Check here if commen	gned and sealed ne information on statement may b	by a land surveyor, e this Certificate repre- se punishable by fine	engineer, or arch	itect authorized by	law to certify elevate data available.		PLACE
Certi	er's Name Robert P.	. Bishop, Jr.			License Number	PE# 36546		SEAL HERE
	Professional Enginee	1 -1	Company Nar	ne Bailey Bish	op & Lane, Inc.			
	ess SW 871 SR 47	r - 1	City Lake City	У	State FL ZIP C	Code 32025		
Sign	ature	5	Date /5/09	Telephon	e 386-752-5640			

/ · ·						
MPORTANT: In these spaces, co	py the corresponding info	rmation from Sect	on A.	For Insurance Company Use:		
Building Street Address (including Apt., U 334 SW Bluff Drive	Jnit, Suite, and/or Bldg. No.) or	P.O. Route and Box N	0.	Policy Number		
City Fort White State FL ZIP Code 32	2038			Company NAIC Number		
SECTION D	- SURVEYOR, ENGINEER	R, OR ARCHITECT	CERTIFICATION (CO	NTINUED)		
Copy both sides of this Elevation Certification	ate for (1) community official, (2	2) insurance agent/com	pany, and (3) building ov	wner.		
Comments A/C Pad						
Signature		Date		Check here if attachments		
SECTION E - BUILDING ELEVA	ATION INFORMATION (SU	RVEY NOT REQUIF	RED) FOR ZONE AO	AND ZONE A (WITHOUT BFE)		
For Zones AO and A (without BFE), com and C. For Items E1-E4, use natural gra	ade, if available. Check the me	asurement used. In Pi	ierto Rico only, enter me	eters.		
grade (HAG) and the lowest adjace a) Top of bottom floor (including be b) Top of bottom floor (including be E2. For Building Diagrams 6-8 with per (elevation C2.b in the diagrams) of E3. Attached garage (top of slab) is E4. Top of platform of machinery and/of E5. Zone AO only: If no flood depth no	acluding basement, crawl space, or enclosure) is feet meters above or below the HAG. Including basement, crawl space, or enclosure) is feet meters above or below the LAG. Including basement, crawl space, or enclosure) is feet meters above or below the LAG. Including basement, crawl space, or enclosure) is feet meters above or below the HAG. Including basement, crawl space, or enclosure) is feet meters above or below the HAG. Including basement, crawl space, or enclosure) is feet meters above or below the HAG. Including basement, crawl space, or enclosure) is feet meters above or below the HAG. Including basement, crawl space, or enclosure) is feet meters above or below the HAG. Including basement, crawl space, or enclosure) is feet meters above or below the HAG. Including basement, crawl space, or enclosure) is feet meters above or below the HAG. Including basement, crawl space, or enclosure) is feet meters above or below the HAG.					
SECTION F	- PROPERTY OWNER (O	R OWNER'S REPR	ESENTATIVE) CERT	IFICATION		
The property owner or owner's authorize or Zone AO must sign here. The statem	ed representative who complete ents in Sections A, B, and E are	s Sections A, B, and E e correct to the best of	for Zone A (without a FE my knowledge.	EMA-issued or community-issued BFE)		
Property Owner's or Owner's Authorized	Representative's Name					
Bailey Bishop & Lane, Inc. (LB#6685) Address SW 871 SR 47		City Lake City	State	FL ZIP Code 32025		
Signature		5/5/09	Teleph	none 386-752-5640		
Comments		7				
				Check here if attachmen		
	SECTION G - COMMU	JNITY INFORMATION	N (OPTIONAL)			
he local official who is authorized by law nd G of this Elevation Certificate. Compl	or ordinance to administer the	community's floodplain	management ordinance	e can complete Sections A, B, C (or E), ems G8. and G9.		
The information in Section C was is authorized by law to certify ele	as taken from other documentat evation information. (Indicate t	tion that has been sign he source and date of	ed and sealed by a licens the elevation data in the	sed surveyor, engineer, or architect who Comments area below.)		
2. A community official completed				nity-issued BFE) or Zone AO.		
33. The following information (Items						
G4. Permit Number	G5. Date Permit Issued	G6.	Date Certificate Of Con	mpliance/Occupancy Issued		
67. This permit has been issued for:	☐ New Construction ☐	Substantial Improver	nent			
68. Elevation of as-built lowest floor (inclu	uding basement) of the building		t meters (PR) Datun			
69. BFE or (in Zone AO) depth of flooding	g at the building site:		t meters (PR) Datun	m		
Local Official's Name		Title				
Community Name		Telephor	е			
Signature		Date				
Comments						

Check here if attachments

Building Photographs


See Instructions for Item A6.

	For Insurance Company Use:
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 334 SW Bluff Drive	Policy Number
City Fort White State FL ZIP Code 32038	Company NAIC Number

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least two building photographs below according to the instructions for Item A6. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." If submitting more photographs than will fit on this page, use the Continuation Page, following.



Front View - 4/30/09



Rear View - 4/30/09

DIAGRAM 3

All split-level buildings that are slab-on-grade, either detached or row type (e.g., townhouses); with or without attached garage.

Distinguishing Feature – The bottom floor (excluding garage) is at or above ground level (grade) on at least one side.*




DIAGRAM 4

All split-level buildings (other than slab-on-grade), either detached or row type (e.g., townhouses); with or without attached garage.

Distinguishing Feature – The bottom floor (basement or underground garage) is below ground level (grade) on all sides.*




DIAGRAM 5

All buildings elevated on piers, posts, piles, columns, or parallel shear walls. No obstructions below the elevated floor.

Distinguishing Feature – For all zones, the area below the elevated floor is open, with no obstruction to flow of flood waters (open lattice work and/or insect screening is permissible)





DIAGRAM 6

All buildings elevated on piers, posts, piles, columns, or parallel shear walls with full or partial enclosure below the elevated floor.

Distinguishing Feature – For all zones, the area below the elevated floor is enclosed, either partially or fully. In A Zones, the partially or fully enclosed area below the elevated floor is with or without openings** present in the walls of the enclosure. Indicate information about enclosure size and openings in Section A – Property Information.



- * A floor that is below ground level (grade) on all sides is considered a basement even if the floor is used for living purposes, or as an office, garage, workshop, etc.
- ** An "opening" is a permanent opening that allows for the free passage of water automatically in both directions without human intervention. Under the NFIP, a minimum of two openings is required for enclosures or crawlspaces. The openings shall provide a total net area of not less than one square inch for every square foot of area enclosed, excluding any bars, louvers, or other covers of the opening. Alternatively, an Individual Engineered Flood Openings Certification or an Evaluation Report issued by the International Code Council Evaluation Service (ICC ES) must be submitted to document that the design of the openings will allow for the automatic equalization of hydrostatic flood forces on exterior walls. A window, a door, or a garage door is not considered an opening; openings may be installed in doors. Openings shall be on at least two sides of the enclosed area. If a building has more than one enclosed area, each area must have openings to allow floodwater to directly enter. The bottom of the openings must be no higher than one foot above the higher of the exterior or interior grade or floor immediately below the opening. For more guidance on openings, see NFIP Technical Bulletin 1.