

# Columbia County BUILDING DEPARTMENT

Revised March 2021

## COMMERCIAL MINIMUM PLAN CHECKLIST

MINIMUM PLAN REQUIREMENTS AND CHECKLIST FOR THE 2020 FLORIDA BUILDING CODE ,FLORIDA PLUMBING CODE,FLORIDA MECHINICAL CODE,FLORIDA FUEL AND GAS CODE 2020 EFFECTIVE 1 JAN 2021 AND 2017 NATIONAL ELECTRICAL

### ALL REQUIREMENTS ARE SUBJECT TO CHANGE

ALL BUILDING PLANS MUST INDICATE COMPLIANCE WITH THE CURRENT FLORIDA BUILDING CODES. ALL PLANS OR DRAWING SHALL PROVIDED CALCULATIONS AND DETAILS THAT HAVE THE SEAL AND SIGNATURE OF A CERTIFIED ARCHITECT OR ENGINEER REGISTERED IN THE STATE OF FLORIDA, OR ALTERNATE METHODOLOGIES, APPROVED BY THE STATE OF FLORIDA BUILDING COMMISSION.

FOR DESIGN PURPOSES THE FOLLOWING BASIC WIND SPEEDS ARE PER FLORIDA BUILDING CODE FIGURE 1609.3 (1) THROUGH (4) ULTIMATE DESIGN WIND SPEEDS FOR RISK CATEGORY AND BUILDINGS AND OTHER STRUCTURES

	GENERAL REQUIREMENTS:	Items Box s			
1	All drawings must be clear, concise and drawn to scale, details that are not used shall be marked void.	YES	NO	N/A	-
2	If the design professional is an architect or engineer legally registered under the laws of this state regulating the practice of architecture as provided for in Chapter 481, Florida Statutes, Part I, or engineering as provided for in Chapter 471, Florida Statutes, then he or she shall affix his or her official seal to said drawings, specifications and accompanying data, as required by Florida Statute.	YES	NO	N/A	-
3	The design professional signature shall be affixed to the plans	YES	NO	N/A	<u>.                                    </u>
4	Two (2) complete sets of plans with the architecture or engineer signature and the date the affix embossed official seal was placed on the plans	YES	NO	N/A	-

### Two (2) complete sets of plans containing the following information:

Building Site Plan Requirements		Iter Eac			
4	Parking, including provision Florida Building Code Accessibility Code	Yes	No	N/A	-
5_	Fire access, showing all drive way which will be accessible for emergency vehicles	Yes	No	N/A	-
6	Driving/turning radius of parking lots	Yes	No	N/A	-
7	Vehicle loading include truck dock loading or rail site loading	(Yes)	No	N/A	-
8	Nearest or number of onsite Fire hydrant/water supply/post indicator valve (PIV)	Yes	No	N/A	-
9	Set back of all existing or proposed structures from each structure and property boundaries, Show all separation including assumed property lines	Yes	No	N/A	
0	Location of specific tanks(above or under grown ,water lines and sewer lines and septic tank and drain fields	Yes	No	N/A	-

11	All structures exterior views include finished floor elevation Yes No N/A						
12	Total height of structure(s) form established grade  Yes No N/A						
	Deview required by the Columbia Courty Fig. Do. 12Th 42		1,0				
	Review required by the Columbia County Fire Department Items 13 <sup>Th</sup> 43 (We Contact the Fire Inspector For You.)						
	Occupancy Group Gr						
	group use A B E F H I M R	oup Gr	oup	Group U D			
	circle all uses:						
13	Special occupancy requirements.	Ye	. 6	N/A	_		
14	Incidental use areas (total square footage for each room of use area)				_		
15	Mixed occupancies	Ye	7	N/A			
16	REQUIRED SEPARATION OF OCCUPANCIES IN HOURS FBC TABLE 707.3.10	Ye		N/A	-		
	Minimum type of permitted construction by code for occupancy use circle the construct	Ye tion type	FBC 6	02 N/A			
17	Type I Type II Type IV Type V						
	(FBC:602.2) (FBC:602.3) (FBC:602.4) (FBC:602.5)						
	Fire-resistant construction requirements shall be shown, include the following con	nponents					
18	Fire-resistant separations	Yes	, Na	N/A	_		
19	Fire-resistant protection for type of construction	Yes	No	N/A	-		
20	Protection of openings and penetrations of rated walls	Yes	No	N/A	-		
21	Protection of corridors and penetrations of rated walls  Yes No N/A -						
22	Fire blocking and draftstopping and calculated fire resistance  Yes No N/A						
	Fire suppression systems shall be shown include:		$\neg \exists$				
23	Early warning smoke evacuation systems Schematic fire sprinklers Standpipes	Yes	No	N/A			
24	Standpipes	Yes	No	N/A			
25	Pre-engineered systems	Yes	No	N/A	<b>-</b> 0		
26	Riser diagram  Life safety systems shall be shown include the following requirements:	Yes	No	N/A	<u>-</u> -		
27	Occupant load and egress capacities	(2)	V				
28	Early warning	Yes	No	N/A			
29	Smoke control			N/A	•x		
30		Yes	1	N/A	_		
31	Stair pressurization	Yes	1	N/A	-		
	Systems schematic Occupancy load/egress requirements shall be shown include:	Yes	No	N/A	_		
32	Occupancy load	(Ye)	No	N/A	-		
33	Gross occupancy load	Ves	No	N/A	_		
34	Net occupancy load	1	No	N/A	_		
35	Means of egress	Yes		N/A	_		
36	Exit access	Ves	No	N/A	_		
37	Exit discharge	Yes	Q	N/A			
38	Stairs construction/geometry and protection	Yes	Q.	, N/A	~ <u>*</u>		
39	Doors	Yes		N/A			
40	Emergency lighting and exit signs	Yas	No				
41	Specific occupancy requirements	Ves	NO.	N/A			

42	Construction requirements	Ked N	o N/A	-
43	Horizontal exits/exit passageways	Yes X	2 N/A	-

Items to Include Each Box shall be Marked as Applicable

		Appli	cable		
44	Structural requirements shall be shown include:				
45	Soil conditions/analysis	Yes	No	N/A	-
	Termite protection	(es)	No	N/A	-
46	Design loads	Ves	No	N/A	-
47	Wind requirements	Yes	No	N/A	-
48	Building envelope	Vec.	No	N/A	-
49	Structural calculations (if required)	Vos.	No	N/A	-
50	Foundation For structures with foundation which establish new electrical utility companies service connection a Concrete Encased Electrode will be required within the foundation to serve as an grounding electrode system.  Per the National Electrical Code article 250.52.3	Yes	No	N/A	-
51	Wall systems	Yes	No	N/A	_
52	Floor systems	Ye	No		-
53	Roof systems			N/A	
54	Threshold inspection plan	Ves Ves	No	N/A	
55	Stair systems	Yes	(N)	N/A	-
	Materials shall be shown include the following	Yes	(0)	N/A	-
56	Wood	Yes	No	N/A	-
57	Steel	Yes	No	N/A	2:
58	Aluminum	Yes	Q.	N/A	
59	Concrete	(Yes)	No	N/A	-
60	Plastic	Yes	(No	N/A	-
61	Glass	Yes	Q	N/A	
62	Masonry	Yes	(N)	N/A	1 <u>0.2</u> 15
63	Gypsum board and plaster	Ves	No	N/A	<b>=</b> 3
64	Insulating (mechanical)	Yes	N	N/A	-
65	Roofing	Yes	No	N/A	-/
66	Insulation	(Yes)	No	N/A	-
	Accessibility requirements shall be shown include the following	(C)	140	WA	
67	Site requirements	(Ves)	No	N/A	-
68	Accessible route	Yes	60	N/A	<u></u>
69	Vertical accessibility	Yes	<b>(3)</b>	N/A	=
70	Toilet and bathing facilities	Ves	No	N/A	_
71	Drinking fountains	(es)	No	N/A	_
72	Equipment	Yes	N)	N/A	-
73	Special occupancy requirements	Yes	(N)	N/A	_
74	Fair housing requirements	Yes	No	N/A	_

	Interior requirements shall include the following			A. J. Fall	
75	Review required by the Columbia County Fire Department Items 75 <sup>Th</sup> 80  Interior finishes (flame spread/smoke development)	Yes	8	N/A	-
76	Light and ventilation	Yes	Mp	N/A	-
77	Sanitation	Yes	No	N/A	-
	Special systems				
78	Elevators	Yes	100	N/A	-
79	Escalators	Yes	Q2	N/A	_
80	Lifts	Yes	0	N/A	_
	Swimming pools	1	2 45 16 27		
81	Barrier requirements	Yes	No.	N/A	_
82	Spas and Wading pools	Yes	Ng	N/A	-
83	Access required per Florida Building Code 454.1.2.5	Yes	3	N/A	-

4			12 22 1 PM 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		4000
	Wiring	VG2	No	N/A	1
85	Services <b>For</b> structures with foundation which establish new electrical companies service connection a Concrete Encased Electrode will be within the foundation to serve as an grounding electrode system. Per the National Electrical Code article 250.52.3	al utility Kes	No	N/A	-
86	Feeders and branch circuits	(es)	No	N/A	-
87	Overcurrent protection	Yes	No	N/A	-
88	Grounding	Yes	No	N/A	
89	Wiring methods and materials	Yes	1	N/A	-
90	GFCIs	Yes	No	N/A	-
91	Equipment	(es)	No	N/A	-
92	Special occupancies	Yes	1	N/A	-
93	Emergency systems	Yes	N	N/A	-
94	Communication systems	Yes	No	N/A	-
95	Low voltage	Yes	No	N/A	-
96	Load calculations	Yes	No	N/A	-
97	Plumbing		I		
98	Minimum plumbing facilities	Yes	No	N/A	-
99	Fixture requirements	Yes	N	N/A	1-
100	Water supply piping	Yes	No	N/A	<del>-</del>
01	Sanitary drainage Water heaters	Yes	No	N/A	<u> </u>
102	Vents		No	N/A	├—
103	Roof drainage	Way.	No.	N/A	-
04	Back flow prevention	Yes Yes	Mo No	N/A N/A	1

105 I	rrigation	Yes	0	NI/A	-
106	Location of water supply line		(S)	N/A	
107	Grease traps	Yes	(S)	N/A	
108	Environmental requirements	Yes		N/A	
100	Plumbing riser	Yes	No	N/A	
	Mechanical	Yes	100	N/A	-
	Energy calculations	Yes Yes	No	N/A	-6
111 E	Review required by the Columbia County Fire Department Items 111Th 114 Exhaust systems	Yes	No	NTA	-:
112	Clothes dryer exhaust	Wee	No	N/A	
113	Kitchen equipment exhaust	Yes	No	NA	-
114	Specialty exhaust systems			1	
	Equipment location	Yes	No	N/A/	
	Make-up air	(Yes)	No	N/A	-
	Roof-mounted equipment	Yes	(G)	N/A	-
	Ouct systems	(Yes)	No	N/A	-
	Ventilation	Ves	No	N/A	-
	aboratory	Yes	-	N/A	-
	Combustion air	Yes	X	(N/A	-
	Chimneys, fireplaces and vents	Yes	No	N/A	-
	Appliances	Yes	No	NA	-
	Boilers	Yes	No	WA	-
	Refrigeration	Yes	No	N/A	
125 B	Bathroom ventilation	Yes	No	N/A	-
	Gas	Items t Each E Marke	terns to Include- Each Box shall be Marked as Applicable		
126	Review required by the Columbia County Fire Department Items 126Th 134	M	Ng	N/A	
127	Gas piping Venting				-
120	Combustion air	Yes	No	N/A	-
129	Chimneys and vents	Yes	No	100	_
120	appliances	Yes	No	<b>10</b>	-
131	Type of gas	Yes	No	N/A	-
132	ireplaces	Yes	No	N/A	-
133	P tank location	Yes	No	MA	-
134	iser diagram/shutoffs	Yes	No	N/A	-
	Notice of Commencement	Yes	(No	<b>600</b>	-
135 A	recorded (in the Columbia County Clerk Office) notice of commencement is required to be on ile with the building department. Before Any Inspections Will Be Done			N/A	-
f	ne with the building department. Before Any Inspections will Be Done	Yes	No	IN/A	

			ND.	.H Yan	my			
	<b>的现在分词 医克里特氏性 医克斯特氏病</b>	Private Potable Water						
136	Horse power of pump motor	SEE PAGE 7- ON HOW		(Fes)	No	N/A	-	
137	Capacity of pressure tank	TO PROVIDE THIS DOCUMENTATION.	1	M	No	N/A	-	
138	Cycle stop valve if used	DOCUMENTATION.	7	Yes	No	N/A		
					to Inch Box sha	art was a second		

# Marked as Applicable THE FOLLOWING ITEMS MUST BE SUBMITTED WITH BUILDING PLANS

139	A Building Permit Application is to be completed by following the checklist all supporting documents must be submitted. Completed Applications can be mailed with The \$15.00 application fee.		Yes	No	N/A	-	
140	Parcel Number		The parcel number (Tax ID number) from the Property Appraiser is required. A copy of property deed is also required. (386) 758-1084	Yes	No	N/A	-
141	Environmental Health Permit or Sewer Tap Approval	disposal perm sewer tap lett	A copy of an approved Environmental Health (386) 758-1058 waste water disposal permit or an approved City of Lake City(386) 752-2031 OR Count sewer tap letter is required before a building permit can be issued.  Toilet facilities shall be provided for construction workers		No	N/A	-
142	Driveway Connection	If the property application for Works Dept. instillation an granted. Culv shall conforn registered en Florida Depa	y does not have an existing access to a public road, then an area culvert permit must be made (\$25.00). County Public determines the size and length of every culvert before determines a final inspection before permanent power is ert installation for commercial, industrial and other uses to the approved site plan or to the specifications of a gineer. Use or joint use of driveways will comply with artment of Transportation specifications. If the project is on an F.D.O.T. maintained road, then an F.D.O.T. access	(v.)	No	N/A	-
143	Suwannee River Water Management District Approval	All commercian exemption	cial projects must have an SRWMD permit issued or n letter, before a building permit will be issued.	(Yok	No	N/A	-
144	Flood Management	shall require p District, befor within a flood been establish Columbia Co- located within flood) has not of Columbia (	rithin the Floodway of the Suwannee or Santa Fe Rivers permitting through the Suwannee River Water Management re submitting application to this office. Any project located zone where the base flood elevation (100 year flood) has need shall meet the requirements of section 8.8 of the lanty Land Development Regulations. Any project that is a flood zone where the base flood elevation (100 year to been established shall meet the requirements of section 8.7 County Land Development Regulations. A development so be required. The development permit cost is \$50.00	Yes	No	N/A	-
145	Flood Management	REQUIRED ( ELEVATION	D FINISHED FLOOR ELEVATIONS WILL BE ON ANY PROJECT WHERE THE BASE FLOOD (100 YEAR FLOOD) HAS BEEN ESTABLISHED OR IT ETERMINED BY THE PLAT	Ves	No	N/A	-
146	911 Address	received thre	on for a 911address must be applied for and bugh the Columbia County Emergency Management 1 Addressing Department (386) 758-1125.	<b>©</b>	No	N/A	-

### ONCE ZONING HAS BEEN APPROVED FOR THIS PROJECT.

#### Private Potable Water

Well letter provided by the well driller OR City of Lake City Utilities Department (386-752-2031) Letter of Availability OR Ellisville/County Utilities (386-758-1019) Letter of Availability.

### Sewage Disposal

Septic System - An approved signed site plan from Environmental Health (386-758-1058)

City OR County Scwage- A Letter of Availability from either department. (See above contact numbers.)

Pursuant to Chapter one (administration) section 101.2 of the Florida Building Code: Section 105.3.2 **Time limitation of application**. An application for a permit for any proposed work shall be deemed to have been abandoned 180 days after the date of filing, unless such application has been pursued in good faith or a permit has been issued; except that the building official is authorized to grant one or more extensions of time for additional periods not exceeding 90 days each. The extension shall be requested in writing and justifiable cause demonstrated.

Pursuant to Chapter one (administration) section 101.2 of the Florida Building Code: Section 105.4.1 **Permit intent.** A permit issued shall be constructed to be a license to proceed with the work and not as authority to violate, cancel, alter or set aside any of the provisions of the technical codes, nor shall issuance of a permit prevent the building official from thereafter requiring a correction of errors in plans, construction or violations of this code. Every permit issued shall become invalid unless the work authorized by such permit is commenced within six months after its issuance, or if the work authorized by such permit is suspended or abandoned for a period of six months after the time the work is commenced.

Section 105.4.1.1: If work has commenced and the permit is revoked, becomes null and void, or expires because of lack of progress or abandonment, a new permit covering the proposed construction shall be obtained before proceeding with the work.

Section 105.4.1.2: If a new permit is not obtained within 180 days from the date the initial permit became null and void, the building official is authorized to require that any work which has been commenced or completed be removed from the building site. Alternately, a new permit may be issued on application, providing the work in place and required to complete the structure meets all applicable regulations in effect at the time the initial permit became null and void and any regulations which may have become effective between the date of expiration and the date if issuance of the new permit.

Section 105.4.1.3: Work shall be considered to be in active progress when the permit has received an approved inspection within 180 days. This provision shall not be applicable in case of civil commotion or strike or when the building work is halted due directly to judicial injunction, order or similar process.

Section 105.4.1.4: The fee for renewal reissuance and extension of a permit shall be set forth by the administrative authority.

Ordinance Sec. 90-75. - Construction debris. (e) It shall be unlawful for any person to dispose of or discard solid waste, including construction or demolition debris at any place within the county other than on an authorized disposal site or at the county's solid waste facilities. The temporary storage, not to exceed seven days of solid waste (excluding construction and demolition debris) on the premises where generated or vegetative trash pending disposition as authorized by law or ordinance, shall not be deemed a violation of this section. The temporary storage of construction and demolition debris on the premises where generated or vegetative trash pending disposition as authorized by law or ordinance shall not be deemed in violation of this section; provided, however, such construction and demolition debris must be disposed of in accordance with this article prior to the county's issuance of a certificate of occupancy for the premises. The burning of lumber from a construction or demolition project or vegetative trash when done so with legal and proper permits from the authorized agencies and in accordance with such agencies' rules and regulations, shall not be deemed a violation of this section. No person shall bury, throw, place, or deposit, or cause to be buried, thrown, placed, or deposited, any solid waste, special waste, or debris of any kind into or on any of the public streets, road right-of-way, highways, bridges, alleys, lanes, thoroughfares, waters, canals, or vacant lots or lands within the county. No person shall bury any vegetative trash on any of the public streets, road right-of-way, highways, bridges, lanes, thoroughfares, waters, canals, or lots less than ten acres in size within the county.

When the submitted application is approved for permitting the applicant will be notified by phone as to the date and time a building permit will be prepared and issued by the Columbia County Building & Zoning Department.

The products listed below did not demonstrate product approval at plan review. I understand that at the time of inspection of these products, the following information must be available to the inspector on the jobsite; 1) copy of the product approval, 2) performance characteristics which the product was tested and certified to comply with, 3) copy of the applicable manufacturers installation requirements.

Further, I understand these products may have to be removed if approval cannot be demonstrated during inspection.

Category/Subcategory	Manufacturer	Product Description	Approval Number(s)
1. EXTERIOR DOORS			
A. SWINGING			
B. SLIDING			
C. SECTIONAL/ROLL UP			
D. OTHER			
2 MIND ONE			
2. WINDOWS			
A. SINGLE/DOUBLE HUNG			
B. HORIZONTAL SLIDER			
C. CASEMENT			
D. FIXED			
E. MULLION			
F. SKYLIGHTS			
G. OTHER			
3. PANEL WALL			
A. SIDING			
B. SOFFITS			
C. STOREFRONTS			
D. GLASS BLOCK			
E. OTHER		<u> </u>	
	<del></del>		
4. ROOFING PRODUCTS			
A. ASPHALT SHINGLES	10.		
B. NON-STRUCTURAL METAL			
C. ROOFING TILES	1 )0		
D. SINGLE PLY ROOF	.h		
E. OTHER			<del> </del>
5. STRUCTURAL COMPONENTS	(1)(1)		
A. WOOD CONNECTORS	W.		
B. WOOD ANCHORS	10		
C. TRUSS PLATES	The 1		
D. INSULATION FORMS	1,0		
E. LINTELS			
F. OTHERS	John .		
	1.11		
6. NEW EXTERIOR			<b>-</b>
ENVELOPE PRODUCTS		<del> </del>	

NOTES:	

As required by Florida Statute 553.842 and Florida Administrative Code 9B-72, please provide the information and approval numbers on the building components listed below if they will be utilized on the construction project for which you are applying for a building permit. We recommend you contact your local product supplier should you not know the product approval number for any of the applicable listed products. Statewide approved products are listed online @ www.floridabuilding.org