

110 Southwet Woodberry
Court. Lake City FL 32024
*Permi #000050533

110 Southwet Woodberry
Court. Lake City FL 32024
Permi # 000050533



110 Southwest Woodberry
Court - Lake City FL 32024
*Permi #000050533



110 Southwet Woodberry
Court. Lake City FL 32024

Permi #000050533

110 Southwest Woodberry
Court Lake City FL 32024

*Permi

110 SOUTHWEST Woodberry ~~110~~
COURT. LAKE CITY FL 32024
*Permi

RD 20
UNDERLAYMENT
SYNTH

Meets the Following: ASTM D226 Type II,
ASTM D4869 Type IV, ASTM D8257
CAN/CSA A123.3 and A220.1

110 Southwet Woodberry
Court. Lake City FL 32024
*Permi #000050533

with surface conditions
a las condiciones de la s
peut varier dépendant de

PRO
SYNTHETIC

ABC
Supply Co. Inc.

226 Type II.
2257

OVERLAP LINE LINEA DES

footwear and roof pitch
un tipo de calzado o clima y la pendiente del techo
chaussures utilisées et le toit pente

Meets the Following: ASTM D226 Type III
ASTM D4869 Type IV, ASTM D8257
CAN/CSA A123.3 and A220.1

GUARANTY
ROOFING UNDERLAYMEN

PLAYMENT 20



ASTM D2267 Type IV, ASTM D2267-12

ASTM D 1505

[illegible]

2

OVERLAP LINE

7.5 La route



1

4

110 Southwet Woodberry
Court. Lake City FL 32024

*Permi

110 Southwet Woodberry
Court. Lake City FL 32024
*Permi #000050533

110 Southwest Woodberry
Court. Lake City FL 32024
*Permi #000050533

110 Southwet Woodberry
Court. Lake City FL 32024
*Permi #000050533

110 Southwet Woodberry
Court. Lake City FL 32024
*Permi

110 Southwet Woodberry
Court. Lake City FL 32024
*Permi #000050533

110 Southwet Woodberry
Court. Lake City FL 32024

Permi #000050533

110 Southwet Woodberry
Court. Lake City FL 32024
*Permi

110 Southwest Woodberry
Court Lake City FL 32024

*Permi

110 Southwet Woodberry
Court. Lake City FL 32024

*Permi

110 Southwet Woodbert
Court. Lake City FL 32024
*Permi #000050533

110 Southwest Woodberry ~~Way~~
Court. Lake City FL 32024

*Permi

110 Southwet Woodberry
Court. Lake City FL 32024

*Permi

ABC
Supply Co. Inc.

110 Southwet Woodberry
Court. Lake City FL 32024
*Permi #000050533

110 Southwest Woodberry
Court. Lake City FL 32024
*Permi #000050533

110 Southwest Woodberry
Court. Lakeland FL 32024
Permi #000050533



110 Southwet Woodberry
Court. Lake City FL 32024
*Permi #000050533



ABC
Supply Co. inc.

Meets the Following: ASTM D226 Type II,
ASTM D4869 Type IV, ASTM D8257
CAN/CSA A123.3 and A220.1

Resistance may vary with surface conditions, weather, footwear and roof pitch
de variar de acuerdo a las condiciones de la superficie, tipo de calzado o clima y la pendiente del techo
ance au glissement peut varier dépendant de la température, chaussures utiliser et le toit pente

LÍNEA DE SUPERPOSICIÓN

OVERLAP LINE

110 Southwet Woodberry
Court. Lake City FL 32024
Permi #000050533

Supply Co

Meets the Following: ASTM D226 Type II,
ASTM D4869 Type IV, ASTM D8257
CAN/CSA A123.3 and A220.1

vary with surface conditions, weather, footwear and roof pitch
según las condiciones de la superficie, tipo de calzado o clima y la pendiente del techo
peut varier dépendant de la température, chaussures utiliser et le toit pente

LÍNEA DE SUPERPOSICIÓN

LAP LINE

0 Southwest Woodberry
Court. Lake City FL 32024
*Permi #000050533



110 Southwest Woodberry
Court. Lake City FL 32024
*Permi #000050533



110 Southwest Woodberry
Court. Lake City FL 32024
*Permi #000050533

110 Southwest Woodberry
Court - Lake City FL 32024
*Permi #000050533



AYMENT

ABC
Supply Co. inc.

5 La resis

ASTM D226 Type II,
ASTM D8257
and A

110 Southwet Woodberry
Court. Lakeland FL 32024
*Permi #0000505335

Following: ASTM D226 Type II,
ASTM D4869 Type IV, ASTM D8257
N/CSA A123.3 and A220.1

ABC
Supply Co. inc.



RD 20
UNDERLAYMENT
SYNTH

Meets the Following: ASTM D226 Type II,
ASTM D4869 Type IV, ASTM D8257
CAN/CSA A123.3 and A220.1

110 Southwet Woodberry
Court. Lake City FL 32024
*Permi #000050533

with surface conditions
a las condiciones de
peut varier dépendant de

PRO
SYNTHETIC

ABC
Supply Co. inc.

226 Type II.
2257

OVERLAP LINE

LINIA DES

SUPERPOSICIÓN

Meets the Following: ASTM D226 Type III
ASTM D4869 Type IV, ASTM D8257
CAN/CSA A123.3 and A220.1

GUARANTEE
ROOFING UNDERLAYMENT

20
PLAYMENT



Supply Co. Inc.

ASTM D2267
Type IV, ASTM
1.2.2011

Meets the following
ASTM D 1505 at
CAN/CSA A11

[illegible]

distance may vary as the overlap distance of adjacent panels varies.

75

ABC
Supply Co. Inc.

326 Type II.
3257

slip resistance may vary with surface conditions, weather, footwear and roof pitch
al deslíz puede variar de acuerdo a las condiciones de la superficie, tipo de calzado o clima y la pendiente del techo
de résistance au glissement peut varier dépendant de la température, chaussures utiliser et le toit pente

OVERLAP LINE

LÍNEA DE SUPERPOSICIÓN

JUARD 20

FINING UNDERLAYMENT

Meets the Following: ASTM D226 Type II,
ASTM D4869 Type IV, ASTM D8257
CAN/CSA A123.3 and A220.1



Supply Co. inc.

Meets the Following: ASTM D226 Type II,
ASTM D4869 Type IV, ASTM D8257
CAN/CSA A123.3 and A220.1


PPRO

ANTHETIC



Supply Co. inc.

110 Southwet Woodberry
Court. Lake City FL 32024
*Permi #000050533



110 Southwest Woodberry
Court. Lake City FL 32024
*Permi #000050533

Meets the Following: ASTM D226 Type II,
ASTM D4869 Type IV, ASTM D8257,
CAN/CSA A123.3 and A220.1

ABO

Meets the Following: ASTM D226 Type II,
ASTM D4869 Type IV, ASTM D8257

SYNTHETIC

PERLAYMENT

Supply

110 Southwest Woodberry
Court. Lake City FL 32024
*Permi #000050533



conditions, weather, footwear and roof pitch
de la superficie, tipo de calzado o clima y la pendiente del techo
nt de la température, chaussures utiliser et le toit pente
LÍNEA DE SUPERPOSICIÓN

Meets the Following: ASTM D226 Type II,
ASTM D4869 Type IV, ASTM D8257
CAN/CSA A123.3 and A220.1

ABC
Supply Co. Inc.

PRO GUARD
SYNTHETIC ROOFING UNDERLAY

Sip resistance may vary with surface conditions, weather, footwear and roof pitch
La resistencia al desliz puede variar de acuerdo a las condiciones de la superficie, tipo de calzado o clima y la pendiente del techo
Le degré de résistance au glissement peut varier de
conditions requises.
OVERLAP LINE

ABC
Supply Co. Inc.

Meets the Following: ASTM D226 Type II,
ASTM D4869 Type IV, ASTM D8257
CAN/CSA A123.3 and A220.1

Sip resistance may vary with surface conditions, weather, footwear and roof pitch
La resistencia al desliz puede variar de acuerdo a las condiciones de la superficie, tipo de calzado o clima y la pendiente del techo
Le degré de résistance au glissement peut varier de la température, chaussures utiliser et le toit pente
OVERLAP LINE LÍNEA DE SUPERPOSICIÓN

Meets the Following: ASTM D226 Type II,
ASTM D4869 Type IV, ASTM D8257
CAN/CSA A123.3 and A220.1

110 Southwest Woodberry
Court. Lake City FL 32024
*Permi #000050533

PRO G
SYNTHETIC ROOF

110 Southwet Woodberry
Court. Lakeland FL 32024
*Permi #0000505333



La resistencia al desliz puede variar de acuerdo a las condiciones de la superficie, tipo de calzado, temperatura, humedad, etc.
Le degré de résistance au glissement peut varier dépendant de la température, l'humidité, etc.

OVERLAP LINE

LÍNEA DE SUPERPO



Wet Woodberry
Lake City FL 32024
*Permi #0000505

110 Southwest Woodberry
Court. Lake City FL 32024
*Permi #000050533

110 Southwet Woodberry
Court. Lake City FL 32024
*Permi #000050533

Meets the Following: ASTM D226 Type II,
ASTM D4869 Type IV, ASTM D8257
CAN/CSA A123.3 and A220.1



PRO GUJARO SYNTHETIC ROOFING UNDERLAY



Its resistance may vary with surface conditions, weather, footwear and roof pitch
La resistencia al desliz puede variar de acuerdo a las condiciones de la superficie, tipo de calzado o clima y la pendiente del techo
La résistance au glissement peut varier dépendant de la température, chaussures, utilisation et le toit pente

OVERLAP LINE LÍNEA DE SUPERPOSICIÓN

Meets the Following: ASTM D226 Type
ASTM D4869 Type IV, ASTM D8257
CAN/CSA A123.3 and A220.1



110 Southwest Woodberry
Court. Lake City FL 32024
*Permi #000050533



ABC
Supply Co. inc.

Meets the Following: ASTM D226 Type II,
ASTM D4869 Type IV, ASTM D8257
CAN/CSA A123.3 and A220.1



400 286 889 (104 24065 R)

Slip resistance may vary with surface conditions, weather, footwear
La resistencia al desliz puede variar de acuerdo a las condiciones de la superficie, tipo
Le degré de résistance au glissement peut varier dépendant de la température

OVERLAP LINE

LÍNEA DE SUPERPOSICIÓN

GUA
FING



110 Southwet Woodberry
Court. Lake City FL 32024

Permi #000050533

110 Southwet Woodberry
Court. Lake City FL 32024
*Permi #000050533



110 Southwest Woodberry
Court. Lake City FL 32024
*Permi #000050533

Le degré de résistance

OVERLAP LINE

LINER



110 Southwet Woodberry
Court. Lake City FL 32024
*Permi #000050533

conditions, weather, footwear and roof pitch
la superficie, tipo de calzado o clima y
température, chaussures utiliser e

Meets the F
ASTM D
CAN

5 La resistan
Le

002808891104 24065

CIÓN

20

ING UNDERLAYMENT

110 Southwet Woodberry
Court. Lake City FL 32024
*Permi #000050533

GUARD
SYNTHETIC ROOFING
IDER

Resistance may vary with surface conditions, weather, footwear and roof pitch
variar de acuerdo a las condiciones de la superficie, tipo de calzado o clima y la pendiente del techo
La résistance peut varier de la température, chaussures utiliser et le toit pente

OVERLAP LINE


LÍNEA DE SUPERPOSICIÓN

Meets the Following: ASTM D226 Type II,
ASTM D4850 Type II, ASTM D6878 Type II

ABC
Supply Co. Inc.

Resistance may vary with surface conditions, weather, footwear and roof pitch
variar de acuerdo a las condiciones de la superficie, tipo de calzado o clima y la pendiente del techo
La résistance peut varier de la température, chaussures utiliser et le toit pente

La résistance
Le dégr



110 Southwet Woodberry
Court. Lake City FL 32024
Permi #000050533

110 Southwest Woodberry
Court. Lake City FL 32024
*Permi #000050533

110 Southwest Woodberry
Court. Lake City FL 32024
*Permi #000050533



110 Southwest Woodberry
Court. Lake City FL 32024
*Permi #000050533

Meets the Following: ASTM D226 Type II,
ASTM D4869 Type IV, ASTM D8257
CAN/CSA A123.3 and A220.1

Supply Co. Inc.

20
ROOFING UNDERLAYMENT

Meets the Following: ASTM D226 Type II,
ASTM D4869 Type IV, ASTM D8257
CAN/CSA A123.3 and A220.1

Supply Co.

110 Southwet Woodberry
Court. Lake City FL 32024
Permi #000050533

110 Southwet Woodberry
Court. Lake City FL 32024

*Permi #000050533

110 Southwet Woodberry
Court. lake city FL 32024
Permi #000050533

PRO GUARD
SYNTHETIC ROOFING UNDER
OVERLAP LINE
Distance may vary with surfab conditions, weather, footwear and roof pitch
Distancia puede variar con las condiciones de la superficie, tipo de calzado o clima y la pendiente del techo
LÍNEA DE SUPERPOSICIÓN
Meets the Following: ASTM D226 Type II,
ASTM D226 Type II



110 Southwest Woodberry
Court. Lake City FL 32024
*Permi #000050533



PRO GUARD 20

SYNTHETIC ROOFING UNDERLAYMENT

weather, footwear, and roof pitch
perficie, tipo de calzado o clima y la pendiente del techo
température, chaussures utilisées et le toit pente

Meets the Following: ASTM D226 Type II,
ASTM D4869 Type IV, ASTM D8257
CAN/CSA A123.3 and A220.1

ABO
Supply Co. Inc.



La resistencia al desliz puede variar de acuerdo a las condiciones
Le degré de résistance au glissement peut varier dépendant

OVERLAP LINE

PRO GUARD 20

SYNTHETIC ROOFING UNDERLAYMENT

Slip resistance may vary with surface conditions, weather, footwear and roof pitch
La résistance au glissement peut varier en fonction des conditions de la surface, du climat, des chaussures et de la pente

110 Southwest Woodberry
Court. Lakeland FL 37024
*Permit #0000505333





110 Southwest Woodberry
Court, Lake City FL 32024
*Permit #000050533

PRO GUARD 20
SYNTHETIC ROOFING UNDERLAYMENT



Meets the following ASTM D7261 Type I
ASTM D4891 Type IV, ASTM D2277
CAN/CSA-L122.1 and L122.1

PRO GUARD 20
SYNTHETIC ROOFING UNDERLAYMENT



Meets the following ASTM D7261 Type I
ASTM D4891 Type IV, ASTM D2277
CAN/CSA-L122.1 and L122.1

PRO GUARD 20
SYNTHETIC ROOFING UNDERLAYMENT



Meets the following ASTM D7261 Type I
ASTM D4891 Type IV, ASTM D2277
CAN/CSA-L122.1 and L122.1

Slip resistance may vary with surface conditions, weather, footwear and roof pitch.
La resistencia al desliz puede variar de acuerdo a las condiciones de la superficie, tipo de calzado o clima y la pendiente del techo.
Le degré de résistance au glissement peut varier dépendant de la température, chaussures utilisées et la pente.

OVERLAP LINE
LÍNEA DE SUPERPOSICIÓN


110 Southwest Woodberry
Court. Lake City FL 32024

Permi #000050533

EURO
PRO
SYNTHETIC ROOFING U

Slip resistance may vary with conditions, weather, footwear and roof pitch
de variar de acuerdo a las condiciones de la superficie, tipo de calzado o clima y la pendiente del techo
dependant de la température, chaussures utiliser et le toit pente
LÍNEA DE SUPERPOSICIÓN

1105 Southwet Woodberry
Court. Lake City FL 32024
*Perm! #0000505333






110 Southwest Woodberry
Court. Lake City FL 32024
*Permi #0000505333

PERPOSICIÓN
ear and roof pitch
de calzado o clima y la pendiente del techo
e, chaussures utiliser et le toit pente
Meets the Following
ASTM D4869 Type I
CAN/CSA A123.3 and A
ASTM D226 Type II
ASTM D8257
and A220.1

diente del techo
t pente

Meets the Following: ASTM D226 Type II,
ASTM D4869 Type IV, ASTM D8257
CAN/CSA A123.3 and A220.1

ABC
Supply Co. inc.



La resistencia al desliz pue
Le degré de résis

400 286 889 1104 24 065 R

110 Southwet Woodberry
Court. Lake City FL 32024

Permi #000050533

