



ELECTRICAL PLAN
SCALE: 1/4" = 1'-0"

| ELECTRICAL LEGEND | | |
|--------------------------|-------|--------|
| ELECTRICAL | COUNT | SYMBOL |
| CEILING FAN | 4 | |
| CAN LIGHT 6inch | 7 | |
| PENDANT LIGHT | 3 | |
| CABLE TV OUTLET | 4 | |
| CARBON DETECTOR | 1 | |
| EXHAUST FAN | 2 | |
| OUTLET | 26 | |
| OUTLET 220v | 2 | |
| OUTLET GFI | 11 | |
| OUTLET WP | 3 | |
| SMOKE DETECTOR | 4 | |
| STANDARD LIGHT | 5 | |
| SWITCH | 17 | |
| SWITCH 3 WAY | 12 | |
| VANITY BAR LIGHT - SMALL | 4 | |
| ELECTRIC PANEL | 1 | |

ELECTRICAL PLAN NOTES:

INSTALLATION SHALL BE PER LATEST NAT'L ELECTRIC CODE.

WIRE ALL APPLIANCES, HVAC UNITS AND OTHER EQUIPMENT PER MANUF. SPECIFICATIONS

CONSULT WITH THE OWNER FOR THE NUMBER OF SEPERATE TELEPHONE LINES TO BE INSTALLED

ALL SMOKE DETECTORS SHALL BE 120v W/ BATTERY BACKUP OF THE PHOTOELECTRIC TYPE, AND SHALL BE INTERLOCKED TOGETHER. INSTALL INSIDE AND NEAR ALL BEDROOMS

TELEPHONE, TELEVISION AND OTHER LOW VOLTAGE DEVICES OR OUTLETS SHALL BE AS PER THE OWNER'S DIRECTIONS, & IN ACCORDANCE W/ APPLICABLE SECTIONS OF NEC-LATEST EDITION.

ALL RECEPTICALS, NOT OTHERWISE NOTED, SHALL BE ARC FAULT INTERRUPTER TYPE, EXCEPT DEDICATED OUTLETS

ALL RECEPTICALS IN WET AREAS SHALL BE GROUND FAULT INTERRUPTER TYPE (GFI)

ALL EXTERIOR RECEPTICALS SHALL BE WEATHERPROOF GROUD FAULT INTERRUPTER TYPE (WP/GFI)

NOTE:
ELECTRICAL CONTR SHALL PREPARE "AS-BUILT" SHOP DWGS INDICATING ALL ELECTRICAL WORK, INCLUDING ANY CHANGES TO THE ELEC. PLAN, ADD'NS TO THE ELEC. PLAN, RISER DIAGRAM, AS-BUILT PANEL SCHEDULE W/ ALL CKTS IDENTIFIED W/ CKT Nr. DESCRIPTION & BRKR. SERVICE ENT. & ALL UNDERGROUND WIRE LOCATIONS/ROUTING / DEPTH. RISER DIA. SHALL INCLUDE WIRE SIZES/TYPE & EQUIPMENT TYPE W/ RATINGS & LOADS.
CONTRACTOR SHALL PROVIDE 1 COPY OF AS-BUILT DWGS TO OWNER & 1 COPY TO THE PERMIT ISSUING AUTHORITY

| REVISIONS SCHEDULE | | |
|--------------------|-----------------|--|
| PROPOSAL | FEB. 24th, 2023 | |
| REVISIONS | May 24th, 2023 | |
| FINAL DRAWINGS | JUNE 13th, 2023 | |
| | | |

RIVER HOUSE RENOVATIONS FOR:
ADAMS RESIDENCE
COLUMBIA COUNTY, FLORIDA

**RIDGEPOINT
DESIGN**
366 SW ARLINGTON BLVD. STE 101 LAKE CITY, FL 32025
P: 386-288-1188
E: RIDGEPOINTDESIGN@GMAIL.COM