

Columbia County Building Permit Application

Revised 9-23-04

For Office Use Only Application # 0005-56 Date Received 5/16 By JW Permit # 1103/24597  
 Application Approved by - Zoning Official BZK Date 22.05.06 Plans Examiner OKJH Date 6-2-06  
 Flood Zone X Development Permit N/A Zoning A-3 Land Use Plan Map Category A-3  
 Comments  
Special Family Lot Permit Section 14.7 Brother

Applicants Name Melanie Roder or Linda Roder Phone 752-2281  
 Address 387 SW Kemp Court Lake City FL 32024  
 Owners Name Joy and Lydia Nickelson Phone 623-0235  
 911 Address 222 SW HOLLY GLN, L.E. FL 32024  
 Contractors Name Compass Builders Phone 344-4817  
 Address 197 SW Watertford Ct Lake City, FL 32025  
 Fee Simple Owner Name & Address NA  
 Bonding Co. Name & Address NA  
 Architect/Engineer Name & Address William Myers Design - Nick Geister  
 Mortgage Lenders Name & Address Webster Bank 609 W Johnson Ave. Cheshire CT 06410  
 Circle the correct power company - FL Power & Light Clay Elec. Suwannee Valley Elec. Progressive Energy  
 Property ID Number 01-55-16-03390-016 Estimated Cost of Construction \$150,000  
 Subdivision Name NA Lot      Block      Unit      Phase       
 Driving Directions 47 S Turn Left on Walter Ave, Turn Left on Little rd. Pass Holly Little rd, see attached GIS Map.

Type of Construction SFD Number of Existing Dwellings on Property 0  
 Total Acreage 1.17 Lot Size      Do you need a Culvert Permit or Culvert Waiver or Have an Existing Drive  
 Actual Distance of Structure from Property Lines - Front 75' Side 42'-1" Side 42'-1" Rear 217'  
 Total Building Height 28'-6" Number of Stories 2 Heated Floor Area 2185 Roof Pitch 12:12  
Porches 138 Garage 566 Bonus Room 342 TOTAL 3275

Application is hereby made to obtain a permit to do work and installations as indicated. I certify that no work or installation has commenced prior to the issuance of a permit and that all work be performed to meet the standards of all laws regulating construction in this jurisdiction.

OWNERS AFFIDAVIT: I hereby certify that all the foregoing information is accurate and all work will be done in compliance with all applicable laws and regulating construction and zoning.

WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOU PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT.

Owner Builder or Agent (Including Contractor) Linda R. Roder Contractor Signature [Signature]  
 STATE OF FLORIDA Commission # DD303275 Contractors License Number CBC 1253775  
 COUNTY OF COLUMBIA Expires Mar 24, 2008 Competency Card Number       
 Sworn to (or affirmed) and subscribed before me Linda R. Roder NOTARY STAMP/SEAL  
 this 14th day of May 20 06  
 Personally known      or Produced Identification      Notary Signature [Signature]

Linda was advised by JW 5.6.06. #10118

Columbia County Building Permit Application

Revised 9-23-04

For Office Use Only Application # 0603-56 Date Received 5/16 By JW Permit # 1103/  
 Application Approved by - Zoning Official BK Date 22.05.06 Plans Examiner OKNH Date 6-2-06  
 Flood Zone X Development Permit N/A Zoning A-3 Land Use Plan Map Category A-3  
 Comments: Special Family Lot Permit Section 14.7 Brother -

Applicants Name Melanie Roder or Linda Roder Phone 7522281  
 Address 387 SW Kemp Court Lake City FL 32024  
 Owners Name Joy and Lydia Nickelson Phone 623-0235  
 711 Address 222 SW Holly Glen, L.L. FL 32027  
 Contractors Name Compass Builders Phone 344-4817  
 Address 197 SW Waterford at Lake City, FL 32025  
 Fee Simple Owner Name & Address NA

Bonding Co. Name & Address NA  
 Architect/Engineer Name & Address William Myers Design - Nick Geisler  
 Mortgage Lenders Name & Address Webster Bank 609 W Johnson Ave. Cheshire CT 06410

Circle the correct power company - FL Power & Light Clay Elec. Suwannee Valley Elec. Progressive Energy  
 Property ID Number 01-55-16-03390-016 Estimated Cost of Construction 150,000

Subdivision Name NA Lot      Block      Unit      Phase       
 Driving Directions 47 S Turn left on Walter Ave. Turn left on Little Rd. Pass Holly Little rd. R on S.W. Holly Glen. Lot is 4th on R

Type of Construction SFD Number of Existing Dwellings on Property 0  
 Total Acreage 1.17 Lot Size      Do you need a Culvert Permit or Culvert Waiver or Have an Existing Drive

Actual Distance of Structure from Property Lines - Front 75' Side 42' 1/2" Side 42' 1/2" Rear 27'  
 Total Building Height 28' 0" Number of Stories 2 Heated Floor Area 2185 Roof Pitch 12:12  
Perches 188 Garage 560 BONUS ROOM 342 TOTAL 3275

Application is hereby made to obtain a permit to do work and installations as indicated. I certify that no work or installation has commenced prior to the issuance of a permit and that all work be performed to meet the standards of all laws regulating construction in this jurisdiction.

OWNERS AFFIDAVIT: I hereby certify that all the foregoing information is accurate and all work will be done in compliance with all applicable laws and regulating construction and zoning.

WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOU PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT.

Owner Builder or Agent (Including Contractor) Linda R. Roder Contractor Signature [Signature]  
 Commission # DD303275 Contractors License Number CBC 1253775  
 Expires: Mar 24, 2008 Competency Card Number       
 Bonded Thru Atlantic Bonding Co., Inc. NOTARY STAMP/SEAL [Signature]  
 Sworn to (or affirmed) and subscribed before me this 14th day of May 2006  
 Personally known      or Produced Identification       
 Notary Signature [Signature]

Linda was advised by JW 6.6.06.




STATE OF FLORIDA  
DEPARTMENT OF HEALTH

APPLICATION FOR ONSITE SEWAGE DISPOSAL SYSTEM CONSTRUCTION PERMIT

Permit Application Number 06-0487N

PART II - SITE PLAN

Scale: Each block represents 5 feet and 1 inch = 6 feet.



Address: 30 Holy Glen

Joseph & Lydia Nickelson

Site Plan submitted by: Robert Wood  
Signature

Agent  
Title

Permit Approved  Not Approved

Date 5-12-06

Ms. S. Du Columbia County Health Department

ALL CHANGES MUST BE APPROVED BY THE COUNTY HEALTH DEPARTMENT



Permit # 29597

Phone (386) 755-3611  
Fax (386) 755-3885  
Toll Free 1-800-616-4707

Notice of Intent for Preventative Treatment for Termites  
(As required by Florida Building Code (FBC) 104.2.6)

Aspen Pest Control, Inc.  
(386) 755-3611  
State License # - JB109476  
State Certification # - JF104376  
*Holly SB*  
222 SW ~~Baley~~ Glen, Lake City, FL  
Address of Treatment or Lot/Block of Treatment

Bora-Care Wood Treatment – 23% Disodium Octaborate Tetrahydrate

Method of Termite Prevention Treatment – Soil Barrier, Wood Treatment, Bait System, Other

Application onto Structural Wood

Description of Treatment

The above named structure will receive a complete treatment for the prevention of subterranean termites at the dried-in stage of construction. Treatment is done in accordance with the rules and laws established by the Florida Department of Agriculture and Consumer Services and according to EPA registered label directions as stated in Florida Building Code Section 1861.1.8.


*[Signature]*  
Authorized Signature

*6-30-06*  
Date



Commercial · Residential  
301 NW Cole Terrace / Lake City, Florida 32055






**Columbia County Property Appraiser**  
 J. Doyle Crews, CFA - Lake City, Florida - 386-758-1083


---

**PARCEL: 01-5S-16-03390-016 - NO AG ACRE (009900)**

Name: NICKELSON JOSEPH & LYDIA	LandVal	\$23,400.00
Site:	BldgVal	\$0.00
Mail: P O BOX 3248	ApprVal	\$23,400.00
LAKE CITY, FL 32056	JustVal	\$23,400.00
Sales Info: 8/27/2005 \$27,000.00 V / Q	Assd	\$23,400.00
	Exmpt	\$0.00
	Taxable	\$23,400.00



This information, GIS Map Updated: 5/5/2006, was derived from data which was compiled by the Columbia County Property Appraiser Office solely for the governmental purpose of property assessment. This information should not be relied upon by anyone as a determination of the ownership of property or market value. No warranties, expressed or implied, are provided for the accuracy of the data herein, it's use, or it's interpretation. Although it is periodically updated, this information may not reflect the data currently on file in the Property Appraiser's office. The assessed values are NOT certified values and therefore are subject to change before being finalized for ad valorem assessment purposes.



SCALE: 1" = 40'-0"

SW HOLLY GLEN

RETURN TO  
Terry McDavid  
P. O. Box 1328  
Lake City, FL 32056-1328

Permit No. \_\_\_\_\_ Tax Folio No. R03390-007

## NOTICE OF COMMENCEMENT


STATE OF FLORIDA  
COUNTY OF COLUMBIA

The undersigned hereby gives notice that improvement will be made to certain real property, and in accordance with Chapter 713, Florida Statutes, the following information is provided in this Notice of Commencement.

1. Description of property: See Exhibit "A" attached hereto and made a part hereof.
2. General description of improvement: Single Family Dwelling
3. Owner information: Joseph Nickelson and Lydia Nickelson
  - a. Name and address: P.O. Box 3248, Lake City, FL 32056
  - b. Interest in property: Fee Simple
  - c. Name and address of fee simple titleholder (if other than Owner):
4. Contractor: Compass Builders & Associates Corp. Inc.
5. Surety
  - a. Name and address:
  - b. Amount of bond \$ \_\_\_\_\_
6. Lender: ATTN: Robert M. Imperato, Vice President,  
Webster Bank, N.A.  
National Construction Lending Center  
609 West Johnson Avenue  
Cheshire, CT 06410
7. Persons within the State of Florida designated by Owner upon whom notices or other documents may be served as provided by Section 713.13(1)(a)7., Florida Statutes: None

8. In addition to himself, Owner designates Robert M. Imperato, V. P. of Webster Bank to receive a copy of the Lienor's Notice as provided in Section 713.13(1)(b), Florida Statutes.

9. Expiration date of Notice of Commencement (the expiration date is 1 year from the date of recording unless a different date is specified) \_\_\_\_\_.

  
\_\_\_\_\_  
Signature of Owner  
Joseph Nickelson


  
\_\_\_\_\_  
Signature of Owner  
Lydia Nickelson

Sworn to and subscribed before me this 25<sup>th</sup> day of April, 2006.



Notary Public, State of \_\_\_\_\_

My Commission Expires: \_\_\_\_\_



Inst: 2006010230 Date: 04/27/2006 Time: 12:50  
Terry McDavid, P. Dewitt Cason, Columbia County B: 1081 P: 2420

EXHIBIT "A"

Commence at the SE corner of the NW 1/4, Section 1, Township 5 South, Range 16 East, Columbia County, Florida, and thence run North 01 degrees 41'37" East, along the East line of said NW 1/4, 596.70 feet; thence North 88 degrees 45'17" West, 551.56 feet to the Point of Beginning; thence continue North 88 degrees 45'17" West 142.49 feet; thence South 01 degrees 14'21" West 356.69 feet; thence South 88 degrees 45'17" East 142.49 feet; thence North 01 degrees 14'21" East, 356.69 feet to the Point of Beginning.

Together with a non-exclusive perpetual easement for ingress and egress which shall at all times remain open and unobstructed over and across a strip of land lying 30 feet North of and 30 feet South of a line described as follows:

Commence at the SE Corner of NW 1/4, Section 1, Township 5 South, Range 16 East, Columbia County, Florida, and run N 01 degrees 41'37" East along the East line of said NW 1/4 596.70 feet; thence run North 88 degrees 45'17" West 9.11 feet to the West right of way of SW Little Road and the Point of Beginning of said line; thence run North 88 degrees 45'17" West 684.94 feet to the Point of Termination of said line.

Inst:2006010230 Date:04/27/2006 Time:12:50

\_\_\_\_\_, P. DeWitt Cason, Columbia County B:1081 P:2421

PREPARED BY AND RETURN TO:

TERRY McDAVID  
POST OFFICE BOX 1328  
LAKE CITY, FL 32056-1328

Property Appraiser's  
Identification Number

Inst: 2005021060 Date: 08/30/2005 Time: 09:27  
Doc Stamp-Deed : 189.00  
*MK* DC, P. DeWitt Cason, Columbia County B:1056 P:1716

### WARRANTY DEED

This Warranty Deed, made this 20th day of August, 2005, BETWEEN MICHAEL J. STEWART AND EVE S. STEWART, Husband and Wife whose post office address is P.O. Box 3265, Lake City, Florida, 32056, grantors, and JOSEPH NICKELSON AND LYDIA NICKELSON, Husband and Wife whose post office address is P.O. Box 3248, Lake City, Florida 32056, grantees.

(Whenever used herein the terms "grantor" and "grantee" include all the parties to this instrument and the heirs, legal representatives and assigns of individuals, and the successors and assigns of corporations, trusts and trustees)

Witnesseth: that said grantors, for and in consideration of the sum of Ten Dollars (\$10.00), and other good and valuable considerations to said grantors in hand paid by said grantees, the receipt whereof is hereby acknowledged, has granted, bargained and sold to the said grantees, and grantees' heirs and assigns forever, the following described land, situate, lying and being in Columbia County, Florida, to-wit:

Commence at the SE corner of the NW 1/4, Section 1, Township 5 South, Range 16 East, Columbia County, Florida, and thence run North 01 degrees 41'37" East, along the East line of said NW 1/4, 596.70 feet; thence North 88 degrees 45'17" West, 551.56 feet to the Point of Beginning; thence continue North 88 degrees 45'17" West 142.49 feet; thence South 01 degrees 14'21" West 356.69 feet; thence South 88 degrees 45'17" East 142.49 feet; thence North 01 degrees 14'21" East, 356.69 feet to the Point of Beginning.

Together with a non-exclusive perpetual easement for ingress and egress which shall at all time remain open and unobstructed over and across a strip of land lying 30 feet North of and 30 feet South of a line described as follows:

Commence at the SE Corner of NW 1/4, Section 1, Township 5 South, Range 16 East, Columbia County, Florida, and run N 01 degrees 41'37" East along the East line of said NW 1/4 596.70 feet; thence run North 88 degrees 45'17" West 9.11 feet to the West right of way of SW Little Road and the Point of Beginning of said line; thence run North 88 degrees 45'17" West 684.94 feet to the Point of Termination of said line.

Grantor reserves a non-exclusive perpetual easement for ingress, egress and utilities over and across the North 30 feet of the property conveyed which shall at all times remain open and unobstructed and for utilities over and across the South 15 feet.

N.B. Subject to an existing Mortgage to Donald L. Haraway and his wife, Dianne C. Haraway, and Mildred L. Crews recorded in Official Records Book 961, Page 1933 as modified by Mortgage Modification Agreement recorded in Official Records Book 1055, Page 2304, and Mortgage to Westfield Group, LLLP, recorded in Official Records Book 1055, Page 2311, public records, Columbia County, Florida, which the Grantor herein agrees to pay the existing balances thereon and hold Grantees harmless for any past, present and/or future liability thereon.

Together with all the tenements, hereditaments and appurtenances thereto belonging or in anywise appertaining.


To Have and to Hold, the same in fee simple forever.


And subject to taxes for the current year and later years and all valid easements and restrictions of record, if any, which are not hereby reimposed; and also subject to any claim, right, title or interest arising from any recorded instrument reserving, conveying, leasing, or otherwise alienating any interest in the oil, gas and other minerals. And grantor does warrant the title to said land and will defend the same against the lawful claims of all persons whomsoever, subject only to the exceptions set forth herein.

In Witness Whereof, grantor has hereunto set grantor's hand and seal the day and year first above written.

Signed, sealed and delivered in our presence:

  
(Signature of First Witness) .  
TERRELL C. DAVID  
(Typed Name of First Witness)

  
MICHAEL J. STEWART (SEAL)

  
(Signature of Second Witness)  
Karen M. Wright  
(Typed Name of Second Witness)

  
EVE S. STEWART (SEAL)

Inst:2005021060 Date:08/30/2005 Time:09:27  
Doc Stamp-Deed : 189.00  
DC, P. DeWitt Cason, Columbia County B:1056 P:1717

STATE OF COLUMBIA  
COUNTY OF FLORIDA

The foregoing instrument was acknowledged before me this 21<sup>st</sup> day of August, 2005, by MICHAEL J. STEWART AND EVE S. STEWART, Husband and Wife who is/are personally known to me or who has/have produced 5010349016 as identification and who did not take an oath.

My Commission Expires:

  
Notary Public  
Printed, typed, or stamped name:




0605-56

To: Building and Zoning

The property on Holly Glen ( parcel: 01-5s-16-03390-016 ) that belongs to my wife and I ( Joseph and Lydia Nickelson) was purchased from my wife's sister Eve Stewart.

Sincerely,  
Joseph and Lydia Nickelson

A handwritten signature in blue ink, appearing to read "Lydia Nickelson". The signature is written in a cursive style with a large, sweeping initial "L".

# COLUMBIA COUNTY 9-1-1 ADDRESSING

P. O. Box 1787, Lake City, FL 32056-1787  
PHONE: (386) 758-1125 \* FAX: (386) 758-1365 \* Email: ron\_croft@columbiacountyfla.com

## Addressing Maintenance

To maintain the Countywide Addressing Policy you must make application for a 9-1-1 Address at the time you apply for a building permit. The established standards for assigning and posting numbers to all principal buildings, dwellings, businesses and industries are contained in Columbia County Ordinance 2001-9. The addressing system is to enable Emergency Service Agencies to locate you in an emergency, and to assist the United States Postal Service and the public in the timely and efficient provision of services to residents and businesses of Columbia County.

DATE REQUESTED: 5/17/2006      DATE ISSUED: 5/17/2006

**ENHANCED 9-1-1 ADDRESS:**

222      SW    HOLLY      GLN  
LAKE CITY      FL    32024  
**PROPERTY APPRAISER PARCEL NUMBER:**  
01-5S-16-03390-016

Remarks:

Address Issued By:   
Columbia County 9-1-1 Addressing / GIS Department

**NOTICE: THIS ADDRESS WAS ISSUED BASED ON LOCATION INFORMATION RECEIVED FROM THE REQUESTER. SHOULD, AT A LATER DATE, THE LOCATION INFORMATION BE FOUND TO BE IN ERROR, THIS ADDRESS IS SUBJECT TO CHANGE.**

**COLUMBIA COUNTY  
9-1-1 ADDRESSING  
APPROVED**

0605-56

FROM :

FAX NO. :386-755-7022

Sep. 17 2002 01:52PM P1

# HALL'S PUMP & WELL SERVICE, INC.

SPECIALIZING IN 4"-6" WELLS



DONALD AND MARY HALL  
OWNERS

PHONE (904) 752-1854  
FAX (904) 755-7022  
~~XXXXXXXXXXXXXXXXXXXX~~  
LAKE CITY, FLORIDA 32055  
904 NW Main Blvd.


June 12, 2002

## NOTICE TO ALL CONTRACTORS

Please be advised that due to the new building codes we will use a large capacity diaphragm tank on all new wells. This will insure a minimum of one (1) minute draw down or one (1) minute refill. If a smaller diaphragm tank is used then we will install a cycle stop valve which will produce the same results.

If you have any questions please feel free to call our office anytime.

Thank you,

  
Donald D. Hall  
DDH/jk

# FLORIDA ENERGY EFFICIENCY CODE FOR BUILDING CONSTRUCTION

Florida Department of Community Affairs  
Residential Whole Building Performance Method A

<b>Project Name:</b> <b>Joey &amp; Lydia Nickelson</b> <b>Address:</b> <b>City, State:</b> <b>, FL 32024-</b> <b>Owner:</b> <b>Nickelson Residence</b> <b>Climate Zone:</b> <b>North</b>	<b>Builder:</b> <b>Compass Builders</b> <b>Permitting Office:</b> <i>COLUMBIA</i> <b>Permit Number:</b> <i>24597</i> <b>Jurisdiction Number:</b> <i>22000</i>
------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------

<table style="width: 100%; border-collapse: collapse;"> <tr><td>1. New construction or existing</td><td style="text-align: right;">New</td><td style="text-align: right;">___</td></tr> <tr><td>2. Single family or multi-family</td><td style="text-align: right;">Single family</td><td style="text-align: right;">___</td></tr> <tr><td>3. Number of units, if multi-family</td><td style="text-align: right;">1</td><td style="text-align: right;">___</td></tr> <tr><td>4. Number of Bedrooms</td><td style="text-align: right;">3</td><td style="text-align: right;">___</td></tr> <tr><td>5. Is this a worst case?</td><td style="text-align: right;">No</td><td style="text-align: right;">___</td></tr> <tr><td>6. Conditioned floor area (ft<sup>2</sup>)</td><td style="text-align: right;">2185 ft<sup>2</sup></td><td style="text-align: right;">___</td></tr> <tr><td>7. Glass type<sup>1</sup> and area: (Label reqd. by 13-104.4.5 if not default)</td><td></td><td></td></tr> <tr><td>    a. U-factor:</td><td style="text-align: right;">Description Area</td><td></td></tr> <tr><td>        (or Single or Double DEFAULT) 7a(Sngle Default)</td><td style="text-align: right;">394.3 ft<sup>2</sup></td><td style="text-align: right;">___</td></tr> <tr><td>    b. SHGC:</td><td></td><td></td></tr> <tr><td>        (or Clear or Tint DEFAULT) 7b. (Clear)</td><td style="text-align: right;">394.3 ft<sup>2</sup></td><td style="text-align: right;">___</td></tr> <tr><td>8. Floor types</td><td></td><td></td></tr> <tr><td>    a. Slab-On-Grade Edge Insulation</td><td style="text-align: right;">R=0.0, 258.0(p) ft</td><td style="text-align: right;">___</td></tr> <tr><td>    b. N/A</td><td></td><td style="text-align: right;">___</td></tr> <tr><td>    c. N/A</td><td></td><td style="text-align: right;">___</td></tr> <tr><td>9. Wall types</td><td></td><td></td></tr> <tr><td>    a. Frame, Wood, Exterior</td><td style="text-align: right;">R=13.0, 1675.7 ft<sup>2</sup></td><td style="text-align: right;">___</td></tr> <tr><td>    b. Frame, Wood, Adjacent</td><td style="text-align: right;">R=13.0, 156.0 ft<sup>2</sup></td><td style="text-align: right;">___</td></tr> <tr><td>    c. N/A</td><td></td><td style="text-align: right;">___</td></tr> <tr><td>    d. N/A</td><td></td><td style="text-align: right;">___</td></tr> <tr><td>    e. N/A</td><td></td><td style="text-align: right;">___</td></tr> <tr><td>10. Ceiling types</td><td></td><td></td></tr> <tr><td>    a. Under Attic</td><td style="text-align: right;">R=30.0, 2300.0 ft<sup>2</sup></td><td style="text-align: right;">___</td></tr> <tr><td>    b. N/A</td><td></td><td style="text-align: right;">___</td></tr> <tr><td>    c. N/A</td><td></td><td style="text-align: right;">___</td></tr> <tr><td>11. Ducts(Leak Free)</td><td></td><td></td></tr> <tr><td>    a. Sup: Unc. Ret: Unc. AH: Attic</td><td style="text-align: right;">Sup. R=6.0, 45.0 ft</td><td style="text-align: right;">___</td></tr> <tr><td>    b. N/A</td><td></td><td style="text-align: right;">___</td></tr> </table>	1. New construction or existing	New	___	2. Single family or multi-family	Single family	___	3. Number of units, if multi-family	1	___	4. Number of Bedrooms	3	___	5. Is this a worst case?	No	___	6. Conditioned floor area (ft <sup>2</sup> )	2185 ft <sup>2</sup>	___	7. Glass type <sup>1</sup> and area: (Label reqd. by 13-104.4.5 if not default)			a. U-factor:	Description Area		(or Single or Double DEFAULT) 7a(Sngle Default)	394.3 ft <sup>2</sup>	___	b. SHGC:			(or Clear or Tint DEFAULT) 7b. (Clear)	394.3 ft <sup>2</sup>	___	8. Floor types			a. Slab-On-Grade Edge Insulation	R=0.0, 258.0(p) ft	___	b. N/A		___	c. N/A		___	9. Wall types			a. Frame, Wood, Exterior	R=13.0, 1675.7 ft <sup>2</sup>	___	b. Frame, Wood, Adjacent	R=13.0, 156.0 ft <sup>2</sup>	___	c. N/A		___	d. N/A		___	e. N/A		___	10. Ceiling types			a. Under Attic	R=30.0, 2300.0 ft <sup>2</sup>	___	b. N/A		___	c. N/A		___	11. Ducts(Leak Free)			a. Sup: Unc. Ret: Unc. AH: Attic	Sup. R=6.0, 45.0 ft	___	b. N/A		___	<table style="width: 100%; border-collapse: collapse;"> <tr><td>12. Cooling systems</td><td></td><td></td></tr> <tr><td>    a. Central Unit</td><td></td><td style="text-align: right;">Cap: 57.0 kBtu/hr ___ SEER: 13.50 ___</td></tr> <tr><td>    b. N/A</td><td></td><td style="text-align: right;">___</td></tr> <tr><td>    c. N/A</td><td></td><td style="text-align: right;">___</td></tr> <tr><td>13. Heating systems</td><td></td><td></td></tr> <tr><td>    a. Electric Heat Pump</td><td></td><td style="text-align: right;">Cap: 57.0 kBtu/hr ___ HSPF: 7.80 ___</td></tr> <tr><td>    b. N/A</td><td></td><td style="text-align: right;">___</td></tr> <tr><td>    c. N/A</td><td></td><td style="text-align: right;">___</td></tr> <tr><td>14. Hot water systems</td><td></td><td></td></tr> <tr><td>    a. Electric Resistance</td><td></td><td style="text-align: right;">Cap: 50.0 gallons ___ EF: 0.90 ___</td></tr> <tr><td>    b. N/A</td><td></td><td style="text-align: right;">___</td></tr> <tr><td>    c. Conservation credits         (HR-Heat recovery, Solar         DHP-Dedicated heat pump)</td><td></td><td style="text-align: right;">___</td></tr> <tr><td>15. HVAC credits</td><td></td><td style="text-align: right;">PT, ___</td></tr> <tr><td>        (CF-Ceiling fan, CV-Cross ventilation,         HF-Whole house fan,         PT-Programmable Thermostat,         MZ-C-Multizone cooling,         MZ-H-Multizone heating)</td><td></td><td></td></tr> </table>	12. Cooling systems			a. Central Unit		Cap: 57.0 kBtu/hr ___ SEER: 13.50 ___	b. N/A		___	c. N/A		___	13. Heating systems			a. Electric Heat Pump		Cap: 57.0 kBtu/hr ___ HSPF: 7.80 ___	b. N/A		___	c. N/A		___	14. Hot water systems			a. Electric Resistance		Cap: 50.0 gallons ___ EF: 0.90 ___	b. N/A		___	c. Conservation credits (HR-Heat recovery, Solar DHP-Dedicated heat pump)		___	15. HVAC credits		PT, ___	(CF-Ceiling fan, CV-Cross ventilation, HF-Whole house fan, PT-Programmable Thermostat, MZ-C-Multizone cooling, MZ-H-Multizone heating)		
1. New construction or existing	New	___																																																																																																																													
2. Single family or multi-family	Single family	___																																																																																																																													
3. Number of units, if multi-family	1	___																																																																																																																													
4. Number of Bedrooms	3	___																																																																																																																													
5. Is this a worst case?	No	___																																																																																																																													
6. Conditioned floor area (ft <sup>2</sup> )	2185 ft <sup>2</sup>	___																																																																																																																													
7. Glass type <sup>1</sup> and area: (Label reqd. by 13-104.4.5 if not default)																																																																																																																															
a. U-factor:	Description Area																																																																																																																														
(or Single or Double DEFAULT) 7a(Sngle Default)	394.3 ft <sup>2</sup>	___																																																																																																																													
b. SHGC:																																																																																																																															
(or Clear or Tint DEFAULT) 7b. (Clear)	394.3 ft <sup>2</sup>	___																																																																																																																													
8. Floor types																																																																																																																															
a. Slab-On-Grade Edge Insulation	R=0.0, 258.0(p) ft	___																																																																																																																													
b. N/A		___																																																																																																																													
c. N/A		___																																																																																																																													
9. Wall types																																																																																																																															
a. Frame, Wood, Exterior	R=13.0, 1675.7 ft <sup>2</sup>	___																																																																																																																													
b. Frame, Wood, Adjacent	R=13.0, 156.0 ft <sup>2</sup>	___																																																																																																																													
c. N/A		___																																																																																																																													
d. N/A		___																																																																																																																													
e. N/A		___																																																																																																																													
10. Ceiling types																																																																																																																															
a. Under Attic	R=30.0, 2300.0 ft <sup>2</sup>	___																																																																																																																													
b. N/A		___																																																																																																																													
c. N/A		___																																																																																																																													
11. Ducts(Leak Free)																																																																																																																															
a. Sup: Unc. Ret: Unc. AH: Attic	Sup. R=6.0, 45.0 ft	___																																																																																																																													
b. N/A		___																																																																																																																													
12. Cooling systems																																																																																																																															
a. Central Unit		Cap: 57.0 kBtu/hr ___ SEER: 13.50 ___																																																																																																																													
b. N/A		___																																																																																																																													
c. N/A		___																																																																																																																													
13. Heating systems																																																																																																																															
a. Electric Heat Pump		Cap: 57.0 kBtu/hr ___ HSPF: 7.80 ___																																																																																																																													
b. N/A		___																																																																																																																													
c. N/A		___																																																																																																																													
14. Hot water systems																																																																																																																															
a. Electric Resistance		Cap: 50.0 gallons ___ EF: 0.90 ___																																																																																																																													
b. N/A		___																																																																																																																													
c. Conservation credits (HR-Heat recovery, Solar DHP-Dedicated heat pump)		___																																																																																																																													
15. HVAC credits		PT, ___																																																																																																																													
(CF-Ceiling fan, CV-Cross ventilation, HF-Whole house fan, PT-Programmable Thermostat, MZ-C-Multizone cooling, MZ-H-Multizone heating)																																																																																																																															

Glass/Floor Area: 0.18	Total as-built points: 30268 Total base points: 30528	PASS
------------------------	----------------------------------------------------------	------

I hereby certify that the plans and specifications covered by this calculation are in compliance with the Florida Energy Code.

**PREPARED BY:** Jon Morris

**DATE:** 5-8-06

I hereby certify that this building, as designed, is in compliance with the Florida Energy Code.

**OWNER/AGENT:** \_\_\_\_\_

**DATE:** \_\_\_\_\_

Review of the plans and specifications covered by this calculation indicates compliance with the Florida Energy Code. Before construction is completed this building will be inspected for compliance with Section 553.908 Florida Statutes.

**BUILDING OFFICIAL:** \_\_\_\_\_

**DATE:** \_\_\_\_\_



1 Predominant glass type. For actual glass type and areas, see Summer & Winter Glass output on pages 2&4.  
EnergyGauge® (Version: FLRCPB v4.1)



# SUMMER CALCULATIONS

## Residential Whole Building Performance Method A - Details

ADDRESS: , , FL, 32024-	PERMIT #:
-------------------------	-----------

BASE	AS-BUILT
<b>INFILTRATION</b> Area X BSPM = Points	Area X SPM = Points
2185.0    10.21    22308.8	2185.0    10.21    22308.8
<b>Summer Base Points: 27414.5</b>	<b>Summer As-Built Points: 32488.1</b>
Total Summer X System = Cooling Points            Multiplier        Points	Total X Cap X Duct X System X Credit = Cooling Component Ratio Multiplier Multiplier Multiplier        Points (System - Points)            (DM x DSM x AHU)
<b>27414.5            0.4266            11695.0</b>	<small>(sys 1: Central Unit 57000 btuh ,SEER/EFF(13.5) Ducts:Unc(S),Unc(R),Att(AH),R6.0(INS)</small> <b>32488            1.00    (1.09 x 1.000 x 1.11)    0.253            0.950            9440.6</b> <b>32488.1    1.00            1.210            0.253            0.950            9440.6</b>

**WINTER CALCULATIONS****Residential Whole Building Performance Method A - Details**

ADDRESS: , , FL, 32024-

PERMIT #:

BASE				AS-BUILT							
<b>GLASS TYPES</b>											
.18 X Conditioned X BWPM = Points Floor Area				Type/SC	Overhang Ornt Len Hgt			Area X WPM X WOF = Points			
.18	2185.0	12.74	5010.6	Single, Clear	W	1.5	8.0	30.0	28.84	1.01	874.8
				Single, Clear	W	1.5	10.0	105.0	28.84	1.01	3045.5
				Single, Clear	N	17.5	10.0	40.0	33.22	1.02	1361.1
				Single, Clear	W	9.5	10.0	30.0	28.84	1.16	1004.8
				Single, Clear	N	1.5	8.0	15.0	33.22	1.00	498.7
				Single, Clear	N	1.5	8.0	2.7	33.22	1.00	89.8
				Single, Clear	E	1.5	8.0	30.0	26.41	1.02	808.0
				Single, Clear	E	9.0	10.0	35.6	26.41	1.26	1183.1
				Single, Clear	E	1.5	8.0	37.5	26.41	1.02	1010.0
				Single, Clear	E	1.5	8.0	22.5	26.41	1.02	606.0
				Single, Clear	S	1.5	8.0	16.0	20.24	1.04	337.1
				Single, Clear	S	1.5	8.0	30.0	20.24	1.04	632.1
				<b>As-Built Total:</b>				<b>394.3</b>	<b>11451.0</b>		
<b>WALL TYPES</b>											
Area X BWPM = Points				Type	R-Value			Area X WPM = Points			
Adjacent	156.0	3.60	561.6	Frame, Wood, Exterior	13.0			1675.7	3.40		5697.4
Exterior	1675.7	3.70	6200.1	Frame, Wood, Adjacent	13.0			156.0	3.30		514.8
<b>Base Total:</b>	<b>1831.7</b>		<b>6761.7</b>	<b>As-Built Total:</b>				<b>1831.7</b>			<b>6212.2</b>
<b>DOOR TYPES</b>											
Area X BWPM = Points				Type	R-Value			Area X WPM = Points			
Adjacent	20.0	8.00	160.0	Adjacent Insulated				20.0	8.00		160.0
Exterior	0.0	0.00	0.0								
<b>Base Total:</b>	<b>20.0</b>		<b>160.0</b>	<b>As-Built Total:</b>				<b>20.0</b>			<b>160.0</b>
<b>CEILING TYPES</b>											
Area X BWPM = Points				Type	R-Value			Area X WPM X WCM = Points			
Under Attic	2185.0	2.05	4479.3	Under Attic	30.0			2300.0	2.05 X 1.00		4715.0
<b>Base Total:</b>	<b>2185.0</b>		<b>4479.3</b>	<b>As-Built Total:</b>				<b>2300.0</b>			<b>4715.0</b>
<b>FLOOR TYPES</b>											
Area X BWPM = Points				Type	R-Value			Area X WPM = Points			
Slab	258.0(p)	8.9	2296.2	Slab-On-Grade Edge Insulation	0.0			258.0(p)	18.80		4850.4
Raised	0.0	0.00	0.0								
<b>Base Total:</b>			<b>2296.2</b>	<b>As-Built Total:</b>				<b>258.0</b>			<b>4850.4</b>

# WINTER CALCULATIONS

## Residential Whole Building Performance Method A - Details

ADDRESS: , , FL, 32024-	PERMIT #:
-------------------------	-----------

BASE				AS-BUILT					
<b>INFILTRATION</b>		Area X BWPM = Points		Area X WPM = Points					
2185.0	-0.59	-1289.1		2185.0	-0.59	-1289.1			
<b>Winter Base Points:</b>			<b>17418.6</b>	<b>Winter As-Built Points:</b>			<b>26099.4</b>		
Total Winter Points	X System Multiplier	= Heating Points		Total Component (System - Points)	X Cap Ratio (DM x DSM x AHU)	X Duct Multiplier	X System Multiplier	X Credit Multiplier	= Heating Points
<b>17418.6</b>	<b>0.6274</b>	<b>10928.4</b>		(sys 1: Electric Heat Pump 57000 btuh ,EFF(7.8) Ducts:Unc(S),Unc(R),Att(AH),R6.0					
				26099.4	1.000	(1.069 x 1.000 x 1.10)	0.437	0.950	12746.3
				<b>26099.4</b>	<b>1.00</b>	<b>1.176</b>	<b>0.437</b>	<b>0.950</b>	<b>12746.3</b>

# WATER HEATING & CODE COMPLIANCE STATUS

## Residential Whole Building Performance Method A - Details

ADDRESS: , , FL, 32024-	PERMIT #:
-------------------------	-----------

BASE				AS-BUILT							
<b>WATER HEATING</b>											
Number of Bedrooms	X	Multiplier	= Total	Tank Volume	EF	Number of Bedrooms	X	Tank X Ratio	X Multiplier	X Credit	= Total Multiplier
3		2635.00	7905.0	50.0	0.90	3		1.00	2693.56	1.00	8080.7
<b>As-Built Total:</b>											<b>8080.7</b>

<b>CODE COMPLIANCE STATUS</b>											
BASE					AS-BUILT						
Cooling Points	+	Heating Points	+	Hot Water Points	= Total Points	Cooling Points	+	Heating Points	+	Hot Water Points	= Total Points
<b>11695</b>		<b>10928</b>		<b>7905</b>	<b>30528</b>	<b>9441</b>		<b>12746</b>		<b>8081</b>	<b>30268</b>

PASS



# Code Compliance Checklist

## Residential Whole Building Performance Method A - Details

ADDRESS: , , FL, 32024-	PERMIT #:
-------------------------	-----------

**6A-21 INFILTRATION REDUCTION COMPLIANCE CHECKLIST**

COMPONENTS	SECTION	REQUIREMENTS FOR EACH PRACTICE	CHECK
Exterior Windows & Doors	606.1.ABC.1.1	Maximum: .3 cfm/sq.ft. window area; .5 cfm/sq.ft. door area.	
Exterior & Adjacent Walls	606.1.ABC.1.2.1	Caulk, gasket, weatherstrip or seal between: windows/doors & frames, surrounding wall; foundation & wall sole or sill plate; joints between exterior wall panels at corners; utility penetrations; between wall panels & top/bottom plates; between walls and floor. EXCEPTION: Frame walls where a continuous infiltration barrier is installed that extends from, and is sealed to, the foundation to the top plate.	
Floors	606.1.ABC.1.2.2	Penetrations/openings >1/8" sealed unless backed by truss or joint members. EXCEPTION: Frame floors where a continuous infiltration barrier is installed that is sealed to the perimeter, penetrations and seams.	
Ceilings	606.1.ABC.1.2.3	Between walls & ceilings; penetrations of ceiling plane of top floor; around shafts, chases, soffits, chimneys, cabinets sealed to continuous air barrier; gaps in gyp board & top plate; attic access. EXCEPTION: Frame ceilings where a continuous infiltration barrier is installed that is sealed at the perimeter, at penetrations and seams.	
Recessed Lighting Fixtures	606.1.ABC.1.2.4	Type IC rated with no penetrations, sealed; or Type IC or non-IC rated, installed inside a sealed box with 1/2" clearance & 3" from insulation; or Type IC rated with < 2.0 cfm from conditioned space, tested.	
Multi-story Houses	606.1.ABC.1.2.5	Air barrier on perimeter of floor cavity between floors.	
Additional Infiltration reqts	606.1.ABC.1.3	Exhaust fans vented to outdoors, dampers; combustion space heaters comply with NFPA, have combustion air.	

**6A-22 OTHER PRESCRIPTIVE MEASURES (must be met or exceeded by all residences.)**

COMPONENTS	SECTION	REQUIREMENTS	CHECK
Water Heaters	612.1	Comply with efficiency requirements in Table 612.1.ABC.3.2. Switch or clearly marked circuit breaker (electric) or cutoff (gas) must be provided. External or built-in heat trap required.	
Swimming Pools & Spas	612.1	Spas & heated pools must have covers (except solar heated). Non-commercial pools must have a pump timer. Gas spa & pool heaters must have a minimum thermal efficiency of 78%.	
Shower heads	612.1	Water flow must be restricted to no more than 2.5 gallons per minute at 80 PSIG.	
Air Distribution Systems	610.1	All ducts, fittings, mechanical equipment and plenum chambers shall be mechanically attached, sealed, insulated, and installed in accordance with the criteria of Section 610. Ducts in unconditioned attics: R-6 min. insulation.	
HVAC Controls	607.1	Separate readily accessible manual or automatic thermostat for each system.	
Insulation	604.1, 602.1	Ceilings-Min. R-19. Common walls-Frame R-11 or CBS R-3 both sides. Common ceiling & floors R-11.	

Tested sealed ducts must be certified in this house.

# ENERGY PERFORMANCE LEVEL (EPL) DISPLAY CARD

**ESTIMATED ENERGY PERFORMANCE SCORE\* = 83.5**

**The higher the score, the more efficient the home.**

Nickelson Residence, , , FL, 32024-

<p>1. New construction or existing <span style="float: right;">New</span> <input type="checkbox"/></p> <p>2. Single family or multi-family <span style="float: right;">Single family</span> <input type="checkbox"/></p> <p>3. Number of units, if multi-family <span style="float: right;">1</span> <input type="checkbox"/></p> <p>4. Number of Bedrooms <span style="float: right;">3</span> <input type="checkbox"/></p> <p>5. Is this a worst case? <span style="float: right;">No</span> <input type="checkbox"/></p> <p>6. Conditioned floor area (ft<sup>2</sup>) <span style="float: right;">2185 ft<sup>2</sup></span> <input type="checkbox"/></p> <p>7. Glass type<sup>1</sup> and area: (Label reqd. by 13-104.4.5 if not default)</p> <p style="margin-left: 20px;">a. U-factor: <span style="float: right;">Description Area</span></p> <p style="margin-left: 40px;">(or Single or Double DEFAULT) 7a(Sngle Default) 394.3 ft<sup>2</sup> <input type="checkbox"/></p> <p style="margin-left: 20px;">b. SHGC:</p> <p style="margin-left: 40px;">(or Clear or Tint DEFAULT) 7b. (Clear) 394.3 ft<sup>2</sup> <input type="checkbox"/></p> <p>8. Floor types</p> <p style="margin-left: 20px;">a. Slab-On-Grade Edge Insulation <span style="float: right;">R=0.0, 258.0(p) ft</span> <input type="checkbox"/></p> <p style="margin-left: 20px;">b. N/A <input type="checkbox"/></p> <p style="margin-left: 20px;">c. N/A <input type="checkbox"/></p> <p>9. Wall types</p> <p style="margin-left: 20px;">a. Frame, Wood, Exterior <span style="float: right;">R=13.0, 1675.7 ft<sup>2</sup></span> <input type="checkbox"/></p> <p style="margin-left: 20px;">b. Frame, Wood, Adjacent <span style="float: right;">R=13.0, 156.0 ft<sup>2</sup></span> <input type="checkbox"/></p> <p style="margin-left: 20px;">c. N/A <input type="checkbox"/></p> <p style="margin-left: 20px;">d. N/A <input type="checkbox"/></p> <p style="margin-left: 20px;">e. N/A <input type="checkbox"/></p> <p>10. Ceiling types</p> <p style="margin-left: 20px;">a. Under Attic <span style="float: right;">R=30.0, 2300.0 ft<sup>2</sup></span> <input type="checkbox"/></p> <p style="margin-left: 20px;">b. N/A <input type="checkbox"/></p> <p style="margin-left: 20px;">c. N/A <input type="checkbox"/></p> <p>11. Ducts(Leak Free)</p> <p style="margin-left: 20px;">a. Sup: Unc. Ret: Unc. AH: Attic <span style="float: right;">Sup. R=6.0, 45.0 ft</span> <input type="checkbox"/></p> <p style="margin-left: 20px;">b. N/A <input type="checkbox"/></p>	<p>12. Cooling systems</p> <p style="margin-left: 20px;">a. Central Unit <span style="float: right;">Cap: 57.0 kBtu/hr</span> <input type="checkbox"/></p> <p style="margin-left: 40px;">SEER: 13.50 <input type="checkbox"/></p> <p style="margin-left: 20px;">b. N/A <input type="checkbox"/></p> <p style="margin-left: 20px;">c. N/A <input type="checkbox"/></p> <p>13. Heating systems</p> <p style="margin-left: 20px;">a. Electric Heat Pump <span style="float: right;">Cap: 57.0 kBtu/hr</span> <input type="checkbox"/></p> <p style="margin-left: 40px;">HSPF: 7.80 <input type="checkbox"/></p> <p style="margin-left: 20px;">b. N/A <input type="checkbox"/></p> <p style="margin-left: 20px;">c. N/A <input type="checkbox"/></p> <p>14. Hot water systems</p> <p style="margin-left: 20px;">a. Electric Resistance <span style="float: right;">Cap: 50.0 gallons</span> <input type="checkbox"/></p> <p style="margin-left: 40px;">EF: 0.90 <input type="checkbox"/></p> <p style="margin-left: 20px;">b. N/A <input type="checkbox"/></p> <p style="margin-left: 20px;">c. Conservation credits <input type="checkbox"/></p> <p style="margin-left: 40px;">(HR-Heat recovery, Solar DHP-Dedicated heat pump)</p> <p>15. HVAC credits <span style="float: right;">PT, <input type="checkbox"/></span></p> <p style="margin-left: 20px;">(CF-Ceiling fan, CV-Cross ventilation, HF-Whole house fan, PT-Programmable Thermostat, MZ-C-Multizone cooling, MZ-H-Multizone heating)</p>
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

I certify that this home has complied with the Florida Energy Efficiency Code For Building Construction through the above energy saving features which will be installed (or exceeded) in this home before final inspection. Otherwise, a new EPL Display Card will be completed based on installed Code compliant features.

Builder Signature: \_\_\_\_\_ Date: \_\_\_\_\_

Address of New Home: \_\_\_\_\_ City/FL Zip: \_\_\_\_\_



*\*NOTE: The home's estimated energy performance score is only available through the FLA/RES computer program. This is not a Building Energy Rating. If your score is 80 or greater (or 86 for a US EPA/DOE EnergyStar™ designation), your home may qualify for energy efficiency mortgage (EEM) incentives if you obtain a Florida Energy Gauge Rating. Contact the Energy Gauge Hotline at 321/638-1492 or see the Energy Gauge web site at www.fsec.ucf.edu for information and a list of certified Raters. For information about Florida's Energy Efficiency Code For Building Construction, contact the Department of Community Affairs at 850/487-1824.*

<sup>1</sup> Predominant glass type. For actual glass type and areas, see Summer & Winter Glass output on pages 2&4. EnergyGauge® (Version: FLRCPB v4.1)

# Energy Code Compliance

## Duct System Performance Report

Project Name: Joey & Lydia Nickelson	Builder: Compass Builders
Address:	Permitting Office:
City, State: , FL 32024-	Permit Number:
Owner: Nickelson Residence	Jurisdiction Number:
Climate Zone: North	

### Total Duct System Leakage Test Results

CFM25 Total Duct Leakage Test Values			
Line	System	Duct Leakage Total	Duct Leakage to Outdoors
1	System1	_____ cfm25(tot)	_____ cfm25(out)
2	System2	_____ cfm25(tot)	_____ cfm25(out)
3	System3	_____ cfm25(tot)	_____ cfm25(out)
4	System4	_____ cfm25(tot)	_____ cfm25(out)
5	<b>Total House Duct System Leakage</b>	Sum lines 1-4 _____  Divide by _____ <small>(Total Conditioned Floor Area)</small>  = _____ (Q <sub>n,tot</sub> )  <input type="checkbox"/> Receive credit if Q <sub>n,tot</sub> ≤ 0.03	Sum lines 1-4 _____  Divide by _____ <small>(Total Conditioned Floor Area)</small>  = _____ (Q <sub>n,out</sub> )  <input type="checkbox"/> Receive credit if Q <sub>n,out</sub> ≤ 0.03 AND Q <sub>n,tot</sub> ≤ 0.09


I hereby certify that the above duct testing performance results demonstrate compliance with the Florida Energy Code requirements in accordance with Section 610.1.A.1, Florida Building Code, Building Volume, Chapter 13 for leak free duct system credit.

Signature: \_\_\_\_\_  
 Printed Name: \_\_\_\_\_  
 Florida Rater Certification #: \_\_\_\_\_  
 DATE: \_\_\_\_\_

Florida Building Code requires that testing to confirm leak free duct systems be performed by a Class 1 Florida Energy Gauge Certified Energy Rater. Certified Florida Class 1 raters can be found at: <http://energygauge.com/search.htm>



BUILDING OFFICIAL: \_\_\_\_\_  
 DATE: \_\_\_\_\_



**NICHOLAS  
PAUL  
GEISLER**  
**ARCHITECT**  
N.C.A.R.B. Certified

1758 NW Brown Road  
Lake City, FL 32055  
386/755-9021

19 SEPTEMBER 2006

JOHNNY KEARSE, BUILDING OFFICIAL  
COLUMBIA COUNTY, BUILDING DEPT.  
COLUMBIA COUNTY COURTHOUSE ANNEX  
LAKE CITY, FLORIDA 32055

RE: NICHOLSON RESIDENCE  
PERMIT Nr.: 24597

DEAR SIR:

PLEASE BE ADVISED OF THE FOLLOWING CHANGE TO THE CONSTRUCTION DOCUMENTS FOR THE ABOVE REFERENCED PROJECT:

1. BECAUSE OF THE 12/12 ROOF PITCH, IT HAS BECOME NECESSARY TO RAISE THE EAVE LINE AT SELECTED AREAS OF THE ROOF FOR SUITABLE CLEARANCE BELOW THE ROOF EAVE.
2. REMOVE THE EAVE PORTIONS OF THE TRUSS OVERHANGS AS DIRECTED IN THE FIELD AND REPLACE WITH ADDED FRAMING AT A REDUCED SLOPE TO CLEAR OBSTRUCTIONS.
3. ADDED FRAMING TO BE 2X4 LUMBER PROJECTING FROM THE WALL EQUAL TO THE REMAINING EAVES AND EXTENDING INWARD PAST THE O/S FACE OF THE WALL A MINIMUM OF 48". SECURE THIS ADDED FRAMING TO THE TRUSSES WITH A MINIMUM OF 6 - 16d COMMON NAILS, 3 NEAR THE EXTERIOR WALL AND 3 NEAR THE INTERIOR END OF THE FRAMING. ALL ADDED NAILS SHALL BE "CLINCHED". ADDED FRAMING MAY BE EXTENDED INWARD AS NEED TO MEET WITH A TRUSS MEMBER FOR NAILING PURPOSES.

SHOULD YOU HAVE ANY FURTHER QUESTIONS WITH THIS, PLEASE CALL FOR ASSISTANCE.

YOURS TRULY,  
NICHOLAS PAUL GEISLER, ARCHITECT AR0007005

# New Construction Subterranean Termite Soil Treatment Record

OMB Approval No. 2502-0525

This form is completed by the licensed Pest Control Company.

**Public reporting burden** for this collection of information is estimated to average 15 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. This information is mandatory and is required to obtain benefits. HUD may not collect this information, and you are not required to complete this form, unless it displays a currently valid OMB control number.

Section 24 CFR 200.926d(b)(3) requires that the sites for HUD insured structures must be free of termite hazards. This information collection requires the builder to certify that an authorized Pest Control company performed all required treatment for termites, and that the builder guarantees the treated area against infestation for one year. Builders, pest control companies, mortgage lenders, homebuyers, and HUD as a record of treatment for specific homes will use the information collected. The information is not considered confidential.

This report is submitted for informational purposes to the builder on proposed (new) construction cases when soil treatment for prevention of subterranean termite infestation is specified by the builder, architect, or required by the lender, architect, FHA, or VA.

All contracts for services are between the Pest Control Operator and builder, unless stated otherwise.

#24597

## Section 1: General Information (Treating Company Information)

Company Name: Aspen Pest Control, Inc.  
Company Address: 301 NW Cole Terrace City Lake City State FL Zip 32856  
Company Business License No. JB103476 Company Phone No. 385-765-3611  
FHA/VA Case No. (if any) \_\_\_\_\_

## Section 2: Builder Information

Company Name: Tempos Builders Company Phone No. \_\_\_\_\_

## Section 3: Property Information

Location of Structure(s) Treated (Street Address or Legal Description, City, State and Zip) 222 S.W. Holly Glen  
Lake City, FL  
Type of Construction (More than one box may be checked)  Slab  Basement  Crawl  Other \_\_\_\_\_  
Approximate Depth of Footing: Outside \_\_\_\_\_ Inside \_\_\_\_\_ Type of Fill \_\_\_\_\_

## Section 4: Treatment Information

Date(s) of Treatment(s) 9-19-06  
Brand Name of Product(s) Used Bora-Toro  
EPA Registration No. 64405-1  
Approximate Final Mix Solution % 23%  
Approximate Size of Treatment Area: Sq. ft. 2906 Linear ft. 293 Linear ft. of Masonry Voids 0  
Approximate Total Gallons of Solution Applied 6  
Was treatment completed on exterior?  Yes  No  
Service Agreement Available?  Yes  No

Note: Some state laws require service agreements to be issued. This form does not preempt state law.

Attachments (List) \_\_\_\_\_

Comments Treated home while framing was still in progress

Name of Applicator(s) Steve Brennan Certification No. (if required by State law) JF104376

The applicator has used a product in accordance with the product label and state requirements. All treatment materials and methods used comply with state and federal regulations.

Authorized Signature Steve Brennan Date 9-19-06

**Warning:** HUD will prosecute false claims and statements. Conviction may result in criminal and/or civil penalties. (18 U.S.C. 1001, 1010, 1012; 31 U.S.C. 3729, 3802)

Form NPCA-99-B may still be used

form HUD-NPCA-99-B (04/2003)

# CENTRAL AVENUE OF COLUMBIA COUNTY

## OCCUPANCY

COLUMBIA COUNTY, FLORIDA

### Department of Building and Zoning Inspection

*This Certificate of Occupancy is issued to the below named permit holder for the building and premises at the below named location, and certifies that the work has been completed in accordance with the Columbia County Building Code.*

Parcel Number 01-5S-16-03390-016

Building permit No. 000024597

Use Classification SF/UTILITY

Fire: 22.32

Permit Holder JAKE KIRSCH/COMPASS BLDRS.

Waste: 67.00

Owner of Building JOEY & LYDIA NICKELSON

Total: 89.32

Location: 222 SW HOLLY GLEN, LAKE CITY, FL

Date: 06/11/2007

Building Inspector

POST IN A CONSPICUOUS PLACE  
(Business Places Only)