District No. 1 - Ronald Williams District No. 2 - Rusty DePratter District No. 3 - Bucky Nash District No. 4 - Everett Phillips District No. 5 - Tim Murphy

Note:





BOARD OF COUNTY COMMISSIONERS • COLUMBIA COUNTY

BUILDING & ZONING DEPARTMENT

135 NE Hernando Avenue, Suite B-21; Lake City, FL 32055

Brandon Stubbs, County Planner	386-754-7119
Laurie Hodson, Office Manager	386-758-1007

	FOR BUILDING DEPARTMENT USE:	
	Permit Number:	
A1. Building Owner's Name: Karen Hogg	35649	
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 1313 NW Tiger Drain Road	APPROVED/ NO CORRECTION	
City: White Springs State: FL ZIP Code: 32096		
A3. Property Description (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.) 24-25-15-00084-001		
A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.)		
NAD 1983 Latitude/Longitude: Lat. Long. Horizontal Datum: NAD 1927 📈 NAD 1983		
A6. Attach at least 2 photographs of the building if the Certificate is being used to obtain flood insurance.		
A7. Building Diagram Number 5		
8. For a building with a crawlspace or enclosure(s): A9. For a building with an a		
	ttached garage sq ft	
	ood openings in the attached garage	
	ve adjacent grade	
c) Total net area of flood openings in A8.b sq in	ood openings in A9.b sq in sq in No	
a) signicited hood of	Settings: Tes Ho	
SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION		
31. NFIP Community Name & Community Number B2. County Name	B3. State	
84. Map/Panel Number 85. Suffix 86. FIRM Index Date 87. FIRM Panel 88. Flood Zone/sl	R9 Base Flood Flevation(s) (Zone A)	
Effective/Revised Date	1	
B4. Map/Panel Number B5. Suffix B6. FIRM Index Date B7. FIRM Panel B8. Flood Zone(s) Effective/Revised Date AE	B9. Base Flood Elevation(s) (Zone Al use base flood depth)	
Effective/Revised Date AE	1	
Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9.	1	
Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9. FIS Profile FIRM Community Determined Other (Describe)	1	
Effective/Revised Date AE Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9. FIS Profile FIRM Community Determined Other (Describe) Indicate elevation datum used for BFE in Item B9: NGVD 1929 NAVD 1988 Other (Describe)	use base flood depth)	
Effective/Revised Date AE Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9. FIS Profile FIRM Community Determined Other (Describe) Indicate elevation datum used for BFE in Item B9: NGVD 1929 NAVD 1988 Other (Describe) Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)?	1	
Effective/Revised Date AE Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9. FIS Profile FIRM Community Determined Other (Describe) Indicate elevation datum used for BFE in Item B9: NGVD 1929 NAVD 1988 Other (Describe)	use base flood depth)	
Effective/Revised Date AE Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9. FIS Profile FIRM Community Determined Other (Describe) Indicate elevation datum used for BFE in Item 89: NGVD 1929 NAVD 1988 Other (Describe) Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)?	use base flood depth)	
Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9. FIS Profile FIRM Community Determined Other (Describe) Indicate elevation datum used for BFE in Item B9: NGVD 1929 NAVD 1988 Other (Describe) Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? Designation Date CBRS OPA	use base flood depth)	
Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9. FIS Profile FIRM Community Determined Other (Describe) Indicate elevation datum used for BFE in Item B9: NGVD 1929 NAVD 1988 Other (Describe) Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? Designation Date CBRS OPA CGCO Official's Name: LAURIE HODSON Title OFFICE MANAGER	use base flood depth)	
Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9. FIS Profile	use base flood depth)	

BOARD MEETS THE FIRST THURSDAY AT 5:30 P.M. AND THIRD THURSDAY AT 5:30 P.M.

U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency National Flood Insurance Program

OMB No. 1660-0008 Expiration Date: November 30, 2018

ELEVATION CERTIFICATE

Important: Follow the instructions on pages 1-9.

Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.

					FOR INSU	RANCE COMPANY USE	
A1. Building Owner's Name KAREN HOGG						Policy Num	iber:
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 1313 NW TIGER DRAIN ROAD					Company N	NAIC Number:	
City State WHITE SPRINGS Florida						ZIP Code 32096	
A3. Property Desc TAX PARCEL NO.		nd Block Numbers, Tax 084-001	(Parce	l Number, Legal De	escription, etc.)		
A4, Building Use (e.g., Residen	tial, Non-Residential, A	\dditior	n, Accessory, etc.)	RESIDENTIAL		
A5. Latitude/Longi	tude: Lat. N.	.30D18'23.3"	Long. V	V.082D46"38.7'	Horizontal Datum	: NAD	1927 X NAD 1983
A6. Attach at least	2 photograpi	hs of the building if the	Certific	cate is being used to	o obtain flood insura	nce.	
A7. Building Diagra	am Number ຸ	5					
A8. For a building	with a crawls _l	pace or enclosure(s):					
a) Square foo	tage of crawls	space or enclosure(s)		sq ft			
b) Number of	permanent flo	ood openings in the cra	wlspac	e or enclosure(s) w	rithin 1.0 foot above	adjacent gr	ade
c) Total net ar	ea of flood op	penings in A8.b		sq in			
d) Engineered	flood openin	gs? 🗌 Yes 🗵 No)				
A9. For a building v	A9. For a building with an attached garage:						
a) Square fool	tage of attach	ed garage		sq ft			
b) Number of p	permanent flo	ood openings in the atta	ached (garage within 1.0 fo	ot above adjacent g	rade	
c) Total net area of flood openings in A9.b sq in						14	
d) Engineered flood openings? Yes X No							
							<u>.</u>
		CTION B - FLOOD IN	ISURA			rion	
B1. NFIP Communi COLUMBIA COUN				B2. County Name COLUMBIA			B3. State Florida
B4. Map/Panel Number	B5. Suffix	B6. FIRM Index Date	E	IRM Panel ffective/ evised Date	B8. Flood Zone(s)	(Zoi	se Flood Elevation(s) ne AO, use Base od Depth)
12023C0167	С	02/04/2009	1	/2009	AE	86	na Deptily
B10. Indicate the se	ource of the E	Base Flood Elevation (B	3FE) d	ata or base flood de	epth entered in Item	B9;	
☐ FIS Profile ☒ FIRM ☐ Community Determined ☐ Other/Source;							
B11. Indicate elevation datum used for BFE in Item B9: NGVD 1929 X NAVD 1988 Other/Source:							
B12. Is the building	located in a	Coastal Barrier Resou	rces Sy	/stem (CBRS) area	or Otherwise Protec	ted Area (C	DPA)? ☐ Yes ☒ No
Designation Date: CBRS OPA							
				_			

OMB No. 1660-0008 **ELEVATION CERTIFICATE** Expiration Date: November 30, 2018 IMPORTANT: In these spaces, copy the corresponding information from Section A. FOR INSURANCE COMPANY USE Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. Policy Number: 1313 NW TIGER DRAIN ROAD State ZIP Code Company NAIC Number WHITE SPRINGS Florida 32096 SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED) C1. Building elevations are based on: Construction Drawings* Building Under Construction* X Finished Construction *A new Elevation Certificate will be required when construction of the building is complete. C2. Elevations - Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH, AR/AO. Complete Items C2.a-h below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters. Benchmark Utilized: LOCAL Vertical Datum: NAVD 1988 Indicate elevation datum used for the elevations in items a) through h) below. NGVD 1929 ▼ NAVD 1988 ☐ Other/Source: Datum used for building elevations must be the same as that used for the BFE. Check the measurement used. a) Top of bottom floor (including basement, crawlspace, or enclosure floor) _____ 87, 0 X feet meters b) Top of the next higher floor × feet meters c) Bottom of the lowest horizontal structural member (V Zones only) X feet meters d) Attached garage (top of slab) X feet ☐ meters 87.0 e) Lowest elevation of machinery or equipment servicing the building X feet meters (Describe type of equipment and location in Comments) 82, 7 f) Lowest adjacent (finished) grade next to building (LAG) X feet meters g) Highest adjacent (finished) grade next to building (HAG) 83, 4 X feet meters 83_3 h) Lowest adjacent grade at lowest elevation of deck or stairs, including X feet meters structural support SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information. I certify that the information on this Certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001. Were latitude and longitude in Section A provided by a licensed land surveyor? Check here if attachments. Certifier's Name License Number MARK D. DUREN LS4708 454708 Title FLORIDA LICENSED SURVEYOR AND MAPPER 9/17/2017 Company Name MARK D. DUREN AND ASSOCIATES, INC. Seal Here 1604 SW SISTERS WELCOME ROAD City State ZIP Code

Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.

Florida

08/17/2017

Date

Comments (including type of equipment and location, per C2(e), if applicable)

MANUFACTURED HOME, STANDARD SET UP WITH SKIRTING, NO STRUCTURE IN PLACE. LINE C2e IS A/C.

32025

Telephone

(386) 623-4498

LAKE CITY

Signature

17-356R

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expiration Date: November 30, 2018

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 1313 NW TIGER DRAIN ROAD City State ZIP Code Company NAIC Number				
WHITE SPRINGS Florida 32096				
SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE)				
FOR ZONE AO AND ZONE A (WITHOUT BFE) For Zones AO and A (without BFE), complete Items E1–E5. If the Certificate is intended to support a LOMA or LOMR-F request, complete Sections A, B, and C. For Items E1–E4, use natural grade, if available. Check the measurement used. In Puerto Rico only, enter meters. E1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adjacent grade (HAG) and the lowest adjacent grade (LAG). a) Top of bottom floor (including basement, crawlspace, or enclosure) is				
community-issued BFE) or Zone AO must sign here. The statements in Sections A, B, and E are correct to the best of my knowledge. Property Owner or Owner's Authorized Representative's Name				
Address City State ZIP Code				
Signature Date Telephone				
Comments ☐ Check here if attachments.				

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expiration Date: November 30, 2018

IMPORTANT: In these spaces, copy the corresponding information from Section A. FOR INSURANCE COMPANY					
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. Policy Number: 313 NW TIGER DRAIN ROAD					
City WHITE SPRINGS	State Florida	ZIP Code 32096	Company NAIC Number		
SECTI	ON G - COMMUNITY II	NFORMATION (OPTIONAL)			
The local official who is authorized by law or of Sections A, B, C (or E), and G of this Elevation used in Items G8–G10. In Puerto Rico only, et	n Certificate. Complete t	he community's floodplain ma he applicable item(s) and sign	nagement ordinance can complete n below. Check the measurement		
G1. The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, engineer, or architect who is authorized by law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)					
G2. A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO.					
G3. The following information (Items G4	-G10) is provided for con	mmunity floodplain managem	ent purposes.		
G4. Permit Number	G5, Date Permit Issue		Date Certificate of Compliance/Occupancy Issued		
G7. This permit has been issued for:	New Construction	Substantial Improvement			
G8. Elevation of as-built lowest floor (includin of the building:	g basement)	feet	meters Datum		
G9. BFE or (in Zone AO) depth of flooding at	the building site:	feet	meters Datum		
G10. Community's design flood elevation:			meters Datum		
Local Official's Name Title					
Community Name Telephone					
Signature Date					
Comments (including type of equipment and loc	cation, per C2(e), if appli	icable)			
			<u>ē</u>		
			Check here if attachments.		

BUILDING PHOTOGRAPHS

ELEVATION CERTIFICATE

See Instructions for Item A6.

OMB No. 1660-0008 Expiration Date: November 30, 2018

IMPORTANT: In these spaces, cop	FOR INSURANCE COMPANY USE		
Building Street Address (including A 1313 NW TIGER DRAIN ROAD	pt., Unit, Suite, and/or Bldg. No.)	or P.O. Route and Box No.	Policy Number:
City WHITE SPRINGS	State Florida	ZIP Code 32096	Company NAIC Number

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.



Photo One Caption FRONT (WEST SIDE VIEW) 8/17/2017



Photo Two Caption REAR (EAST SIDE VIEW), NOTE A/C ON RAISED PLATFORM, 8/17/2017

DIAGRAM 3

All split-level buildings that are slab-on-grade, either detached or row type (e.g., townhouses); with or without attached garage.

Distinguishing Feature – The bottom floor (excluding garage) is at or above ground level (grade) on at least one side.*




DIAGRAM 4

All split-level buildings (other than slab-on-grade), either detached or row type (e.g., townhouses); with or without attached garage.

Distinguishing Feature — The bottom floor (basement or underground garage) is below ground level (grade) on all sides *




DIAGRAM 5

All buildings elevated on piers, posts, piles, columns, or parallel shear walls. No obstructions below the elevated floor.

Distinguishing Feature – For all zones, the area below the elevated floor is open, with no obstruction to flow of flood waters (open lattice work and/or insect screening is permissible)





DIAGRAM 6

All buildings elevated on piers, posts, piles, columns, or parallel shear walls with full or partial enclosure below the elevated floor.

Distinguishing Feature – For all zones, the area below the elevated floor is enclosed either partially or fully. In A Zones, the partially or fully enclosed area below the elevated floor is with or without openings** present in the walls of the enclosure. Indicate information about enclosure size and openings in Section A – Property Information



- A floor that is below ground level (grade) on all sides is considered a basement even if the floor is used for living purposes, or as an office, garage, workshop, etc.
- ** An "opening" is a permanent opening that allows for the free passage of water automatically in both directions without human intervention. Under the NFIP, a minimum of two openings is required for enclosures or crawlspaces. The openings shall provide a total net area of not less than one square inch for every square foot of area enclosed, excluding any bars, louvers, or other covers of the opening. Alternatively, an Individual Engineered Flood Openings Certification or an Evaluation Report issued by the International Code Council Evaluation Service (ICC ES) must be submitted to document that the design of the openings will allow for the automatic equalization of hydrostatic flood forces on exterior walls. A window, a door, or a garage door is not considered an opening; openings may be installed in doors. Openings shall be on at least two sides of the enclosed area. If a building has more than one enclosed area, each area must have openings to allow floodwater to directly enter. The bottom of the openings must be no higher than one foot above the higher of the exterior or interior grade or floor immediately below the opening. For more guidance on openings, see NFIP Technical Bulletin 1.