

**Columbia County Building Department  
Culvert Permit**Att: Connie  
3059616  
**Culvert Permit No.  
000001975**

DATE 11/13/2012 PARCEL ID # 18-6S-17-09280-133  
APPLICANT BRYAN ZECHER PHONE 752-8653  
ADDRESS PO BOX 815 LAKE CITY FL 32056  
OWNER MIKE & DIANE CATALDO PHONE 843-524-1048  
ADDRESS 959 SW MANDIBA DR LAKE CITY FL 32024  
CONTRACTOR BRYAN ZECHER PHONE 752-8653  
LOCATION OF PROPERTY 441 S, R CR-131, R INTO THE OAKS S/D, L CUSTOM MADE CIR, R MANDIBA DR,  
10TH LOT ON RIGHT  
SUBDIVISION/LOT/BLOCK/PHASE/UNIT THE OAKS S/D 33 1

**INSTALLATION INFORMATION**SIGNATURE 

- (A) A culvert shall be required to be installed as part of any newly constructed private driveway or road, or public road, which connects to a county road in Columbia County. Culvert installation for residential use shall require a permit issued by the Building and Zoning Department. Prior to any culvert permit being issued, an inspection by the Public Works Department shall be required to determine the proper size, length, and location for installation. Culvert installation for commercial, industrial, and other uses shall conform to the approved site plan or to the specifications of a registered engineer. Joint use culverts will comply with Florida Department of Transportation specifications.
- (B) The culvert shall comply and be installed in accordance with Columbia County Land Development Regulation, Access Control: Section 4.2.3 standards. Proper installation of the culvert shall be verified by a final inspection performed by the Public Works Department.
- (C) All culverts required by this policy shall be installed prior to the Building Department granting permission to connect permanent electrical service to the facility or facilities being serviced by newly constructed private driveway or road. In cases where no electrical service exists, installation shall be completed prior to final inspection approval.
- (D) Mitered-end culverts shall be used in the following applications:  
(1) When the culvert is to be placed giving access to a paved street.; (2) When the road is contained within a subdivision (recorded or unrecorded) that has not reached a "build out" of fifty percent (50%) or more.; (3) In all new subdivisions for residential use. New subdivisions shall be required as part of the final plat to specify culvert diameter and length.; (4) When the predominant use already established by the use of mitered-end culverts period.

☐ Culvert installation shall conform to the approved site plan standards.☐ Department of Transportation Permit installation approved standards.☒ Shall conform to Public Works Determinations as Stated Below:18" diameter x 32' feet long with miter  
ends poured with concreteP W Inspectors Name: James DurranceDate: 11-21-12


Final Inspection Date:

3-13-13

P W Inspectors Name:

James Durrance

Signature:

**CONTACT FOR REQUIREMENTS AND INSPECTIONS:****PUBLIC WORKS DEPARTMENT**Phone: **386-758-1019**Amount Paid 25.00Check No. 3719**All Proper Safety Requirements Should Be Followed During The Installation Of The Culvert**

**Columbia County Building Department  
Culvert Permit**

**Culvert Permit No.**  
**000001975**

DATE 11/13/2012 PARCEL ID # 18-5S-17-09280-133  
APPLICANT BRYAN ZECHER PHONE 752-8653  
ADDRESS PO BOX 815 LAKE CITY FL 32056  
OWNER MIKE & DIANE CATALDO PHONE 843-524-1048  
ADDRESS 959 SW MANDIBA DR LAKE CITY FL 32024  
CONTRACTOR BRYAN ZECHER PHONE 752-8653  
LOCATION OF PROPERTY 441 S, R CR-131, R INTO THE OAKS S/D, L CUSTOM MADE CIR, R MANDIBA DR,  
10TH LOT ON RIGHT  
SUBDIVISION/LOT/BLOCK/PHASE/UNIT THE OAKS S/D 33 1

**INSTALLATION INFORMATION**

SIGNATURE 

- (A) A culvert shall be required to be installed as part of any newly constructed private driveway or road, or public road, which connects to a county road in Columbia County. Culvert installation for residential use shall require a permit issued by the Building and Zoning Department. Prior to any culvert permit being issued, an inspection by the Public Works Department shall be required to determine the proper size, length, and location for installation. Culvert installation for commercial, industrial, and other uses shall conform to the approved site plan or to the specifications of a registered engineer. Joint use culverts will comply with Florida Department of Transportation specifications.
- (B) The culvert shall comply and be installed in accordance with Columbia County Land Development Regulation, Access Control: Section 4.2.3 standards. Proper installation of the culvert shall be verified by a final inspection performed by the Public Works Department.
- (C) All culverts required by this policy shall be installed prior to the Building Department granting permission to connect permanent electrical service to the facility or facilities being serviced by newly constructed private driveway or road. In cases where no electrical service exists, installation shall be completed prior to final inspection approval.
- (D) Mitered-end culverts shall be used in the following applications:  
(1) When the culvert is to be placed giving access to a paved street.; (2) When the road is contained within a subdivision (recorded or unrecorded) that has not reached a "build out" of fifty percent (50%) or more.; (3) In all new subdivisions for residential use. New subdivisions shall be required as part of the final plat to specify culvert diameter and length.; (4) When the predominant use already established by the use of mitered-end culverts period.

☐

Culvert installation shall conform to the approved site plan standards.

☐

Department of Transportation Permit installation approved standards.

☒

Shall conform to Public Works Determinations as Stated Below:

18" diameter x 32' feet long with miter  
ends poured with concrete

P W Inspectors Name: James Durrance

Date: 11-21-12

Final Inspection Date: \_\_\_\_\_

P W Inspectors Name: \_\_\_\_\_

Signature: \_\_\_\_\_

**CONTACT FOR REQUIREMENTS AND INSPECTIONS:**

**PUBLIC WORKS DEPARTMENT**

**Phone: 386-758-1019**

**Amount Paid** 25.00

**Check No.** 3719

**All Proper Safety Requirements Should Be Followed During The Installation Of The Culvert**